





NOTES:

- 1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
- *2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: ZNER CHKD: 2007/01/12 APPR: LGMIN 2007/01/15			DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION ⊙ □					
					mm INCH		DRAWN BY RPACIFICI		DATE 2005/12/22		TITLE SC CONNECTOR (TUNABLE)					
							CHECKED BY		DATE							
					4 PLACES ± --- ± ---		3 PLACES ± --- ± ---		2 PLACES ± --- ± ---		1 PLACE ± --- ± ---		APPROVED BY		DATE	
					ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-106032-XXX0				SHEET NO. 1 OF 3	
					SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

	10		9		8		7		6		5		4		3		2		1							
	CONNECTOR P/N	$\varnothing$ (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)				CONNECTOR P/N	$\varnothing$ (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)											
F	106032-0000	127	BLUE	BLUE	MULTIMODE	3				106032-3000	128	BLUE	BLUE	MULTIMODE	3					F						
	106032-0900					2.0 & 1.6 DUPLEX				106032-3900					2.0 & 1.6 DUPLEX											
	106032-0100					1.6 SIMPLEX				106032-3100					1.6 SIMPLEX											
	106032-0050					3				106032-3060		3														
	106032-0950		WHITE	BEIGE		2.0 & 1.6 DUPLEX				106032-3960		2.0 & 1.6 DUPLEX					BEIGE	BEIGE		2.0 & 1.6 DUPLEX						
106032-0150	1.6 SIMPLEX								106032-3160	1.6 SIMPLEX																
106032-0060	3								106032-3050	3																
106032-0910*	2.0 & 1.6 DUPLEX								106032-3950	2.0 & 1.6 DUPLEX																
E	106032-0960		BEIGE	BEIGE		1.6 SIMPLEX				106032-3150		1.6 SIMPLEX					WHITE	BEIGE		1.6 SIMPLEX						
	106032-0140*					3				106032-3080		3														
	106032-0160					2.0 & 1.6 DUPLEX				106032-3980		2.0 & 1.6 DUPLEX														
	106032-0080					1.6 SIMPLEX				106032-3180		1.6 SIMPLEX														
	D	106032-0980	RED	RED	MULTIMODE	3				106032-3070	3				RED	RED		3								
106032-0180		2.0 & 1.6 DUPLEX							106032-3970	2.0 & 1.6 DUPLEX																
106032-0070		1.6 SIMPLEX							106032-3170	1.6 SIMPLEX																
106032-0970		3																								
106032-0170		BLACK	BLACK			2.0 & 1.6 DUPLEX								BLACK	BLACK		2.0 & 1.6 DUPLEX									
	1.6 SIMPLEX																									
	3																									
	2.0 & 1.6 DUPLEX																									
C	106032-2000	125.5	YELLOW	BLUE		SINGLE MODE	3					128	WHITE	BEIGE		3										
	106032-2900						2.0 & 1.6 DUPLEX									2.0 & 1.6 DUPLEX										
	106032-2100						1.6 SIMPLEX									1.6 SIMPLEX										
	106032-2050						3									3										
	106032-2950		WHITE	BLUE			2.0 & 1.6 DUPLEX						RED	RED		2.0 & 1.6 DUPLEX										
	106032-2150						1.6 SIMPLEX									1.6 SIMPLEX										
	106032-2080						3									3										
	106032-2980						2.0 & 1.6 DUPLEX									2.0 & 1.6 DUPLEX										
	106032-2180		RED	RED			1.6 SIMPLEX						BLACK	BLACK		1.6 SIMPLEX										
	106032-2070						3									3										
106032-2970	2.0 & 1.6 DUPLEX										2.0 & 1.6 DUPLEX															
106032-2170	1.6 SIMPLEX										1.6 SIMPLEX															
B																										
A																										
ENTER DESCRIPTION EC NO: MF2007-0445 2007/01/12 DRWN:KPEVZNER CHKD: 2007/01/12 APPR:IGUMIN 2007/01/15						QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		SC CONNECTOR (TUNABLE)										
4 PLACES ± --- ± --- ± ---			3 PLACES ± --- ± --- ± ---			2 PLACES ± --- ± --- ± ---			1 PLACE ± --- ± --- ± ---			ANGULAR ±1/2°			DRAWN BY DATE 2005/12/22					CHECKED BY DATE		APPROVED BY DATE		MATERIAL NO.		DOCUMENT NO.
B1						REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-106032-XXX0		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
ib_frame_B_P_ME_T Rev. D 2004/04/02						9	8	7	6	5	4	3	2	1												

10		9		8		7		6		5		4		3		2		106032	
CONNECTOR P/N		 (14mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)		CONNECTOR P/N	 (14mm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)						
F		125	YELLOW	BLUE		3		106032-4000	125.5	YELLOW	BLUE	SINGLE MODE	3						
						2.0 & 1.6 DUPLEX	106032-4900	2.0 & 1.6 DUPLEX											
			1.6 SIMPLEX			106032-4100	1.6 SIMPLEX												
			3			106032-4050	3												
			2.0 & 1.6 DUPLEX			106032-4950	2.0 & 1.6 DUPLEX												
E		126	RED	RED	SINGLE MODE	3		106032-4150	127	WHITE	RED	SINGLE MODE	3						
						2.0 & 1.6 DUPLEX	106032-4080	2.0 & 1.6 DUPLEX											
			1.6 SIMPLEX			106032-4980	1.6 SIMPLEX												
			3			106032-4180	3												
			2.0 & 1.6 DUPLEX			106032-4070	2.0 & 1.6 DUPLEX												
D		126	BLACK	BLACK	SINGLE MODE	1.6 SIMPLEX		106032-4970	127	RED	BLACK	SINGLE MODE	2.0 & 1.6 DUPLEX						
						3	106032-4170	3											
			2.0 & 1.6 DUPLEX			106032-5000	2.0 & 1.6 DUPLEX												
			1.6 SIMPLEX			106032-5020*	1.6 SIMPLEX												
			2.4			106032-5300	2.4												
C		126	WHITE	BLUE	SINGLE MODE	2.0 & 1.6 DUPLEX		106032-5100	127	BLACK	BLACK	SINGLE MODE	1.6 SIMPLEX						
						3	106032-5900	3											
			2.0 & 1.6 DUPLEX			106032-5990*	2.0 & 1.6 DUPLEX												
			1.6 SIMPLEX			106032-5100	1.6 SIMPLEX												
			3			106032-5050	3												
B		126	RED	RED	SINGLE MODE	2.0 & 1.6 DUPLEX		106032-5050	127	RED	RED	SINGLE MODE	2.0 & 1.6 DUPLEX						
						1.6 SIMPLEX	106032-5950	1.6 SIMPLEX											
			3			106032-5150	3												
			2.0 & 1.6 DUPLEX			106032-5080	2.0 & 1.6 DUPLEX												
			1.6 SIMPLEX			106032-5980	1.6 SIMPLEX												
A		126	BLACK	BLACK	SINGLE MODE	3		106032-5180	127	BLACK	BLACK	SINGLE MODE	3						
						2.0 & 1.6 DUPLEX	106032-5070	2.0 & 1.6 DUPLEX											
			1.6 SIMPLEX			106032-5970	1.6 SIMPLEX												
			2.0 & 1.6 DUPLEX			106032-5170	2.0 & 1.6 DUPLEX												
			1.6 SIMPLEX				1.6 SIMPLEX												
ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN: KPEVZNER CHKD: 2007/01/12 APPR: JGUMIN 2007/01/15 REV		QUALITY SYMBOLS ▽=0 ▽=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DIMENSION STYLE IN/MM DRAWN BY DATE RPACIFICI 2005/12/22 CHECKED BY DATE APPROVED BY DATE		SCALE 4:1 DESIGN UNITS INCH THIRD ANGLE PROJECTION		TITLE SC CONNECTOR (TUNABLE)		MOLEX INCORPORATED SD-106032-XXX0		SHEET NO. 3 OF 03</					