

Bussmann series 14 x 51 mm Photovoltaic fuse links



Description

Eaton's Bussmann series range of 14 x 51 mm package fuse links is specifically designed for protecting an isolating photovoltaic strings. These fuse links are capable of interrupting low overcurrents associated with faulted PV systems (reverse current, multi array fault).



Powering Business Worldwide

Catalogue symbol

- PV-(amp rating)A14F

Fuse size

- 14 x 51 mm

Technical data

- Rated voltage:
 - 1000 V d.c. (25 and 32 A)
 - 1100 V d.c. (15 and 20 A)
- Rated current: 15 to 32 A
- Breaking capacity: 10 kA
- Class of operation: gPV and UL PV fuse links
- PV fuse coordination w/ Thin film cells and 4", 5" and 6" crystalline silicon cells
- Time constant: 1-3 ms
- Minimum interrupting rating:
 - $1.5 \times I_n$ for 15 - 20 A
 - $1.75 \times I_n$ for 25 - 32 A

Standards/Approvals:

- IEC 60269-6
- UL 2579 (File number E335324)
- RoHS compliant

Fuse holders:

- CHPV141B
- CHPV141BI


Packaging:

- MOQ: 10
- Packaging: 100% recyclable


Dimensions - mm

Table 1. Technical data

Catalogue number	Rated current (Amps)	Rated voltage (V d.c.)	Energy integrals I^2t (A ² s)		Watts loss	
			Pre-arcng	Total at rated voltage	0.8 I_n	I_n
PV-15A14F	15	1100	14	265	2.1	4
PV-20A14F	20	1100	27	568	2.7	5
PV-25A14F	25	1000	65	943	2.7	5.1
PV-32A14F	32	1000	120	1740	3.3	6.2



Time-current curve



Changes to the products, to the information contained in this document, and to prices are reserved; so are errors and omissions. Only order confirmations and technical documentation by Eaton is binding. Photos and pictures also do not warrant a specific layout or functionality. Their use in whatever form is subject to prior approval by Eaton. The same applies to Trademarks (especially Eaton, Moeller, and Cutler-Hammer). The Terms and Conditions of Eaton apply, as referenced on Eaton Internet pages and Eaton order confirmations.

Eaton
EMEA Headquarters
Route de la Longerai 7
1110 Morges, Switzerland
Eaton.eu

© 2015 Eaton
All Rights Reserved
Publication No. 720132
September 2015

Eaton is a registered trademark.
All other trademarks are property of their respective owners.