










RECOMMENDED PCB(CONNECTOR SIDE VIEW)
THICKNESS= 1.6 TO 2.4 MM.

ONLY FOR CKT 3, 5, 7
OTHER DIMENSIONS REFER TO LEFT VIEWS.

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	= 0	2017/03/29 2017/05/15	2017/05/15	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE					
	= 0				MM		5:1					
	= 0				DRWN BY		DATE					
					GLLI		2014/07/14					
	= 0				ANGULAR TOL ± 3.0 °		CHK'D BY		DATE		HEADER OF NANO-FIT, S/R, VERTICAL, KINK POWER CONNECTOR	
	= 0				4 PLACES ±							
	= 0				3 PLACES ± 0.1							
	= 0				2 PLACES ± 0.2							
	= 0				1 PLACE ± 0.3		APPR BY		DATE		PRODUCT CUSTOMER DRAWING	
	= 0				0 PLACES ±		AYIN		2015/04/08			
	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER	CUSTOMER		
	= 0			A3				105309	SEE SHEET 2	GENERAL MARKET		
	= 0							DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER	
	= 0							SD-105309-100	PSD	000	1 OF 4	

