

THIS DRAWING IS A CONTROLLED DOCUMENT

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. AND ITS SUBSIDIARIES. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16


CAC Customer Layout Rev: D

8 7 6 5 4 3 2 1

Left Side
Connector(s): LC Optimate Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: 115-1232

Right Side
Connector(s): LC Optimate Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: 115-1232

- Notes:
- 1 OM3 assemblies tested at 850nm, all other multimode tested at 1300nm
 - 2 Label 2 will not be present on any cable assembly less than 5 meters long.



DIMENSIONS: meters		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK Jeff Shipe		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
APVD Jeff Shipe							
		0 P.L.C.	± .	NAME		FO C/A - 2 fiber, XG - 50/125, OFNP (Plenum) jacket, LC Optimate Duplex to LC Optimate Duplex	
		1 P.L.C.	± .	RESTRICTED TO:		SCALE NTS	
		2 P.L.C.	± .			SIZE A2	
		3 P.L.C.	± .			DRAWING NO C- 1553287	
		4 P.L.C.	± .			SHEET 1 of 3	
						REV A	

USED ON

CAC Customer Layout Rev: D

LOC

CE

CE
DIST

DIST

85

- Restricted To:

).

DM Cable Assy Configurator

CHK	Jeff Shipe
-----	------------

APVD	Jeff Shipe
------	------------

NAME	FO C/A - 2 fiber, XG - 50/125, OFNP (Plenum) jacket, LC Optimate Duplex to LC Optimate Duplex
------	--

SCALE NTS	SIZE A2	DRAWING NO C- 1553287	SHEET 2 of 3	REV A
--------------	------------	--------------------------	-----------------	----------

MATERIAL	HEAT TREAT
----------	------------

	-	-

AMP Tyco Electronics, Inc.
Harrisburg, PA 17105-3608

50/125, OFNP (Plenum) jacket, LC
plex to LC Optimate Duplex

53287	SHEET 2 of 3	REV A
-------	-----------------	----------

Site	Host M	Description	Item
------	--------	-------------	------

Qty	U or M	Description	No

2	piece	Trace Label	6
AD	meter	2 fiber, XC 50/125, 2.0mm, Twinzip, Aqua, GENP (Plenum)	5

AR	meter	2 liter, XG-50/125, 2.0mm, 1 whirlip, Aqua, OFNP (Platinum)	5
4	piece	Eyelet/Shrink tube assembly - White	4

4	piece	LC Connector High Connectivity	3
---	-------	--------------------------------	---

2	piece	LC Duplex clip, black	2
4	piece	LC SC EC Straight Boot, Blue	1

4	piece	EC, SC, FC Straight Boot, Blue	1
---	-------	--------------------------------	---

Per specification 107-1645-1

[illegible]

Logo

Made in XXXX

X-XXXXXXXX-X

-Trace # - Bar Code

-Trace # - Human Readable

-Part Number

–Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



XXXXXXXXXXXXXXXXXXXX

Logo

Made in XXXX

—Trace # - Bar Code

—Trace # - Human Readable

—Part Number

—Country of Origin

This label is used on all lengths on this drawing.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

CAC Customer Layout Rev: D

	A	Rev Per EC#	RELEASE	0/20/2009	- JS
P	LTR	REVISION RECORD		DATE	DIN AP

DIMENSIONS;
meters



TOLERANCES UNLESS OTHERWISE SPECIFIED		
0 PLC	$\pm$	"
1 PLC	$\pm$	"
2 PLC	$\pm$	"
3 PLC	$\pm$	"

Restricted To:

QW Cable Assy Configurator		MATERIAL - -		HEAT TREAT -	
CHK Jeff Shippe		 Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APD Jeff Shippe					
NAME FO C/A - 2 fiber, XG - 50/125, OFNP (Plenum) jacket, LC Optimate Duplex to LC Optimate Duplex					
SCALE NTS	SIZE A2	DRAWING NO. C- 1553287	SHEET 3 of 3	REV A	

AMP Tyco Electronics, Inc.
Harrisburg, PA 17105-3608