

AMPHENOL PART NUMBER CONFIGURATION

U78 - B 1 1 2 6 - 0 0 X X 1

CONNECTOR PLATING

- 1 = 30 U" MIN. GOLD ON MATING AREA
150-300 U" TIN-LEAD ON TERMINATION
- 4 = 15 U" MIN. GOLD ON MATING AREA
150-300 U" TIN-LEAD ON TERMINATION

PACKAGING

- 1 = TRAY
- ## CAGE PLATING
- 1 = TIN PLATING
 - 2 = NICKEL PLATING

MATERIAL: (RoHS-5 COMPLAINT)

CAGE (RoHS COMPLIANT):
COPPER ALLOY

PLATING:
SEE AMPHENOL PART NUMBER
CONFIGURATION FOR OPTIONS.

CONNECTOR (RoHS-5 COMPLIANT):

PLASTIC HOUSING:
HIGH TEMPERATURE RESISTANT NYLON
FLAMMABILITY RATING UL94V-0.

CONTACTS:
PHOSPHOR BRONZE
PLATING OPTION:
SEE AMPHENOL PART NUMBER
CONFIGURATION FOR OPTIONS.

PACKAGING:
TRAY PACKAGING.


TEMPERATURE RANGE:
-40°C TO +85°C

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
B		REPLACE DWG P-U78-B1126-00121	2005/06/23	
C		PLATING INFORMATION UPDATED	2005/09/21	
D		PIN # ADDED ON MATING AREA	2006/05/31	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.

LAST DIGIT INDICATING
PACKAGING TYPE, NOT
PRINTED ON THE PART

DATE CODE




THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/03/23	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2005/03/23		
CHECKED	X				
DWG. APPRD.				TITLE SFP STACKED COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)	
ENG. REL. NO.					
REF.	X			DWG	DRAWING NO.
DIMENSIONS ARE IN	INCHES	CODE ID. NO.	03554	A	P-U78-B1126-00XX1
SCALE	2:1	WT.		SURF.	
					SHEET 1 OF 5

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
B		REPLACE DWG P-U78-B1126-00121	2005/06/23	
C		PLATING INFORMATION UPDATED	2005/09/21	
D		PIN # ADDED ON MATING AREA	2006/05/31	



THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



- NOTES:
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
 2. HOLES ARE CHASSIS GROUND, 18 PLACES.

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
B		REPLACE DWG P-U78-B1126-00121	2005/06/23	
C		PLATING INFORMATION UPDATED	2005/09/21	
D		PIN # ADDED ON MATING AREA	2006/05/31	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



DETAIL B (SCALE 5:1)


RECOMMENDED SFP HOST BOARD LAYOUT (ONE SIDE CAGE MOUNTING)

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/03/23	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2005/03/23		
CHECKED	X			TITLE	
				SFP STACKED COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)	
DWG. APPRD.				DWG	DRAWING NO.
ENG. REL. NO.				A	P-U78-B1126-00XX1
REF.	X				REV.
DIMENSIONS ARE IN	INCHES	CODE ID. NO.	03554	SCALE	2:1
				WT.	
				SURF.	
				SHEET	4 OF 5

REVISIONS				
SYM	ZONE	ECN, ERN NO.	DATE	APPRD.
B		REPLACE DWG P-U78-B1126-00121	2005/06/23	
C		PLATING INFORMATION UPDATED	2005/09/21	
D		PIN # ADDED ON MATING AREA	2006/05/31	

THIS IS A CAD DRAWING. DO NOT MANUALLY REVISE.



TOP VIEW OF BOARD

BOTTOM VIEW OF BOARD

RECOMMENDED LAYOUT DETAIL
MATING TRANSCEIVER PCB

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION
MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING
PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

DRAWN	J.SI	DATE	2005/03/23	Amphenol Canada Corp.	
DESIGNED	J.SI	DATE	2005/03/23		
CHECKED	X		X		
DWG. APPRD.				TITLE SFP STACKED COMBO WITH PRESS FIT PINS (CONNECTOR AND CAGE)	
ENG. REL. NO.					
REF.	X			DWG	DRAWING NO.
DIMENSIONS ARE IN	INCHES	CODE ID. NO.	03554	A	P-U78-B1126-00XX1
SCALE	2:1	WT.		SURF.	
					REV. D
					SHEET 5 OF 5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[UE78-B1126-00121](#)