







2.99	7.10	12.00	15.11	11.50	6	2106091-5
2.97	6.35	10.50	13.61	10.00	5	2106091-4
2.94	5.60	9.00	12.11	8.50	4	2106091-3
2.90	4.85	7.50	10.61	7.00	3	2106091-2
2.79	4.10	6.00	9.11	5.50	2	2106091-1
DIM P	DIM N	DIM M	DIM F	DIM E	POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN C. DAILY 14MAR2008		 TE Connectivity			
			CHK M. MOSTOLLER 14MAR2008					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:			NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR -			
		0 PLC ±						
		1 PLC ±0.2						
		2 PLC ±0.13						
		3 PLC ±						
		4 PLC ±						
		ANGLES ±3°						
MATERIAL		FINISH			RESTRICTED TO			
					-			
CUSTOMER DRAWING					SIZE A2	CAGE CODE 00779	DRAWING NO C-2106091	REV A1
					SCALE 2:1	SHEET 1	OF 3	REV A1

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. DAILY 14MAR2008	 TE Connectivity			
DIMENSIONS: mm		CHK M. MOSTOLLER 14MAR2008				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME ASSEMBLY, THRU BOARD INVERTED SMT CONNECTOR			
0 PLC ±		PRODUCT SPEC	SIZE A2			
1 PLC ±0.2		APPLICATION SPEC	CAGE CODE 00779			
2 PLC ±0.13		WEIGHT	DRAWING NO 2106091			
3 PLC ±		CUSTOMER DRAWING	RESTRICTED TO -			
4 PLC ±			SCALE 2:1			
ANGLES ±3°			SHEET 2 OF 3			
FINISH			REV A1			

1471-9 (3/11)