











ALIGNMENT TOLERANCES FOR .100 MAX. BOARD-TO-BOARD MISALIGNMENT
(NO CONNECTOR FLOAT)



SEE NOTE 15

SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J. BELL 2012/06/25 APPR: F. SMITH	REV D1	DESCRIPTION QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY GEP	DATE 1994/08/10	TITLE VERT HEADER RECEPT ASSY BLIND MATE MINI-FIT HCS SERIES MOLEX INCORPORATED		
			4 PLACES ± ---		± ---	CHECKED BY R.J.F.	DATE 1994/08/10				
			3 PLACES ± ---		± .010	APPROVED BY F. SMITH	DATE 2011/10/11				
			2 PLACES ± 0.25		± .015	MATERIAL NO.		DOCUMENT NO.			SHEET NO.
			1 PLACE ± 0.38		± ---	SEE SHEET 3		SDA-44475-****			2 OF 3
					ANGULAR ± 5 °						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
						SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

13		12		11		10		9		8		7		6		5		4		3		2		1																																																																																																																																																																					
ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)		ITEM NUMBER		CKT. SIZE	HOUSING MATERIAL	PLATING (SEE NOTE 2)																																																																																																																																																																																			
J	X	44475-0211	2	94V-2	I	X	44475-0222	2	94V-0	2																																																																																																																																																																																			
		↑ -0411	4	↑	↑	X	↑ -0422	4	↑	↑																																																																																																																																																																																			
		-0611	6			X	-0622	6																																																																																																																																																																																					
I	X	-0811	8			X	-0822	8																																																																																																																																																																																					
		-1011	10			X	-1022	10																																																																																																																																																																																					
	X	-1211	12			X	-1222	12																																																																																																																																																																																					
H		-1411	14			X	-1422	14																																																																																																																																																																																					
	X	-1611	16			X	-1622	16																																																																																																																																																																																					
		-1811	18				-1822	18																																																																																																																																																																																					
G	X	-2011	20			X	-2022	20																																																																																																																																																																																					
	X	↓ -2211	22	↓	↓	X	↓ -2222	22	↓	↓																																																																																																																																																																																			
		44475-2411	24	94V-2	I	X	44475-2422	24	94V-0	2																																																																																																																																																																																			
F	X	44475-0221	2	94V-0	I																																																																																																																																																																																								
		↑ -0421	4	↑	↑																																																																																																																																																																																								
		-0621	6																																																																																																																																																																																										
E	X	-0821	8																																																																																																																																																																																										
		-1021	10																																																																																																																																																																																										
	X	-1221	12																																																																																																																																																																																										
D		-1421	14																																																																																																																																																																																										
		-1621	16																																																																																																																																																																																										
		-1821	18																																																																																																																																																																																										
C	X	-2021	20																																																																																																																																																																																										
	X	↓ -2221	22	↓	↓																																																																																																																																																																																								
		44475-2421	24	94V-0	I																																																																																																																																																																																								
<table><tr><th>ITEM. NO.</th><th>CKT. SIZE</th><th>HSG. MAT'L.</th><th colspan="24">TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:</th></tr><tr><th></th><th></th><th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th><th>6</th><th>7</th><th>8</th><th>9</th><th>10</th><th>11</th><th>12</th><th>13</th><th>14</th><th>15</th><th>16</th><th>17</th><th>18</th><th>19</th><th>20</th><th>21</th><th>22</th><th>23</th><th>24</th></tr><tr><td>44475-3000</td><td>24</td><td>94V-0</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>																												ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																											1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																	
ITEM. NO.	CKT. SIZE	HSG. MAT'L.	TERMINAL PLATING REQUIRED AT EACH CIRCUIT LOCATION:																																																																																																																																																																																										
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24																																																																																																																																																																			
44475-3000	24	94V-0	1	1	-	1	-	1	-	1	-	1	1	1	1	1	-	1	-	1	-	1	-	1	1	1																																																																																																																																																																			
<table><tr><td rowspan="4">SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25</td><td rowspan="4">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td colspan="2">SCALE 1:1</td><td colspan="2">DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>mm</td><td>INCH</td><td>DRAWN BY</td><td>DATE</td><td colspan="6">TITLE</td></tr><tr><td colspan="2">4 PLACES ± --- ± ---</td><td>GEP</td><td>1994/08/10</td><td colspan="6">VERT HEADER RECEPT ASSY</td></tr><tr><td colspan="2">3 PLACES ± --- ±.010</td><td colspan="2">CHECKED BY</td><td>DATE</td><td colspan="6">BLIND MATE</td></tr><tr><td colspan="2">2 PLACES ± 0.25 ±.015</td><td colspan="2">RJF</td><td>1994/08/10</td><td colspan="6">MINI-FIT HCS SERIES</td></tr><tr><td colspan="2">1 PLACE ± 0.38 ± ---</td><td colspan="2">APPROVED BY</td><td>DATE</td><td colspan="6">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ± 5 °</td><td colspan="2">FSMITH</td><td>2011/10/11</td><td colspan="6"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SDA-44475-****</td><td colspan="2">SHEET NO. 3 OF 3</td></tr><tr><td colspan="4">SIZE C</td><td colspan="24">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>																												SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION		mm	INCH	DRAWN BY	DATE	TITLE						4 PLACES ± --- ± ---		GEP	1994/08/10	VERT HEADER RECEPT ASSY						3 PLACES ± --- ±.010		CHECKED BY		DATE	BLIND MATE						2 PLACES ± 0.25 ±.015		RJF		1994/08/10	MINI-FIT HCS SERIES						1 PLACE ± 0.38 ± ---		APPROVED BY		DATE	MOLEX INCORPORATED						ANGULAR ± 5 °		FSMITH		2011/10/11							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		DOCUMENT NO.		SDA-44475-****		SHEET NO. 3 OF 3		SIZE C				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																					
SEE SHEET 1 EC NO: UCP2012-3941 2012/06/20 DRAWN: NGUYEN CHKD: J.BELL 2012/06/20 APPR: FSMITH 2012/06/25	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1		DESIGN UNITS METRIC		THIRD ANGLE PROJECTION																																																																																																																																																																																			
		mm	INCH	DRAWN BY	DATE	TITLE																																																																																																																																																																																							
		4 PLACES ± --- ± ---		GEP	1994/08/10	VERT HEADER RECEPT ASSY																																																																																																																																																																																							
		3 PLACES ± --- ±.010		CHECKED BY		DATE	BLIND MATE																																																																																																																																																																																						
2 PLACES ± 0.25 ±.015		RJF		1994/08/10	MINI-FIT HCS SERIES																																																																																																																																																																																								
1 PLACE ± 0.38 ± ---		APPROVED BY		DATE	MOLEX INCORPORATED																																																																																																																																																																																								
ANGULAR ± 5 °		FSMITH		2011/10/11																																																																																																																																																																																									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE CHART		DOCUMENT NO.		SDA-44475-****		SHEET NO. 3 OF 3																																																																																																																																																																																			
SIZE C				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																									
1b_frame_C_P_AM_T Rev. F 2009/06/18		12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																