


09-071 | H |

REVISIONS

SYM	DESCRIPTION	DATE	CHANGE NO	CHAR
F	REDRAWN ON CAD; ADDED NOTES 2 & 3; FINISH WAS COM'L CADMIUM .0001-.0003 CHROMATE YELLOW IRIDIUM.	8/5/97	19394	Q
G	1.15 WAS 1.150; JRB 4/17/98	19770		Q
H	ADDED NOTE 4; MLM 5/24/02	22129		



"A" HOLE DIA.
(SEE CHART)

- NOTE-UNLESS OTHERWISE SPECIFIED:
1. NO BURRS ALLOWED
 2. CAUTION DO NOT BARREL PLATE!
 3. DIMENSIONS APPLY AFTER PLATING.
 4. PARTS TO BE FREE OF DIRT, GREASE, OIL OR ANY OTHER SURFACE CONTAMINANTS.



.075 MAX.
PERMITTED 2 PLS.
09-071-1 & -3 ONLY

REF: MATERIAL 821301-4

MATERIAL		CR STEEL	APPROVALS		DATE	Haydon Switch and Instrument, Inc. Hartbury, Connecticut 06705 USA	
HEAT TREAT SPEC.			DRAWN BY	RJK	1/30/70	TITLE	
FINISH		ZINC PLATE	CHECKED	RAS	1/30/70	CLAMP, MOTOR MTG.	
			APPROVED	HEC	1/30/70		
			MAX. ALLOWABLE BURR			INCHES.	
			TOLERANCES SPECIFIED (MM)			UNLESS OTHERWISE SPECIFIED:	
			FRACTIONS			±.015 ±.381	
			DECIMALS			X.XX ±.010 ±.254	
			ANGLES			X.XXX ±.005 ±.127	
			DIAMETERS			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED			X.XX ±.005 ±.127	
			T.I.R.			X.XX ±.005 ±.127	
			CONCENTRIC			X.XX ±.005 ±.127	
			DIA. MARKED				