

Datenblatt

Valid as from 23.07.2012 to 30.09.2012



Article

EAN: 4007123602209
Art.No: 1170840

Catalogue: Electrical&Lighting 2012
Page: 205

Packing

Qty/Box: 1

Technical data

Measures(H/W/D): cm
weight g/n 1.710/1.376 Kg
Origin: K

Cost

Quantity 1 Pcs
Cost per unit: EUR

Solar LED-Strahler SOL 80 ALU <IP44> mit Bewegungsmelder, sep.Solarmodul

Solar LED Light SOL 80 ALU IP 44 with PIR sensor

For outdoor use, IP 44.

Solar LED spotlights can be used independently of the power grid because they generate their own environmentally friendly solar electricity.

Solar LED light with PIR sensor and separate solar module

Spotlight and solar module in a compact, well-designed aluminium casing.

8 high performance LEDs for illumination of large areas.

Pivoting solar lamp.

PIR sensor with max. 130° detection angle and max. range 10 m.

Switch-on time adjustable to a max. of approx. 1 minute.

Response intensity adjustable by a twilight switch.

With integrated overcharge and total discharge protection to ensure conti

Hugo Brennenstuhl
GmbH & Co.
Kommanditgesellschaft

Seestr. 1-3
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
Registergericht Stuttgart, HRA 380573
Persönlich haftende Gesellschafter:
H. Brennenstuhl GmbH, Sitz Tübingen
Registergericht Stuttgart, HRB 380156
Hugo Brennenstuhl
Geschäftsführer: Hugo Brennenstuhl,
Dr. Dehler-Brennenstuhl
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
(BLZ 641 500 20) 67 232

Volksbank Tübingen
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart
(BLZ 600 100 70) 445 11 - 701

Datenblatt

Valid as from 23.07.2012 to 30.09.2012

uous charging of the batteries. LEDs: 8 x 0,5 W
Luminous flux: appr. 350 lm Cable length: 4,75 m
Country of Orig.: People's Republic of China
Nim. Code Digit 94054099



Article

EAN: 4007123249824
Art.No: 1170710

Catalogue: Electrical&Lighting 2012
Page: 204

Packing

Qty/Box: 1

Technical data

Measures(H/W/D): cm
weight g/n 1.800/1.665 Kg
Origin: K

Cost

Quantity 1 Pcs
Cost per unit: EUR

Solar LED-Strahler SOL 80 <IP44> mit Bewegungsmelder, weiss

Solar LED Light SOL 80 IP 44

Solar lamp with motion detector and separate solar module.

Pivoting solar lamp.

Pivoting infrared motion detector with max. 180° detection angle
and max. range 12m.

Switch-on time adjustable to a max. of approx. 1 minute.

Can operate independent of the mains.

Response intensity adjustable by a twilight switch.

Sensitivity adjustable.

80 bright LEDs for illumination of large areas.

Hugo Brennenstuhl
GmbH & Co.
Kommanditgesellschaft

Seestr. 1-3
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
Registergericht Stuttgart, HRA 380573
Persönlich haftende Gesellschafter:
H. Brennenstuhl GmbH, Sitz Tübingen
Registergericht Stuttgart, HRB 380156
Hugo Brennenstuhl
Geschäftsführer: Hugo Brennenstuhl,
Dr. Dehler-Brennenstuhl
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
(BLZ 641 500 20) 67 232

Volksbank Tübingen
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart
(BLZ 600 100 70) 445 11 - 701

Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Inclusive of lead-gel battery.
 With integrated over-charge and total discharge protection.
 Practical and suitable for outside use, IP 44.
 80 LEDs, Cable length: 4,75 m.
 Country of Orig.: People's Republic of China
 Nim. Code Digit 94054099



Article

EAN: 4007123576111
 Art.No: 1170810

Catalogue: Electrical&Lighting 2012
 Page: 204

Packing

Qty/Box: 1

Technical data

Measures(H/W/D): cm
 weight g/n 1.800/1.665 Kg
 Origin: K

Cost

Quantity 1 Pcs
 Cost per unit: EUR

Solar LED-Strahler SOL 80 <IP44> mit Bewegungsmelder, schwarz

Solar LED Light SOL 80 IP 44
 Solar lamp with motion detector and separate solar module.
 Pivoting solar lamp.
 Pivoting infrared motion detector with max. 180° detection angle
 and max. range 12m.
 Switch-on time adjustable to a max. of approx. 1 minute.
 Can operate independent of the mains.
 Response intensity adjustable by a twilight switch.

Hugo Brennenstuhl
 GmbH & Co.
 Kommanditgesellschaft

Seestr. 1-3
 72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
 Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
 info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
 Registergericht Stuttgart, HRA 380573
 Persönlich haftende Gesellschafter:
 H. Brennenstuhl GmbH, Sitz Tübingen
 Registergericht Stuttgart, HRB 380156
 Hugo Brennenstuhl
 Geschäftsführer: Hugo Brennenstuhl,
 Dr. Dehler-Brennenstuhl
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
 (BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
 (BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
 (BLZ 641 500 20) 67 232

Volksbank Tübingen
 (BLZ 641 901 10) 25 722 000

Postbank Stuttgart
 (BLZ 600 100 70) 445 11 - 701

Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Sensitivity adjustable.
 80 bright LEDs for illumination of large areas.
 Inclusive of lead-gel battery.
 With integrated over-charge and total discharge protection.
 Practical and suitable for outside use, IP 44.
 80 LEDs, Cable length: 4,75 m.
 black
 Country of Orig.: People's Republic of China
 Nim. Code Digit 94054099



Article	
EAN:	4007123249879
Art.No:	1170720
Catalogue:	Electrical&Lighting 2012
Page:	206
Packing	
Qty/Box:	1
Technical data	
Measures(H/W/D):	cm
weight g/n	0.628/0.584 Kg
Origin:	K
Cost	
Quantity	1 Pcs
Cost per unit:	EUR

Solar LED-Wandleuchte SOL 04 <IP44> mit Bewegungsmelder, weiss

Solar LED External Light SOL 04 IP 44
 Compact solar lamp with integrated solar module and infrared motion detector.
 Detection angle approx. 100°, max. range 7 m.
 Light switches itself on automatically for approx. 1 minute

Hugo Brennenstuhl
 GmbH & Co.
 Kommanditgesellschaft
 Seestr. 1-3
 72074 Tübingen
 Germany

Telefon : +49 (0) 70 71-8 80 10
 Telefax : +49 (0) 70 71-8 76 57
 www.brennenstuhl.com
 info@brennenstuhl.de
 ILN-Nr. 40 07123 00000 5
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
 Registergericht Stuttgart, HRA 380573
 Persönlich haftende Gesellschafter:
 H. Brennenstuhl GmbH, Sitz Tübingen
 Registergericht Stuttgart, HRB 380156
 Hugo Brennenstuhl
 Geschäftsführer: Hugo Brennenstuhl,
 Dr. Dehler-Brennenstuhl
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
 (BLZ 600 501 01) 7477502158
 Deutsche Bank Tübingen
 (BLZ 640 700 85) 150 327 500
 Kreissparkasse Tübingen
 (BLZ 641 500 20) 67 232

Volksbank Tübingen
 (BLZ 641 901 10) 25 722 000
 Postbank Stuttgart
 (BLZ 600 100 70) 445 11 - 701

Datenblatt

Valid as from 23.07.2012 to 30.09.2012

when the detection area is breached.
 Can operate independent of the mains.
 With twilight sensor.
 All in a housing, no wiring necessary.
 4 super-bright LEDs, good light for orientation.
 Includes 3 NI-MH batteries.
 Practical and suitable for outside use, IP 44.
 4 LEDs.
 Country of Orig.: People's Republic of China
 Nim. Code Digit 94054099



Article	
EAN:	4007123576104
Art.No:	1170820
Catalogue:	Electrical&Lighting 2012
Page:	206
Packing	
Qty/Box:	1
Technical data	
Measures(H/W/D):	cm
weight g/n	0.628/0.584 Kg
Origin:	K
Cost	
Quantity	1 Pcs
Cost per unit:	EUR

Solar LED-Wandleuchte SOL 04 <IP44> mit Bewegungsmelder, schwarz

Solar LED External Light SOL 04 IP 44

Compact solar lamp with integrated solar module and infrared motion detector.

Detection angle approx. 100°, max. range 7 m.

Hugo Brennenstuhl
GmbH & Co.
Kommanditgesellschaft

Seestr. 1-3
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
Registergericht Stuttgart, HRA 380573
Persönlich haftende Gesellschafter:
H. Brennenstuhl GmbH, Sitz Tübingen
Registergericht Stuttgart, HRB 380156
Hugo Brennenstuhl
Geschäftsführer: Hugo Brennenstuhl,
Dr. Dehler-Brennenstuhl
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
(BLZ 641 500 20) 67 232

Volksbank Tübingen
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart
(BLZ 600 100 70) 445 11 - 701

Datenblatt

Valid as from 23.07.2012 to 30.09.2012

Light switches itself on automatically for approx. 1 minute
 when the detection area is breached.
 Can operate independent of the mains.
 With twilight sensor.
 All in a housing, no wiring necessary.
 4 super-bright LEDs, good light for orientation.
 Includes 3 NI-MH batteries.
 Practical and suitable for outside use, IP 44.
 4 LEDs. black
 Country of Orig.: People's Republic of China
 Nim. Code Digit 94054099



Article

EAN: 4007123164592
 Art.No: 1179810

Catalogue: Electrical&Lighting 2012
 Page: 208

Packing

Qty/Box: 1

Technical data

Measures(H/W/D): cm
 weight g/n 1.062/0.868 Kg
 Origin: K

Cost

Quantity 1 Pcs
 Cost per unit: EUR

Hausnummer mit Solarleuchte Edelstahl

Solar Power SH 4000

Easily read backlit house number plate of attractive design.

Four powerful LEDs illuminate the number automatically

Hugo Brennenstuhl
 GmbH & Co.
 Kommanditgesellschaft

Seestr. 1-3
 72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
 Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
 info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
 USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
 Registergericht Stuttgart, HRA 380573
 Persönlich haftende Gesellschafter:
 H. Brennenstuhl GmbH, Sitz Tübingen
 Registergericht Stuttgart, HRB 380156
 Hugo Brennenstuhl
 Geschäftsführer: Hugo Brennenstuhl,
 Dr. Dehler-Brennenstuhl
 Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
 (BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
 (BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
 (BLZ 641 500 20) 67 232

Volksbank Tübingen
 (BLZ 641 901 10) 25 722 000

Postbank Stuttgart
 (BLZ 600 100 70) 445 11 - 701



Datenblatt

Valid as from 23.07.2012 to 30.09.2012

when it gets dark!
No power supply required.
Operates on solar power delivered by an efficient, integral
NI-MH mignon battery.
Four energy-saving LEDs giving countless hours of well lit
visibility for the house number in the dark.
Housing made of stainless steel or sheet steel, powder-coated white.
Large, waterproof solar panel charges the battery.
Pack includes three of each number from 0-9 and a set of letters
from A-D, all large and self-adhesive for sticking to
the illuminated surface.
Measurements: 230 x 220 x 65 mm + Height of characters: 80 mm
Colour: Stainless steel
Country of Orig.: People's Republic of China
Nim. Code Digit 94056080

Firma:
Strasse:
PLZ/Ort:

Date:
Customer-No.:
Delivery date:

**** DECLARATION OF ORIGIN ****

E = MADE IN EUROPEAN UNION (EEC ORIGIN)

EUROPEAN ECONOMIC AREA (EEA ORIGIN) FOR EXPORTS TO EEA

F = Products are of preferential origin.

K = Products not of preferential origin.

F,K => Country of origin: (refer to position).

Payment within 14 Days less 2,00%

within 30 Days Net

Please Note: your account will not be considered
settled until your cheque has been cashed

For further queries please contact our representative covering your area

Werner Laich

Mobile 07071/880155186

Email wlaich@brennenstuhl.de

Hugo Brennenstuhl
GmbH & Co.
Kommanditgesellschaft

Seestr. 1-3
72074 Tübingen

Germany

Telefon : +49 (0) 70 71-8 80 10
Telefax : +49 (0) 70 71-8 76 57

www.brennenstuhl.com
info@brennenstuhl.de

ILN-Nr. 40 07123 00000 5
USt.-IdNr.: DE 146890047

Kommanditgesellschaft, Sitz Tübingen
Registergericht Stuttgart, HRA 380573
Persönlich haftende Gesellschafter:
H. Brennenstuhl GmbH, Sitz Tübingen
Registergericht Stuttgart, HRB 380156
Hugo Brennenstuhl
Geschäftsführer: Hugo Brennenstuhl,
Dr. Dehler-Brennenstuhl
Dipl.-Kfm. Sebastian Brennenstuhl

Bad.-Württ. Bank Tübingen
(BLZ 600 501 01) 7477502158

Deutsche Bank Tübingen
(BLZ 640 700 85) 150 327 500

Kreissparkasse Tübingen
(BLZ 641 500 20) 67 232

Volksbank Tübingen
(BLZ 641 901 10) 25 722 000

Postbank Stuttgart
(BLZ 600 100 70) 445 11 - 701