



Copyright FCI



FCI
FCIconnect.com






3



4

PRODUCT NUMBER

SEE TABLE-SHEET 3



mat'l. code		SEE NOTE 1		surface		tolerance		projection		product family		title	
lfr	ecm no.	dfr	date	ASPE Y14.5	✓	ASPE Y14.5		ASPE Y14.5		MEG-Array		OMM PLUG ASSY.	
N	V06-0560	LP	2006-07-14	angles		X ±.3		MM				8 X 30 = 240 POS.	
P	V-012333	SJ	2012-08-07			XX ±.0							
R	V12-0038	DCH	2012-11-14	±.2		XXX ±.050		Scale	1:1				
S	V-13710	DCH	2012-12-18	dfr		D.WAUGHEN	1997-11-14						
T	V-13387	DCH	2013-9-19	ENG		T. LEMKE	1997-11-14						
U	V-16676	DCH	2014-1-7	chr		T. LEMKE	1997-11-14						
V	V-17557	DCH	2014-4-3	apdd		T. LEMKE	1997-11-14						
Sheet	revision	V	V	V									
Index	Sheet	1	2	3									

form: AsmmXlc

1

2

3

4



Copyright FCI




FCIconnect.com

1 | 2


3 |

4


PICK UP CAP FLAT AREA




BOARD PATTERN SCALE 2/1



STENCIL MATED CONNECTOR OUTLINE ONTO BOARD.



* 74215 NOT AVAILABLE IN TELCORDIA/NORTEL VERSION.
MATED HEIGHT AFTER REFLOW IS BASED ON Ø.64mm PAD (METAL-DEFINED)
AND .13mm SOLDER PASTE STENCIL THICKNESS. SEE NOTE 3.
END VIEW — MATED CONNECTORS



TAPE & REEL PACKAGING SCALE NONE PER EIA 481-3

mat'l. code	SEE NOTE 1	surface	tolerance	projection	product family
lit	ecm no	dfr	date	ASPC Y14.5 V	ASPC Y14.5
				tolerances unless otherwise specified	
V				angles	3x3
				to	XXX-13
				Ø ±.2	XXX-051
dfr		D	WAUGHEN	1997-11-14	Scale 2:1
engr		T	LEWKE	1997-11-14	
chn		T	LEWKE	1997-11-14	
apdd		T	LEWKE	1997-11-14	
sheet	revision				
index	sheet				
				FCI	MEG-ARRAY
				dwg no	0mm PLUG ASSY.
					8 X 30= 240 POS.
					sheet 2 of 3
					size
					A4
					CUSTOMER Drawing

NOTES:

1. MAT'L:

HOUSING: LCP, FLAME RETARDANT PER UL 94V-0.

CONTACT: COPPER ALLOY

PLATING

CONTACT: (SEE TABLE ON THIS SHEET)

SOLDER BALL: (SEE TABLE ON THIS SHEET)

EUTECTIC SnPb OR LEAD FREE
95.5Sn/4Ag/0.5Cu

2. SOLDER BALLS WILL NOT BE PERFECT SPHERICAL SHAPE DUE TO REFLOW ATTACHMENT.

3. MATED HEIGHT EFFECTED BY CUSTOMER'S PCB PAD SIZE, PLATING, SOLDER REFLOW PROFILE, & SOLDER PASTE.

4. PLATING FOR INDICATED -2XX SERIES PRODUCT NUMBERS MEET THE REQUIREMENTS OF GR-1217-CORE, CENTRAL OFFICE ENVIRONMENT, (25 YEAR LIFE EXPECTANCY). THE CONTACT GEOMETRY IN THESE PRODUCT NUMBERS IS SPECIAL, ALSO.

5. FOR PROPER APPLICATION FOLLOW FCI APPLICATION SPECIFICATION GS-20-033 LEAD FREE SOLDER BALLS WILL NOT SOLDER PROPERLY IN A LEADED SOLDER PROCESS DUE TO A HIGHER REFLOW TEMPERATURE. LEAD FREE PRODUCT IS THEREFORE NOT BACKWARDS COMPATIBLE WITH LEADED OR SOME SOLDERING APPLICATIONS. REFERENCE FCI APPLICATION SPECIFICATION

6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004 PRODUCT MEETING THIS DIRECTIVE IS IDENTIFIED IN THE LOT CODE NUMBER MARKED ON EACH PART BY HAVING AN "X" IN THE SEVENTH CHARACTER POSITION

7. 74213-302, -302LF, -402, -402LF, -502 AND -502LF ARE OBSOLETE PRODUCT NUMBERS.

8. VISABLE KNOT LINES ANYWHERE ON FLOOR OF HOUSING ARE PERMITTED. OPEN KNOT LINES ANYWHERE ARE NOT PERMITTED.

PRODUCT NUMBER	PICK-UP CAP NATURAL OR BLACK COLOR	CONTACT PLATING AND THICKNESS	SOLDER BALL	NOTES
74213-002	STANDARD	15u" (.38um) Au	SnPb	
74213-002LF	STANDARD	15u" (.38um) Au	LEAD FREE	6
74213-092	STANDARD	15u" (.38um) GXT	SnPb	
74213-092LF	STANDARD	15u" (.38um) GXT	LEAD FREE	6
74213-093	SPECIAL WITH VENT HOLES	15u" (.38um) GXT	SnPb	
74213-093LF	SPECIAL WITH VENT HOLES	15u" (.38um) GXT	LEAD FREE	6
74213-102	STANDARD	30u" (.76um) Au	SnPb	
74213-102LF	STANDARD	30u" (.76um) Au	LEAD FREE	6
74213-192	STANDARD	30u" (.76um) GXT	SnPb	
74213-192LF	STANDARD	30u" (.76um) GXT	LEAD FREE	6
74213-202	STANDARD	50u" (1.27um) Au SPECIAL	SnPb	4
74213-202LF	STANDARD	50u" (1.27um) Au SPECIAL	LEAD FREE	4 AND 6
74213-292	STANDARD	50u" (1.27um) GXT SPECIAL	SnPb	4
74213-292LF	STANDARD	15u" (.38um) Au SPECIAL	LEAD FREE	4 AND 6
74213-302	YES	15u" (.38um) Au SPECIAL	SnPb	7
74213-302LF	YES	15u" (.38um) Au SPECIAL	LEAD FREE	6 AND 7
74213-402	YES	30u" (.76um) Au SPECIAL	SnPb	7
74213-402LF	YES	30u" (.76um) Au SPECIAL	LEAD FREE	6 AND 7
74213-502	YES	Au SPECIAL	SnPb	4 AND 7
74213-502LF	YES	Au SPECIAL	LEAD FREE	4, 6 AND 7

9. A  SYMBOL WILL BE NEXT TO ANY DIMENSION, NEW VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

mat'l. code	SEE NOTE 1	surface	tolerance	projection	product family
lbr	ecn no	dr	date	ASPC Y14.5	ASPC Y14.5
V		angles	3x.3	MM	0mm PLUG ASSY.
		dr	30x.13	scale 2:1	8 X 30= 240 POS.
		dr	D WAUGHEN 1997-11-14		sheet 3 of 3 size
		ENGJ	T LEMKE 1997-11-14		74213
		chr	T LEMKE 1997-11-14		A4
		apdd	T LEMKE 1997-11-14		CUSTOMER Drawing
sheet	revision				
index	sheet				