






FCIconnect.com

Copyright FCI

PRODUCT NO.
SEE TABLE



OPTIONAL
INSULATION
PLUG



mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family CARD CONN							
ltr		ecn no		dr		date		tolerances unless otherwise specified				title					
A				JGS		3/20/90		angles		linear		.XX ±.01/.3		INCH/MM		2 x.100 HORIZ. CARD	
B		V70467		RGD		10/14/97						.XXX ±.005/.13		scale 4:1		CONN. .050 LEG 30 Au	
C		V02386		AZ		10/06/00		0°±2°				.XXXX ±.0020/.051					
D		M05-0181		MHT		8/22/05		dr		J. SHREINER		3/20/90				dwg no	
E		M06-0117		AEA		06/27/06		engr		M. HAHN		3/20/90				sheet 1 of 6 size	
								chr		M. HAHN		3/20/90				67943	
								appd		M. HAHN		3/20/90				A3	
sheet		revision		E		E		E		E		E				type	
index		sheet		1		2		3		4		5		6		Product Customer Drawing	
				4						5				6			


form: A3



FCIconnect.com

Copyright FCI

PRODUCT NO.
SEE TABLE



NOTES.

- HOUSING MATERIAL:
FILLED HIGH TEMPERATURE NYLON, COLOR BLACK
- TERMINAL MATERIAL:
BODY. BRASS .010/0.25 THICK.
SPRING. BE-CU. HEAT TREATED
BODY PLATING.
30 MICROINCH GOLD/0.76 MICRON.
OVER 50 MICROINCH NICKEL / 1.27 MICRON
IN CONTACT AREA
SPRING PLATING. GOLD FLASH
- MARK "FCI" FCI PART NUMBER AND DATE CODE
PARTS 1 X 8 OR LESS HAVE THIS INFORMATION
ON TUBE LABEL INSTEAD OF HOUSING.
- APPLICATION INFORMATION.
A. RECOMMENDED MOUNTING HOLE PATTERN IS SHOWN IN FIG."1".
B. ALL MATING PINS TO BE .025/0.64 SQUARE ON TRUE CENTER OF GIVEN TERMINAL SPACINGS WITHIN .015/0.38 DIA.
- ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- THESE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- THIS PART WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN A WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ecn no	dr	date	tolerances unless otherwise specified			title
E				angles	linear	INCH/MM	2 x.100 HORIZ. CARD
				0°±2'	.XX ±.01/.3 .XXX ±.005/.13 .XXXX ±.0020/.051	scale 4:1	CONN. .050 LEG 30 Au
		dr	J. SHREINER	3/20/90			dwg no
		enr	M. HAHN	3/20/90			sheet2 of 6 size
		chr	M. HAHN	3/20/90			67943 A3
		appd	M. HAHN	3/20/90			type Product Customer Drawing
sheet index	revision sheet						

form: A3



FCIconnect.com

Copyright FCI

D

PRODUCT NO.		NO. OF POS.	DIM. A	DIM. B	INSULATION PLUG	LEAD FREE OPTION										
67943-001			UNASSIGNED			NOTE 5,6	UNASSIGNED									
-002		2X2	.100/2.54	.240/6.10	NO											
-003		2X3	.200/5.08	.340/8.64												
-004		2X4	.300/7.62	.440/11.18												
-005		2X5	.400/10.16	.540/13.72												
-006		2X6	.500/12.70	.640/16.26												
-007		2X7	.600/15.24	.740/18.80												
-008		2X8	.700/17.78	.840/21.34												
-009		2X9	.800/20.32	.940/23.88												
-010		2X10	.900/22.86	1.040/26.42												
-011		2X11	1.00/25.40	1.140/28.96												
-012		2X12	1.10/27.94	1.240/31.50												
-013		2X13	1.20/30.48	1.340/34.04												
-014		2X14	1.30/33.02	1.440/36.58												
-015		2X15	1.40/35.56	1.540/39.12												
-016		2X16	1.50/38.10	1.640/41.66												
-017		2X17	1.60/40.64	1.740/44.20												
-018		2X18	1.70/43.18	1.840/46.74												
-019		2X19	1.80/45.72	1.940/49.28												
-020		2X20	1.90/48.26	2.040/51.82												
-021		2X21	2.00/50.80	2.140/54.36												
-022		2X22	2.10/53.34	2.240/56.90												
-023		2X23	2.20/55.88	2.340/59.44												
-024		2X24	2.30/58.42	2.440/61.98												
-025		2X25	2.40/60.96	2.540/64.52												
-026		2X26	2.50/63.50	2.640/67.06												
-027		2X27	2.60/66.04	2.740/69.60												
-028		2X28	2.70/68.58	2.840/72.14												
-029		2X29	2.80/71.12	2.940/74.68												
-030		2X30	2.90/73.66	3.040/77.22												
-031		2X31	3.00/76.20	3.140/79.76												
-032		2X32	3.10/78.74	3.240/82.30												
-033		2X33	3.20/81.28	3.340/84.84												
-034		2X34	3.30/83.82	3.440/87.38												
-035		2X35	3.40/86.36	3.540/89.92												
-036		2X36	3.50/88.90	3.640/92.46												
-037		2X37	3.60/91.44	3.740/95.00												
-038		2X38	3.70/93.98	3.840/97.54												
-039		2X39	3.80/96.52	3.940/100.08												
67943-040		2X40	3.90/99.06	4.040/102.62	NO	NOTE 5,6										

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 		product family CARD CONN									
ltr		ecn no		dr		date		tolerances unless otherwise specified						title					
E								angles		linear		.XX ±.01/.3		INCH/MM		2 x.100 HORIZ. CARD			
												.XXX ±.005/.13				CONN. .050 LEG 30 Au			
								0'±2'				.XXXX ±.0020/.051		scale 4:1					
				dr		J. SHREINER		3/20/90				dwg no		sheet3 of 6		size			
				engr		M. HAHN		3/20/90				67943				A3			
				chr		M. HAHN		3/20/90											
				appd		M. HAHN		3/20/90											
sheet index		revision sheet																	

form: A3



FCIconnect.com

Copyright FCI

form: A3

PRODUCT NUMBER	NO. OF POS.	DIM. A	DIM. B	INSULATION PLUG	LEAD FREE OPTION
67943-041	2X41	4.00/101.6	4.14/105.1	NO	NOTE 5,6
-042	2X42	4.10/104.1	4.24/107.7		
-043	2X43	4.20/106.6	4.34/110.2		
-044	2X44	4.30/109.2	4.44/112.7		
-045	2X45	4.40/111.7	4.54/115.3		
-046	2X46	4.50/114.3	4.64/117.8		
-047	2X47	4.60/116.8	4.74/120.4		
-048	2X48	4.70/119.3	4.84/122.9		
-049	2X49	4.80/121.9	4.94/125.4		
-050	2X50	4.90/124.4	5.04/128.0		
-051	2X51	5.00/127.0	5.14/130.5		
-052	2X52	5.10/129.5	5.24/133.1		
-053	2X53	5.20/132.0	5.34/135.6		
-054	2X54	5.30/134.6	5.44/138.1		
-055	2X55	5.40/137.1	5.54/140.7		
-056	2X56	5.50/139.7	5.64/143.2		
-057	2X57	5.60/142.2	5.74/145.8		
-058	2X58	5.70/144.7	5.84/148.3		
-059	2X59	5.80/147.3	5.94/150.8		
-060	2X60	5.90/149.8	6.04/153.4		
-061	2X61	6.00/152.4	6.14/155.9		
-062	2X62	6.10/154.9	6.24/158.5		
-063	2X63	6.20/157.4	6.34/161.0		
-064	2X64	6.30/160.0	6.44/163.5		
67943-065	2X65	6.40/162.5	6.54/166.1	NO	NOTE 5,6

mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ec	no	dr	date	tolerances unless otherwise specified	INCH/MM scale 4:1 	title
E					angles linear .XX ±.01/.3 .XXX ±.005/.13 .XXXX ±.0020/.051		2 x.100 HORIZ. CARD CONN. .050 LEG 30 Au
					0'±2'		
				dr	J. SHREINER 3/20/90		dwg no
				enr	M. HAHN 3/20/90		sheet 4 of 6 size
				chr	M. HAHN 3/20/90		67943 A3
				appd	M. HAHN 3/20/90		type Product Customer Drawing
sheet index	revision sheet						



FCIconnect.com

Copyright FCI

PRODUCT NUMBER	NO. OF POS.	DIM. A	DIM. B	INSULATION PLUG	LEAD FREE OPTION
67943-501		UNASSIGNED			NOTE 5,6
-502	2X2	.10/2.5	.24/6.10	YES	UNASSIGNED
-503	2X3	.20/5.0	.34/8.6		
-504	2X4	.30/7.6	.44/11.1		
-505	2X5	.40/10.1	.54/13.7		
-506	2X6	.50/12.7	.64/16.2		
-507	2X7	.60/15.2	.74/18.8		
-508	2X8	.70/17.7	.84/21.3		
-509	2X9	.80/20.3	.94/23.8		
-510	2X10	.90/22.8	1.04/26.4		
-511	2X11	1.00/25.4	1.14/28.9		
-512	2X12	1.10/27.9	1.24/31.5		
-513	2X13	1.20/30.4	1.34/34.0		
-514	2X14	1.30/33.0	1.44/36.5		
-515	2X15	1.40/35.5	1.54/39.1		
-516	2X16	1.50/38.1	1.64/41.6		
-517	2X17	1.60/40.6	1.74/44.2		
-518	2X18	1.70/43.1	1.84/46.7		
-519	2X19	1.80/45.7	1.94/49.2		
-520	2X20	1.90/48.2	2.04/51.8		
-502	2X21	2.00/50.8	2.14/54.3		
-503	2X22	2.10/53.3	2.24/56.9		
-504	2X23	2.20/55.8	2.34/59.4		
-505	2X24	2.30/58.4	2.44/61.9		
-506	2X25	2.40/60.9	2.54/64.5		
-507	2X26	2.50/63.5	2.64/67.0		
-508	2X27	2.60/66.0	2.74/69.6		
-509	2X28	2.70/68.5	2.84/72.1		
-510	2X29	2.80/71.1	2.94/74.6		
-511	2X30	2.90/73.6	3.04/77.2		
-512	2X31	3.00/76.2	3.14/79.7		
-513	2X32	3.10/78.7	3.24/82.3		
-514	2X33	3.20/81.2	3.34/84.8		
-515	2X34	3.30/83.8	3.44/87.3		
-516	2X35	3.40/86.3	3.54/89.9		
-517	2X36	3.50/88.9	3.64/92.4		
-518	2X37	3.60/91.4	3.74/95.0		
-519	2X38	3.70/93.9	3.84/97.5		
-520	2X39	3.80/96.5	3.94/100.0		
67943-520	2X40	3.90/99.0	4.04/102.6	YES	NOTE 5,6

mat'l. code				surface ISO 1302 ☒	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ecn no	dr	date	tolerances unless otherwise specified			title
E				angles	linear	INCH/MM	2 x.100 HORIZ. CARD
				0'±2'	.XX ±.01/.3 .XXX ±.005/.13 .XXXX ±.0020/.051	scale 4:1	CONN. .050 LEG 30 Au
				dr	J. SHREINER	3/20/90	dwg no
				enr	M. HAHN	3/20/90	sheet 5 of 6 size
				chr	M. HAHN	3/20/90	67943 A3
				appd	M. HAHN	3/20/90	type Product Customer Drawing
sheet index	revision sheet						

form: A3

PRODUCT NUMBER	NO. OF POS.	DIM. A	DIM. B	INSULATION PLUG	LEAD FREE OPTION
67943-541	2X41	4.00/101.6	.120/3.05	YES	NOTE 5,6
-542	2X42	4.10/104.1	.220/5.59		
-543	2X43	4.20/106.6	.320/8.13		
-544	2X44	4.30/109.2	.420/10.67		
-545	2X45	4.40/111.7	.520/13.21		
-546	2X46	4.50/114.3	.620/15.75		
-547	2X47	4.60/116.8	.720/18.27		
-548	2X48	4.70/119.3	.820/20.83		
-549	2X49	4.80/121.9	.920/23.37		
-550	2X50	4.90/124.4	1.020/25.91		
-551	2X51	5.00/127.0	1.120/28.45		
-552	2X52	5.10/129.5	1.220/30.99		
-553	2X53	5.20/132.0	1.320/33.53		
-554	2X54	5.30/134.6	1.420/36.07		
-555	2X55	5.40/137.1	1.520/38.61		
-556	2X56	5.50/139.7	1.620/41.15		
-557	2X57	5.60/142.2	1.720/43.69		
-558	2X58	5.70/144.7	1.820/46.23		
-559	2X59	5.80/147.3	1.920/48.77		
-560	2X60	5.90/149.8	2.020/51.31		
-561	2X61	6.00/152.4	2.120/53.85		
-562	2X62	6.10/154.9	2.220/56.39		
-563	2X63	6.20/157.4	2.320/58.93		
-564	2X64	6.30/160.0	2.420/61.47		
-565	2X65	6.40/162.5	2.520/64.01		
-908	2X8	.700/17.7	2.620/66.55		
67943-912	2X12	1.10/27.9	2.720/69.09	YES	NOTE 5,6

mat'l. code				surface ISO 1302 ☒	tolerance ISO 406 ISO 1101	projection 	product family CARD CONN
ltr	ecr	no	dr	date	tolerances unless otherwise specified	INCH/MM scale 4:1 	title
E					angles linear .XX ±.01/.3 .XXX ±.005/.13 .XXXX ±.0020/.051		2 x.100 HORIZ. CARD CONN. .050 LEG 30 Au
					0'±2'		
				dr	J. SHREINER 3/20/90		dwg no
				enr	M. HAHN 3/20/90		sheet 6 of 6 size
				chr	M. HAHN 3/20/90		67943 A3
				appd	M. HAHN 3/20/90		type Product Customer Drawing
sheet index	revision sheet						