







CONTINUOUS RAMP ON HOUSINGS UP TO 8 CIRCUITS, AND ON 9 THRU 24 CIRCUITS, RAMPS ARE 4 CIRCUITS LONG, LOCATED AT BOTH ENDS.

(2.87) TYP
.113

(2.54) TYP
.100

30°
TYP REF

11 9



ADD RAMP DIMENSION EC NO. ICF2013-1391 DEDIPIN/IN/PER 2012/10/08 CHK/DA/INFORMER 2012/10/08 APPROV/EN/TH 2012/11/20	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE
		mm INCH		MM/IN		---	INCH	PROJECTION
		4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACE ±		DRAWN BY DATE POLGAR 1986/12/05 CHECKED BY DATE GATEL 1986/12/05 APPROVED BY DATE LENZ 1986/12/05		TITLE KK (3.96)/156 TRIFURCON CRIMP TERMINAL HOUSING 6442 SERIES molex		
		ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-6442		SHEET NO. 2 OF 4
J2	REV	SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

lb_frame_D_P_ME_T
Rev. E 2006/04/15