





NOTES.

- 1 . 製品詳細寸法については製品単体図面を参照ください。
ABOUT DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 2 . 梱包数量 : 1 1 0 0 個 / リール
NUMBER OF CONNECTORS : 1100PIECES/REEL
- 3 . リードテープ長さ
LEAD TAPE LENGTH
- トッパートープ接着部 (空エンボス)
20 PIECES. MIN.
TOP TAPE BONDED PART (EMPTY)
- 400MIN.
- 部品挿入部
COMPONENT
SUPPLIER
- 末端部
(空部)
TAIL PART
(EMPTY)
40MIN.
- 引き出し方向
PULL OUT
DIRECTION
- 4 . 材料
MATERIAL
キャリアテープ : ポリプロピレン
CARRIER TAPE : POLYPROPYLENE
トッパートープ : P E T , P E , R E F
TOP TAPE
リール : ポリスチレン (リサイクル材を含む)
REEL : POLYSTYLENE (RECYCLE MATERIAL CONTAINED)

緑 GREEN	青 BLUE	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR
5013311562	5013311542	5013311522	5013311512	501331 1507	15
5013311462	5013311442	5013311422	5013311412	501331 1407	14
5013311362	5013311342	5013311322	5013311312	501331 1307	13
5013311262	5013311242	5013311222	5013311212	501331 1207	12
5013311162	5013311142	5013311122	5013311112	501331 1107	11
5013311062	5013311042	5013311022	5013311012	501331 1007	10
5013310962	5013310942	5013310922	5013310912	501331 0907	9
5013310862	5013310842	5013310822	5013310812	501331 0807	8
5013310762	5013310742	5013310722	5013310712	501331 0707	7
5013310662	5013310642	5013310622	5013310612	501331 0607	6
EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	EMBOSSED PACKAGE	極数 CIRCUTIS
△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	△ ₁₀ オーダー番号 ORDER NO.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

RELEASED EC NO: 120301 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO 2017/08/03 2017/08/04 2017/08/04	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± 3.0 ° 4 PLACES ± 0.2 3 PLACES ± 0.2 2 PLACES ± 0.2 1 PLACE ± 0.2 0 PLACES ± 0.2 DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION UNITS MM	SCALE ≒≒	molex® PICO-CLASP 1.0 W/B SINGLE-ROW ST EMBSTP PKG WAFER ASS'Y			
		DRWN BY QHE31	DATE 2017/08/03				
		CHK'D BY SAKIYAMA	DATE 2017/08/04				
		APPR BY TKANEKO	DATE 2017/08/04	PRODUCT CUSTOMER DRAWING			
		DRAWING SIZE A3	THIRD ANGLE PROJECTION	SERIES 501331	MATERIAL NUMBER SEE TABLE OF SHEET 1	CUSTOMER	
				DOCUMENT NUMBER 5013310612-SD	DOC TYPE PSD	DOC PART 000	SHEET NUMBER 1 OF 3



37.4	33.4	32	14.2	18.3	15
				17.3	14
				16.3	13
29.4	25.4	24	11.5	15.3	12
				14.3	11
				13.3	10
				12.3	9
				11.3	8
				10.3	7
				9.3	6
E	D	C	(B)	(A)	極數 CIRCUITS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			
RELEASED	EC NO: 120301 DRWN: QHE31 CHK'D: SAKIYAMA APPR: TKANEKO	2017/08/03	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex®											
		2017/08/04		MM															
		2017/08/04		ANGULAR TOL ± 3.0 °			DRWN BY		DATE		PICO-CLASP 1.0 W/B SINGLE-ROW ST EMBSTP PKG WAFER ASS'Y								
		4 PLACES		±	0.2	QHE31		2017/08/03											
		3 PLACES		±	0.2	CHK'D BY		DATE											
		2 PLACES		±	0.2	SAKIYAMA		2017/08/04											
		1 PLACE		±	0.2	APPR BY		DATE											
		0 PLACES		±	0.2	TKANEKO		2017/08/04		PRODUCT CUSTOMER DRAWING									
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3		DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES	MATERIAL NUMBER			CUSTOMER					
						A3				501331	SEE TABLE OF SHEET 1								
						DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER								
A	REV							5013310612-SD			PSD	000	2 OF 3						

		10	9	8	7	6	5	4	3	2	1					
F													F			
E						紫 PA46 VIOLET	橙 PA46 ORANGE	茶 PA46 BROWN	緑 PA46 GREEN	色 COLOR						
						501331-1597	501331-1587	501331-1577	501331-1567	15						
						501331-1497	501331-1487	501331-1477	501331-1467	14						
						501331-1397	501331-1387	501331-1377	501331-1367	13						
						501331-1297	501331-1287	501331-1277	501331-1267	12						
						501331-1197	501331-1187	501331-1177	501331-1167	11						
						501331-1097	501331-1087	501331-1077	501331-1067	10						
						501331-0997	501331-0987	501331-0977	501331-0967	9						
						501331-0897	501331-0887	501331-0877	501331-0867	8						
						501331-0797	501331-0787	501331-0777	501331-0767	7						
D						501331-0697	501331-0687	501331-0677	501331-0667	6						
						EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数 CIRCUITS						
						オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.							
						青 PA46 BLUE	黄 PA46 YELLOW	赤 PA46 RED	黒 PA46 BLACK	自然色 PA6T NATURAL	色 COLOR					
						501331-1547	501331-1537	501331-1527		501331-1507	15					
						501331-1447	501331-1437	501331-1427		501331-1407	14					
						501331-1347	501331-1337	501331-1327		501331-1307	13					
						501331-1247	501331-1237	501331-1227		501331-1207	12					
						501331-1147	501331-1137	501331-1127		501331-1107	11					
						501331-1047	501331-1037	501331-1027		501331-1007	10					
C						501331-0947	501331-0937	501331-0927	501331-0917	501331-0907	9					
						501331-0847	501331-0837	501331-0827	501331-0817	501331-0807	8					
						501331-0747	501331-0737	501331-0727		501331-0707	7					
						501331-0647	501331-0637	501331-0627	501331-0617	501331-0607	6					
						EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数 CIRCUITS					
						オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.						
	B						REVISED EC NO: J2014-1509 DRWN:TYAJJMA01 CHKD:KASAKAWA APPR:NUKITA J	DESCRIPTION 2014/04/04 2014/04/07 2014/04/07 2014/04/07 REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER		± 0.2	DRAWN BY DATE NYOSHIDA 2004/07/30				TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) 6-15CKT							
		10 OVER 30 UNDER		± 0.25	CHECKED BY DATE MYAGI 2004/07/30											
		30 OVER		± 0.3	APPROVED BY DATE MIYAZAWA 2004/07/30											
ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO. SD-501331-002												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3							SHEET NO. 2 OF 2							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																

10

9

8

7

6

5

4

3

2

1

F


E

D

C


B

A



NOTES.

- 製品詳細寸法については製品単体図面を参照ください。
ABOUT DETAILED DIMENSION, SEE PRODUCT DRAWING.
- 梱包数量: 1100個/リール
NUMBER OF CONNECTORS: 1100PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



- 材料
MATERIAL
キャリアテープ: ポリプロピレン
CARRIER TAPE: POLYPROPYLENE
トップテープ: PET、PE、REF
TOP TAPE
リール: ポリスチレン (リサイクル材を含む)
REEL: POLYSTYLENE (RECYCLE MATERIAL CONTAINED)
- ELV 及び RoHS適合品
ELV AND RoHS COMPLIANT.
- ハイバリア梱包 (シリカゲル入り) 対応品である。(501331-**07除く)
THIS PRODUCT IS HIGH BARRIER PACKAGE.(WITH SILICAGEL)
(BESIDES 501331-**07)
- 開梱後の保管条件に注意のこと。(ハイバリア品対象: PS-501331-001参照)
REFER TO PS-501331-001(HIGH BARRIER PRODUCT)
FOR CONDITIONS AFTER OPEN.

REVISED EC NO: J2014-1509 DRAWN: TAJU IMAO1 CHKD: KASAKAWA APPR: NUKIITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2005/01/18	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG				
		10 OVER 30 UNDER	± 0.25	CHECKED BY MYAGI	DATE 2005/01/18					
		30 OVER	± 0.3	APPROVED BY ANODA	DATE 2005/01/18				molex	
		ANGULAR ±1 °		MATERIAL NO.		DOCUMENT NO.	SHEET NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3		SD-501331-004				
		REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

9

8

7



6

5

4

3

2



37.4	33.4	32	14.2	18.3	5013311507
				17.3	5013311407
				16.3	5013311307
				15.3	5013311207
29.4	25.4	24	11.5	14.3	5013311107
				13.3	5013311007
				12.3	5013310907
				11.3	5013310807
				10.3	5013310707
				9.3	5013310607
E	D	C	(B)	(A)	製品番号 MATERIAL NO.

REVISED EC NO: J2014-1509 DRAWN:TYAJIMA01 CHKD:KASAKAWA APPR:NUKITA	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
				MM ONLY		---	METRIC		
		10 UNDER	±0.2	DRAWN BY NYOSHIDA	DATE 2005/01/18	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG molex			
		10 OVER 30 UNDER	±0.25	CHECKED BY MYAGI	DATE 2005/01/18				
		30 OVER	±0.3	APPROVED BY ANODA	DATE 2005/01/18				
		ANGULAR ±1 °	MATERIAL NO.		DOCUMENT NO.				SHEET NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 3		SD-501331-004				2 OF 3
REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

		10		9		8		7		6		5		4		3		2		1																									
F																				紫 VIOLET		橙 ORANGE		茶 BROWN		緑 GREEN		色 COLOR																	
																				501331-1597		501331-1587		501331-1577		501331-1567		15																	
																				501331-1497		501331-1487		501331-1477		501331-1467		14																	
																				501331-1397		501331-1387		501331-1377		501331-1367		13																	
																				501331-1297		501331-1287		501331-1277		501331-1267		12																	
																				501331-1197		501331-1187		501331-1177		501331-1167		11																	
																				501331-1097		501331-1087		501331-1077		501331-1067		10																	
																				501331-0997		501331-0987		501331-0977		501331-0967		9																	
																				501331-0897		501331-0887		501331-0877		501331-0867		8																	
																				501331-0797		501331-0787		501331-0777		501331-0767		7																	
E																				501331-0697		501331-0687		501331-0677		501331-0667		6																	
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS																	
																				オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																			
D																				青 BLUE		黄 YELLOW		赤 RED		黒 BLACK		自然色 NATURAL		色 COLOR															
																				501331-1547		501331-1537		501331-1527				501331-1507		15															
																				501331-1447		501331-1437		501331-1427				501331-1407		14															
C																				501331-1347		501331-1337		501331-1327				501331-1307		13															
																				501331-1247		501331-1237		501331-1227				501331-1207		12															
																				501331-1147		501331-1137		501331-1127				501331-1107		11															
																				501331-1047		501331-1037		501331-1027				501331-1007		10															
																				501331-0947		501331-0937		501331-0927		501331-0917		501331-0907		9															
																				501331-0847		501331-0837		501331-0827		501331-0817		501331-0807		8															
B																				501331-0747		501331-0737		501331-0727				501331-0707		7															
																				501331-0647		501331-0637		501331-0627		501331-0617		501331-0607		6															
																				EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		EMBOSSSED PACKAGE		極数 CIRCUITS															
																				オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.		オーダー番号 ORDER NO.																	
																				A																				REVISED EC NO: J2014-1509 DRWN:TYAJ/MA01 CHKD:KASAKAWA APPR:NUKITA 2014/04/04 2014/04/07 2014/04/07		DESCRIPTION REV		GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER		± 0.2		DRAWN BY NYOSHIDA		DATE 2005/01/18		TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y (1-ROW S/T) EMBSTP PKG molex																																					
10 OVER 30 UNDER		± 0.25		CHECKED BY MYAGI		DATE 2005/01/18																																							
30 OVER		± 0.3		APPROVED BY ANODA		DATE 2005/01/18																																							
ANGULAR ±1 °				MATERIAL NO. SEE TABLE						DOCUMENT NO. SD-501331-004				SHEET NO. 3 OF 3																															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																							
tb_frame_A3_J_ME_S Rev G 2012/01/25		9		8		7		6		5		4		3		2																													