


FIG 1
(IPBT-108-HT-XX-D SHOWN)



IPBT-1XX-XX-XX-D-XX

No OF POSITIONS
-02 THRU -15
(PER ROW)
-02 (SEE SHEET 5, FIG.8)

LEAD STYLE

- H1: HIGH POWER, THRU HOLE
(USE T-1S55-XX-X-2, SEE FIG.1, SHEET 1)
- H2: HIGH POWER, SURFACE MOUNT
(USE T-1S55-02-X-2, SEE FIG.3, SHEET 3)
- H3: HIGH POWER, THRU HOLE, .670" STACKER
(USE T-1S55-05-X-2, SEE FIG.5, SHEET 4)
- H4: HIGH POWER, THRU HOLE, .748" STACKER
(USE T-1S55-06-X-2, SEE FIG.6, SHEET 4)
- H5: HIGH POWER, THRU HOLE, .787" STACKER
(USE T-1S55-07-X-2, SEE FIG.6, SHEET 4)
- H6: HIGH POWER, THRU HOLE, .984" STACKER
(USE T-1S55-08-X-2, SEE FIG.6, SHEET 4)

OPTION

- RA: RIGHT ANGLE (SEE FIG 2, SHEET 2)
[STYLE -H1 ONLY]
- GP: GUIDE POSTS (USE IPBT-XX-D-GP,
SEE FIG 4, SHEET 3)
(NOT AVAILABLE W/ -K OPTION)
- *-K: KEYED POLARIZATION
(USE IPBT-XX-D-K) (SEE FIG 9, SHEET 5)
(NOT AVAILABLE W/ -GP OPTION)


*(LEAVE BLANK FOR NO KEY OPTION.
SAMTEC WILL ONLY SUPPORT EXISTING
BUSINESS AS OF REV W)

ROW SPECIFICATION

- D: DOUBLE (USE IPBT-XX-D)

PLATING SPECIFICATION

- TM: MATTE TIN CONTACT AND TAIL
(USE T-1S55-XX-T-2)
- T: MATTE TIN CONTACT AND TAIL
(USE T-1S55-XX-T-2)



NOTES:

1. © REPRESENTS A CRITICAL DIMENSION.
2. COPLANARITY (FOR SURFACE MOUNT): SEE TABLE 2 SHEET 3.
3. MAX BURR ALLOWANCE: .0015 [.038]
4. MINIMUM TERMINAL RETENTION: 1 LB.
5. IPBT-XX-D-XX AND IPBV-XX-D PARTS TO BE MOLDED TO POSITION,
IPBE-XX-XX-D ARE TO BE CUT.
6. MAX HEIGHT VARIATION BETWEEN PINS: .005 [.13]
7. ALL PIN TO PIN DIMENSIONS TO BE MEASURED FROM TIP TO TIP.
8. THIS NUMBER REPRESENTS THE NUMBER OF POSITIONS PER ROW ONLY
AND IS NOT INTENDED TO BE USED IN POSITION NUMBERING.
9. ALL PARTS TO BE PACKAGED IN TUBES EXCEPT 2 AND 3 POS. 2 AND 3 POS
PARTS TO BE LAYER PACKAGED.
10. MAX CUT FLASH: .005 [.13]
11. AFTER REVISION T OF COMPONENT PRINT IPT1-XX-D-XX-X, SAMTEC LOGO
TO APPEAR ON CORE #1 FOR POSITIONS 1 THROUGH 5. FOR POSITIONS 6
THROUGH 15, LOGO TO APPEAR ON CORE #1 AND THE LAST CORE WITHIN THE SAME ROW.

TABLE 1

LEAD STYLE	BODY 1	BODY 2	TERMINAL 1	OAL REF	TERMINAL 2	OAL REF
-H1	IPBT-XX-D	N/A	T-1S55-01-X-2	.5100	N/A	N/A
-H2	IPBT-XX-D	N/A	T-1S55-02-X-2	.6071	N/A	N/A
-H1-RA	IPBT-XX-D	N/A	T-1S55-03-X-2	.6861	T-1S55-04-X-2	1.0681
-H1-RA-GP	IPBT-XX-D-GP	N/A	T-1S55-03-X-2	.6861	T-1S55-04-X-2	1.0681
-H1-GP	IPBT-XX-D-GP	N/A	T-1S55-01-X-2	.5100	N/A	N/A
-H3-GP	IPBT-XX-D-GP	IPBV-XX-D	T-1S55-05-X-2	.5790	N/A	N/A
-H4-GP	IPBT-XX-D-GP	CUT FROM IPBE-31-H4-D	T-1S55-06-X-2	.6580	N/A	N/A
-H5-GP	IPBT-XX-D-GP	CUT FROM IPBE-31-H5-D	T-1S55-07-X-2	.6970	N/A	N/A
-H6-GP	IPBT-XX-D-GP	CUT FROM IPBE-31-H6-D	T-1S55-08-X-2	.8940	N/A	N/A
-H3	IPBT-XX-D	IPBV-XX-D	T-1S55-05-X-2	.5790	N/A	N/A
-H4	IPBT-XX-D	CUT FROM IPBE-31-H4-D	T-1S55-06-X-2	.6580	N/A	N/A
-H5	IPBT-XX-D	CUT FROM IPBE-31-H5-D	T-1S55-07-X-2	.6970	N/A	N/A
-H6	IPBT-XX-D	CUT FROM IPBE-31-H6-D	T-1S55-08-X-2	.8940	N/A	N/A

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:

DECIMALS ANGLES
.XX: ±.01[.3] ± 2°
.XXX: ±.005[.13]
.XXXX: ±.0020[.051]

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

MATERIAL:

INSULATOR: LCP UL 94 VO, COLOR: BLACK
TERMINAL: HIGH COPPER ALLOY

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

DESCRIPTION:

.165 DOUBLE ROW TERMINAL ASSEMBLY

DWG. NO.

IPBT-1XX-XX-XX-D-XX

BY: DEAN P

7/27/2001

SHEET 1 OF 5

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

-RA: RIGHT ANGLE IN-PROCESS VIEWS







FIG 2
(IPBT-108-H1-XX-D-RA SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)
(AVAILABLE ONLY ON -H1)



SECTION "B"-"B"

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:
.165 DOUBLE ROW TERMINAL ASSEMBLY

DWG. NO.
IPBT-1XX-XX-XX-D-XX

BY: DEAN P 7/27/2001 SHEET 2 OF 5

FIG 3
(IPBT-108-H2-XX-D SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)







TABLE 2

No OF POSITIONS	COPLANARITY
-02 THRU -08	.004 [.10]
-09 THRU -15	.006 [.15]


FIG 4
(IPBT-108-H1-XX-D-RA-GP SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1, 2 OR 3)




F:\DWG\MISC\WKTG\IPBT-1XX-XX-XX-D-XX-MKT.SLDDRW

-H2: SURFACE MOUNT IN-PROCESS VIEWS

IN-PROCESS 1



IN-PROCESS 2



PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 1:0.470588

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:

.165 DOUBLE ROW TERMINAL ASSEMBLY

DWG. NO.

IPBT-1XX-XX-XX-D-XX

BY: DEAN P

7/27/2001

SHEET 3 OF 5

REVISION AA

TABLE 4		
LEADSTYLE	"C"	"D"
-H3	.579[14.71]	.094[2.40]
-H4	.658[16.71]	.173[4.39]
-H5	.697[17.70]	.212[5.38]
-H6	.894[22.71]	.409[10.39]

IN PROCESS 1
(FOR H3, H4, H5, & H6 ONLY)




FIG 5
(IPBT-108-H3-XX-D SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1)




TABLE 3		STACK HEIGHT WITH IPBS-TH
LEADSTYLE	"A"	
-H3	.475[12.07]	.670[17.00]
-H4	.553[14.05]	.748[19.00]
-H5	.592[15.04]	.787[20.00]
-H6	.789[20.04]	.984[25.00]

FIG 6
(IPBT-108-H6-XX-D SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1)





FIG 7
(IPBT-108-H6-XX-D-GP SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG. 1, 4, 5, OR 6)



PROPRIETARY NOTE
THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:
.165 DOUBLE ROW TERMINAL ASSEMBLY

DWG. NO.
IPBT-1XX-XX-XX-D-XX

BY: DEAN P 7/27/2001 SHEET 4 OF 5

FIG 8
(IPBT-102-HT-XX-D SHOWN)
(DIFFERENT AS SHOWN,
OTHERWISE SAME AS FIG 1)






FIG 9
(IPBT-1XX-HT-XX-D-K SHOWN)
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)


-105 POS SHOWN
(TYPICAL FOR POSITIONS 3 THRU 15)




-102 POS SHOWN
(DIFFERENT AS SHOWN)




PACKAGING VIEWS
[PARTS TO HAVE POSITION #1 LOADED IN
SAME DIRECTION AS ARROW ON TUBE]
(SEE NOTE 9)




IPBT-1XX-H1-XX-D-XX SHOWN
TUBE: PT-1-24-01-112
PLUG: TP-28




IPBT-1XX-H2-XX-D-XX SHOWN
TUBE: PT-1-24-02-112
PLUG: TP-28




IPBT-1XX-H3-XX-D-XX SHOWN
TUBE: PT-1-24-04-56
PLUG: TP-25




IPBT-1XX-H4-XX-D-XX SHOWN
TUBE: PT-IPBT001-H4-H6
PLUG: TP-28



IPBT-1XX-H5-XX-D-XX SHOWN
TUBE: PT-IPBT001-H4-H6
PLUG: TP-28



IPBT-1XX-H6-XX-D-XX SHOWN
TUBE: PT-IPBT001-H4-H6
PLUG: TP-28



IPBT-1XX-H1-XX-D-RA SHOWN
TUBE: PT-1-24-19T-109
PLUG: TP-29 (2 EACH END)

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY TO
SAMTEC, INC. AND SHALL NOT BE REPRODUCED
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHERS OR USED FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

.165 DOUBLE ROW TERMINAL ASSEMBLY

DWG. NO.

IPBT-1XX-XX-XX-D-XX

BY: DEAN P

7/27/2001

SHEET 5 OF 5