


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	3/31/04	T. CLARK
B	ECN 3017: CN RELEASE	9/27/07	J. KIEZULAS
C	ECN3102: CORRECTED WIRE MAP COLORS. ADD X-SECT VIEW	12/05/07	D. PARHAM
D	ECN 3779: DEFINED COLOR TO LIGHT GRAY, NEW FORMAT	1/6/09	D. FRISIELLO



WIRING MAP		
J1	WIRE COLOR	P1
1	BLACK	1
2	GRAY	2
3	RED	3
4	GREEN	4
5	BROWN	5
6	BLUE	6
7	ORANGE	7
8	YELLOW	8
9	PURPLE	9
SHELL	DRAIN WIRE	SHELL

PART NUMBER	LENGTH	
	FEET	METERS
CRMN9MF-2.5	2.5	0.76
CRMN9MF-5	5.0	1.52
CRMN9MF-10	10.0	3.05
CRMN9MF-15	15.0	4.57
CRMN9MF-25	25.0	7.62

RoHS Compliant ✓

SUPPLIED WITH THUMBSCREWS IN PLACE.

NOTE: SUPPLIED WITH OPTIONAL USE HARDWARE AND INSTRUCTIONS.

CABLE INTERCONNECTION HARDWARE: (4) SCREWLOCKS, H= .191"

PANEL MOUNT HARDWARE: (4) SCREWLOCKS, H= .160"

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm]  OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0%  ALL OTHER DIMENSIONAL TOLERANCES: .X = .3 .XX = .15  PROJECTION 	APPROVALS DRAWN BY T. CLARK CHECKED BY D. PARHAM APPROVED BY C. McCORMICK	DATE 3/10/2004 3/10/2004 3/31/2004	 45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY		CATEGORY <b>DATA CABLING</b>	
	COLOR VARIATIONS MAY OCCUR		PRODUCT DESCRIPTION <b>CA, DB9M / DB9F REVERSIBLE HDWR</b>	
	SIZE <b>A</b>	FSCM NO. <b>43321</b>	DWG. NO. <b>CRMN9MF</b>	REV. <b>D</b>
CRMN-FS01		SCALE: NONE	CAD FILE: CRMN9MF.SLDDRW	SHEET 1 OF 1