


















Extruded heatsinks for PCB mounting

- compact PCB heatsinks
- especially suitable for vertical PCB mounting in housings, racks etc.
- easy solder fixing

	SK 454 20 1 x M 3 L	SK 454 40 2 x M 3 L	SK 454 60 3 x M 3 L
			
	art. no.	↔ [mm]	R _{th} [K/W]
	SK 454 20 1 x M 3 L	20	10.1
	SK 454 40 2 x M 3 L	40	8.8
	SK 454 60 3 x M 3 L	60	7.5
		  	
	art. no.	↔ [mm]	R _{th} [K/W]
	SK 448 20 1 x M 3 L	20	11.8
	SK 448 40 2 x M 3 L	40	9.8
	SK 448 60 3 x M 3 L	60	7.1
		  	
	art. no.	↔ [mm]	R _{th} [K/W]
	SK 400 20 1 x M 3 L	20	7.7
	SK 400 40 2 x M 3 L	40	6.6
	SK 400 60 3 x M 3 L	60	6.0
		  	
	art. no.	↔ [mm]	R _{th} [K/W]
	SK 456 20 1 x M 3 L	20	13.0
	SK 456 40 2 x M 3 L	40	10.5
	SK 456 60 3 x M 3 L	60	8.5

L = solderable pin

special versions on customer's request