



Catalog Request

About Ordering

Company Information

Search by Shape

- Spacer
- Pin header
- Mount parts
- Insert nut
- Mechanical parts
- Washer
- Bushing
- Screw
- Bolt
- Nut

Search by Material

Select from Material

Search by Product Code

Select from First Letter

Technical Information

- Classification by Use
- material properties
- Surface treatment
- Mechanical properties
- Product Codes and Code Indications

TOP Washer PTFE product TT-0000-00

PTFE Washer / TT-0000-00



Material : PTFE

Color : White opaque


Heat resistance temperature : No combustion at continuous 240°C

UL standard : UL94V-0(Material)

RoHS compliant product

TT-0000-00

TT-0000-00



MOQ:50pcs

| d   | D   | t   | Product code |
|-----|-----|-----|--------------|
| 1.7 | 4.0 | 0.3 | TT-1704-03   |
|     |     | 0.5 | TT-1704-05   |
|     |     | 0.8 | TT-1704-08   |
| 2.2 | 4.0 | 0.3 | TT-0204-03   |
|     |     | 0.5 | TT-0204-05   |
|     |     | 0.8 | TT-0204-08   |
|     |     | 1.0 | TT-0204-10   |
|     | 4.2 | 0.3 | TT-0242-03   |
|     |     | 0.5 | TT-0242-05   |
|     |     | 0.8 | TT-0242-08   |
|     |     | 1.0 | TT-0242-10   |
|     | 5.0 | 0.3 | TT-0205-03   |
|     |     | 0.5 | TT-0205-05   |
|     |     | 0.8 | TT-0205-08   |
|     |     | 1.0 | TT-0205-10   |
|     | 5.5 | 0.3 | TT-0255-03   |
|     |     | 0.5 | TT-0255-05   |
|     |     | 0.8 | TT-0255-08   |
| 2.8 | 5.0 | 1.0 | TT-0255-10   |
|     |     | 0.3 | TT-2605-03   |
|     |     | 0.5 | TT-2605-05   |
|     |     | 0.8 | TT-2605-08   |
| 2.7 | 6.0 | 1.0 | TT-2605-10   |
|     |     | 0.3 | TT-2606-03   |
|     |     | 0.5 | TT-2606-05   |
|     |     | 0.8 | TT-2606-08   |
|     | 7.0 | 1.0 | TT-2606-10   |
|     |     | 0.3 | TT-2607-03   |
|     |     | 0.5 | TT-2607-05   |
|     |     | 0.8 | TT-2607-08   |
|     | 7.5 | 1.0 | TT-2607-10   |
|     |     | 0.3 | TT-2675-03   |
|     |     | 0.5 | TT-2675-05   |
|     |     | 0.8 | TT-2675-08   |
| 2.8 | 8.0 | 1.0 | TT-2675-10   |
|     |     | 0.3 | TT-2608-03   |
|     |     | 0.5 | TT-2608-05   |
|     |     | 0.8 | TT-2608-08   |
|     | 8.5 | 1.0 | TT-2608-10   |
|     |     | 0.3 | TT-0306-03   |
|     |     | 0.5 | TT-0306-05   |
|     |     | 0.8 | TT-0306-08   |
|     | 9.0 | 1.0 | TT-0306-10   |
|     |     | 0.3 | TT-0365-03   |
|     |     | 0.5 | TT-0365-05   |
|     |     | 0.8 | TT-0365-08   |
| 3.3 | 6.0 | 1.0 | TT-0365-10   |
|     |     | 0.3 | TT-0307-03   |
|     |     | 0.5 | TT-0307-05   |
|     |     | 0.8 | TT-0307-08   |

|     |            |            |            |
|-----|------------|------------|------------|
| 3.2 | 7.0        | 0.5        | TT-0307-05 |
|     |            | 0.8        | TT-0307-08 |
|     |            | 1.0        | TT-0307-10 |
|     |            | 1.5        | TT-0307-15 |
|     |            | 2.0        | TT-0307-20 |
|     |            | 2.5        | TT-0307-25 |
|     |            | 3.0        | TT-0307-30 |
|     |            | 5.0        | TT-0307-50 |
|     | 8.0        | 0.3        | TT-0308-03 |
|     |            | 0.5        | TT-0308-05 |
|     |            | 0.8        | TT-0308-08 |
|     |            | 1.0        | TT-0308-10 |
|     |            | 1.5        | TT-0308-15 |
|     |            | 2.0        | TT-0308-20 |
|     |            | 2.5        | TT-0308-25 |
|     |            | 3.0        | TT-0308-30 |
|     | 5.0        | TT-0308-50 |            |
|     | 9.0        | 0.3        | TT-0309-03 |
|     |            | 0.5        | TT-0309-05 |
|     |            | 0.8        | TT-0309-08 |
|     |            | 1.0        | TT-0309-10 |
|     |            | 1.5        | TT-0309-15 |
|     |            | 2.0        | TT-0309-20 |
|     |            | 2.5        | TT-0309-25 |
|     |            | 3.0        | TT-0309-30 |
|     | 5.0        | TT-0309-50 |            |
|     | 10.0       | 0.3        | TT-0310-03 |
|     |            | 0.5        | TT-0310-05 |
| 0.8 |            | TT-0310-08 |            |
| 1.0 |            | TT-0310-10 |            |
| 1.5 |            | TT-0310-15 |            |
| 2.0 |            | TT-0310-20 |            |
| 2.5 |            | TT-0310-25 |            |
| 3.0 |            | TT-0310-30 |            |
| 5.0 | TT-0310-50 |            |            |
| 3.5 | 11.0       | 0.3        | TT-0311-03 |
|     |            | 0.5        | TT-0311-05 |
|     |            | 0.8        | TT-0311-08 |
|     |            | 1.0        | TT-0311-10 |
|     |            | 1.5        | TT-0311-15 |
|     |            | 2.0        | TT-0311-20 |
|     |            | 2.5        | TT-0311-25 |
|     |            | 3.0        | TT-0311-30 |
|     | 5.0        | TT-0311-50 |            |
|     | 12.0       | 0.3        | TT-0312-03 |
|     |            | 0.5        | TT-0312-05 |
|     |            | 0.8        | TT-0312-08 |
|     |            | 1.0        | TT-0312-10 |
|     |            | 1.5        | TT-0312-15 |
|     |            | 2.0        | TT-0312-20 |
|     |            | 2.5        | TT-0312-25 |
| 3.0 |            | TT-0312-30 |            |
| 5.0 | TT-0312-50 |            |            |
| 4.2 | 7.0        | 0.3        | TT-0407-03 |
|     |            | 0.5        | TT-0407-05 |
|     |            | 0.8        | TT-0407-08 |
|     |            | 1.0        | TT-0407-10 |
|     |            | 1.5        | TT-0407-15 |
|     |            | 2.0        | TT-0407-20 |
|     |            | 2.5        | TT-0407-25 |
|     |            | 3.0        | TT-0407-30 |
| 5.0 | TT-0407-50 |            |            |
| 4.5 | 8.0        | 0.3        | TT-0408-03 |
|     |            | 0.5        | TT-0408-05 |
|     |            | 0.8        | TT-0408-08 |
| 4.3 | 9.0        | 1.0        | TT-0408-10 |
|     |            | 0.3        | TT-0409-03 |
|     |            | 0.5        | TT-0409-05 |
|     |            | 0.8        | TT-0409-08 |
|     |            | 1.0        | TT-0409-10 |
|     |            | 1.5        | TT-0409-15 |
|     |            | 2.0        | TT-0409-20 |
| 2.5 | TT-0409-25 |            |            |
| 3.0 | TT-0409-30 |            |            |
| 5.0 | TT-0409-50 |            |            |
| 4.5 | 10.0       | 0.3        | TT-0410-03 |
|     |            | 0.5        | TT-0410-05 |
|     |            | 0.8        | TT-0410-08 |
|     |            | 1.0        | TT-0410-10 |
|     |            | 1.5        | TT-0410-15 |

|     |      |     |            |
|-----|------|-----|------------|
|     |      | 2.0 | TT-0410-20 |
|     |      | 2.5 | TT-0410-25 |
|     |      | 3.0 | TT-0410-30 |
|     |      | 5.0 | TT-0410-50 |
| 4.2 | 11.0 | 0.3 | TT-0411-03 |
|     |      | 0.5 | TT-0411-05 |
|     |      | 0.8 | TT-0411-08 |
|     |      | 1.0 | TT-0411-10 |
|     |      | 1.5 | TT-0411-15 |
|     |      | 2.0 | TT-0411-20 |
|     |      | 2.5 | TT-0411-25 |
|     |      | 3.0 | TT-0411-30 |
|     |      | 5.0 | TT-0411-50 |
|     |      | 0.3 | TT-0412-03 |
|     |      | 0.5 | TT-0412-05 |
|     |      | 0.8 | TT-0412-08 |
|     |      | 1.0 | TT-0412-10 |
|     |      | 1.5 | TT-0412-15 |
|     |      | 2.0 | TT-0412-20 |
|     |      | 2.5 | TT-0412-25 |
| 4.5 | 12.0 | 3.0 | TT-0412-30 |
|     |      | 5.0 | TT-0412-50 |
|     |      | 0.3 | TT-0413-03 |
|     |      | 0.5 | TT-0413-05 |
|     |      | 0.8 | TT-0413-08 |
|     |      | 1.0 | TT-0413-10 |
|     |      | 1.5 | TT-0413-15 |
|     |      | 2.0 | TT-0413-20 |
|     |      | 2.5 | TT-0413-25 |
|     |      | 3.0 | TT-0413-30 |
|     |      | 5.0 | TT-0413-50 |
|     |      | 0.3 | TT-0414-03 |
|     |      | 0.5 | TT-0414-05 |
|     |      | 0.8 | TT-0414-08 |
|     |      | 1.0 | TT-0414-10 |
|     |      | 1.5 | TT-0414-15 |
| 4.5 | 14.0 | 2.0 | TT-0414-20 |
|     |      | 2.5 | TT-0414-25 |
|     |      | 3.0 | TT-0414-30 |
|     |      | 5.0 | TT-0414-50 |
|     |      | 0.3 | TT-0509-03 |
|     |      | 0.5 | TT-0509-05 |
|     |      | 0.8 | TT-0509-08 |
|     |      | 1.0 | TT-0509-10 |
|     |      | 1.5 | TT-0509-15 |
|     |      | 2.0 | TT-0509-20 |
|     |      | 2.5 | TT-0509-25 |
|     |      | 3.0 | TT-0509-30 |
|     |      | 5.0 | TT-0509-50 |
|     |      | 0.3 | TT-0510-03 |
|     |      | 0.5 | TT-0510-05 |
|     |      | 0.8 | TT-0510-08 |
| 5.5 | 10.0 | 1.0 | TT-0510-10 |
|     |      | 1.5 | TT-0510-15 |
|     |      | 2.0 | TT-0510-20 |
|     |      | 2.5 | TT-0510-25 |
|     |      | 3.0 | TT-0510-30 |
|     |      | 5.0 | TT-0510-50 |
|     |      | 0.3 | TT-0511-03 |
|     |      | 0.5 | TT-0511-05 |
|     |      | 0.8 | TT-0511-08 |
|     |      | 1.0 | TT-0511-10 |
|     |      | 1.5 | TT-0511-15 |
|     |      | 2.0 | TT-0511-20 |
|     |      | 2.5 | TT-0511-25 |
|     |      | 3.0 | TT-0511-30 |
|     |      | 5.0 | TT-0511-50 |
|     |      | 0.3 | TT-0512-03 |
| 5.5 | 12.0 | 0.5 | TT-0512-05 |
|     |      | 0.8 | TT-0512-08 |
|     |      | 1.0 | TT-0512-10 |
|     |      | 1.5 | TT-0512-15 |
|     |      | 2.0 | TT-0512-20 |
|     |      | 2.5 | TT-0512-25 |
|     |      | 3.0 | TT-0512-30 |
|     |      | 5.0 | TT-0512-50 |
|     |      | 0.3 | TT-0513-03 |
|     |      | 0.5 | TT-0513-05 |
|     |      | 0.8 | TT-0513-08 |
|     |      | 1.0 | TT-0513-10 |

|     |      |     |            |
|-----|------|-----|------------|
| 5.3 | 13.0 | 1.5 | TT-0513-15 |
|     |      | 2.0 | TT-0513-20 |
|     |      | 2.5 | TT-0513-25 |
|     |      | 3.0 | TT-0513-30 |
|     |      | 5.0 | TT-0513-50 |
| 5.6 | 14.0 | 0.3 | TT-0514-03 |
|     |      | 0.5 | TT-0514-05 |
|     |      | 0.8 | TT-0514-08 |
|     |      | 1.0 | TT-0514-10 |
|     |      | 1.5 | TT-0514-15 |
|     |      | 2.0 | TT-0514-20 |
|     |      | 2.5 | TT-0514-25 |
|     |      | 3.0 | TT-0514-30 |
|     |      | 5.0 | TT-0514-50 |
|     | 15.0 | 0.3 | TT-0515-03 |
|     |      | 0.5 | TT-0515-05 |
|     |      | 0.8 | TT-0515-08 |
|     |      | 1.0 | TT-0515-10 |
|     |      | 1.5 | TT-0515-15 |
|     |      | 2.0 | TT-0515-20 |
|     |      | 2.5 | TT-0515-25 |
|     |      | 3.0 | TT-0515-30 |
|     |      | 5.0 | TT-0515-50 |
| 6.3 | 10.0 | 0.3 | TT-0610-03 |
|     |      | 0.5 | TT-0610-05 |
|     |      | 0.8 | TT-0610-08 |
|     |      | 1.0 | TT-0610-10 |
|     |      | 1.5 | TT-0610-15 |
|     |      | 2.0 | TT-0610-20 |
|     |      | 2.5 | TT-0610-25 |
|     |      | 3.0 | TT-0610-30 |
|     |      | 5.0 | TT-0610-50 |
| 6.5 | 11.0 | 0.3 | TT-0611-03 |
|     |      | 0.5 | TT-0611-05 |
|     |      | 0.8 | TT-0611-08 |
|     |      | 1.0 | TT-0611-10 |
|     |      | 1.5 | TT-0611-15 |
|     |      | 2.0 | TT-0611-20 |
|     |      | 2.5 | TT-0611-25 |
|     |      | 3.0 | TT-0611-30 |
|     |      | 5.0 | TT-0611-50 |
| 6.3 | 12.0 | 0.3 | TT-0612-03 |
|     |      | 0.5 | TT-0612-05 |
|     |      | 0.8 | TT-0612-08 |
|     |      | 1.0 | TT-0612-10 |
|     |      | 1.5 | TT-0612-15 |
|     |      | 2.0 | TT-0612-20 |
|     |      | 2.5 | TT-0612-25 |
|     |      | 3.0 | TT-0612-30 |
|     |      | 5.0 | TT-0612-50 |
| 6.5 | 13.0 | 0.3 | TT-0613-03 |
|     |      | 0.5 | TT-0613-05 |
|     |      | 0.8 | TT-0613-08 |
|     |      | 1.0 | TT-0613-10 |
|     |      | 1.5 | TT-0613-15 |
|     |      | 2.0 | TT-0613-20 |
|     |      | 2.5 | TT-0613-25 |
|     |      | 3.0 | TT-0613-30 |
|     |      | 5.0 | TT-0613-50 |
| 6.2 | 14.0 | 0.3 | TT-0614-03 |
|     |      | 0.5 | TT-0614-05 |
|     |      | 0.8 | TT-0614-08 |
|     |      | 1.0 | TT-0614-10 |
|     |      | 1.5 | TT-0614-15 |
|     |      | 2.0 | TT-0614-20 |
|     |      | 2.5 | TT-0614-25 |
|     |      | 3.0 | TT-0614-30 |
|     |      | 5.0 | TT-0614-50 |
|     | 15.0 | 0.3 | TT-0615-03 |
|     |      | 0.5 | TT-0615-05 |
|     |      | 0.8 | TT-0615-08 |
|     |      | 1.0 | TT-0615-10 |
|     |      | 1.5 | TT-0615-15 |
|     |      | 2.0 | TT-0615-20 |
|     |      | 2.5 | TT-0615-25 |
|     |      | 3.0 | TT-0615-30 |
|     |      | 5.0 | TT-0615-50 |
|     |      | 0.3 | TT-0616-03 |
|     |      | 0.5 | TT-0616-05 |
|     |      | 0.8 | TT-0616-08 |

|      |            |            |            |
|------|------------|------------|------------|
| 6.3  | 16.0       | 1.0        | TT-0616-10 |
|      |            | 1.5        | TT-0616-15 |
|      |            | 2.0        | TT-0616-20 |
|      |            | 2.5        | TT-0616-25 |
|      |            | 3.0        | TT-0616-30 |
|      |            | 5.0        | TT-0616-50 |
|      | 18.0       | 0.3        | TT-0618-03 |
|      |            | 0.5        | TT-0618-05 |
|      |            | 0.8        | TT-0618-08 |
|      |            | 1.0        | TT-0618-10 |
|      |            | 1.5        | TT-0618-15 |
|      |            | 2.0        | TT-0618-20 |
|      |            | 2.5        | TT-0618-25 |
|      |            | 3.0        | TT-0618-30 |
|      | 5.0        | TT-0618-50 |            |
| 8.1  | 14.0       | 0.5        | TT-0814-05 |
|      |            | 0.8        | TT-0814-08 |
|      |            | 1.0        | TT-0814-10 |
|      |            | 1.5        | TT-0814-15 |
|      |            | 2.0        | TT-0814-20 |
|      |            | 2.5        | TT-0814-25 |
|      |            | 3.0        | TT-0814-30 |
|      |            | 5.0        | TT-0814-50 |
| 8.0  | 15.0       | 0.5        | TT-0815-05 |
|      |            | 0.8        | TT-0815-08 |
|      |            | 1.0        | TT-0815-10 |
|      |            | 1.5        | TT-0815-15 |
|      |            | 2.0        | TT-0815-20 |
|      |            | 2.5        | TT-0815-25 |
|      |            | 3.0        | TT-0815-30 |
|      |            | 5.0        | TT-0815-50 |
| 8.2  | 17.0       | 0.5        | TT-0817-05 |
|      |            | 0.8        | TT-0817-08 |
|      |            | 1.0        | TT-0817-10 |
|      |            | 1.6        | TT-0817-16 |
|      |            | 2.0        | TT-0817-20 |
|      |            | 2.5        | TT-0817-25 |
|      |            | 3.0        | TT-0817-30 |
|      |            | 5.0        | TT-0817-50 |
| 8.5  | 16.0       | 0.5        | TT-0816-05 |
|      |            | 0.8        | TT-0816-08 |
|      |            | 1.0        | TT-0816-10 |
|      |            | 1.5        | TT-0816-15 |
|      |            | 2.0        | TT-0816-20 |
|      |            | 2.5        | TT-0816-25 |
|      |            | 3.0        | TT-0816-30 |
|      |            | 5.0        | TT-0816-50 |
|      | 18.0       | 0.5        | TT-0818-05 |
|      |            | 0.8        | TT-0818-08 |
|      |            | 1.0        | TT-0818-10 |
|      |            | 1.6        | TT-0818-16 |
|      |            | 2.0        | TT-0818-20 |
|      |            | 2.5        | TT-0818-25 |
| 3.0  | TT-0818-30 |            |            |
| 5.0  | TT-0818-50 |            |            |
| 8.3  | 22.0       | 0.5        | TT-0822-05 |
|      |            | 0.8        | TT-0822-08 |
|      |            | 1.0        | TT-0822-10 |
|      |            | 1.6        | TT-0822-16 |
|      |            | 2.0        | TT-0822-20 |
|      |            | 2.5        | TT-0822-25 |
|      |            | 3.0        | TT-0822-30 |
|      |            | 5.0        | TT-0822-50 |
|      | 24.0       | 0.5        | TT-0824-05 |
|      |            | 0.8        | TT-0824-08 |
|      |            | 1.0        | TT-0824-10 |
|      |            | 1.6        | TT-0824-16 |
|      |            | 2.0        | TT-0824-20 |
|      |            | 2.5        | TT-0824-25 |
| 3.0  | TT-0824-30 |            |            |
| 5.0  | TT-0824-50 |            |            |
| 10.0 | 18.0       | 0.5        | TT-1018-05 |
|      |            | 0.8        | TT-1018-08 |
|      |            | 1.0        | TT-1018-10 |
|      |            | 1.6        | TT-1018-16 |
|      |            | 2.0        | TT-1018-20 |
|      |            | 2.5        | TT-1018-25 |
|      |            | 3.0        | TT-1018-30 |
|      |            | 5.0        | TT-1018-50 |
|      |            | 0.5        | TT-1020-05 |

|      |      |     |            |
|------|------|-----|------------|
| 10.2 | 20.0 | 0.8 | TT-1020-08 |
|      |      | 1.0 | TT-1020-10 |
|      |      | 1.6 | TT-1020-16 |
|      |      | 2.0 | TT-1020-20 |
|      |      | 2.5 | TT-1020-25 |
|      |      | 3.0 | TT-1020-30 |
|      | 21.0 | 5.0 | TT-1020-50 |
|      |      | 0.5 | TT-1021-05 |
|      |      | 0.8 | TT-1021-08 |
|      |      | 1.0 | TT-1021-10 |
|      |      | 1.6 | TT-1021-16 |
|      |      | 2.0 | TT-1021-20 |
|      |      | 2.5 | TT-1021-25 |
|      |      | 3.0 | TT-1021-30 |
|      |      | 5.0 | TT-1021-50 |
| 10.5 | 22.0 | 0.5 | TT-1022-05 |
|      |      | 0.8 | TT-1022-08 |
|      |      | 1.0 | TT-1022-10 |
|      |      | 1.6 | TT-1022-16 |
|      |      | 2.0 | TT-1022-20 |
|      |      | 2.5 | TT-1022-25 |
|      |      | 3.0 | TT-1022-30 |
|      |      | 5.0 | TT-1022-50 |
|      | 24.0 | 1.6 | TT-1024-16 |
|      |      | 2.0 | TT-1024-20 |
|      |      | 2.5 | TT-1024-25 |
|      |      | 3.0 | TT-1024-30 |
|      |      | 5.0 | TT-1024-50 |
| 10.3 | 28.0 | 1.6 | TT-1028-16 |
|      |      | 2.0 | TT-1028-20 |
|      |      | 2.5 | TT-1028-25 |
|      |      | 3.0 | TT-1028-30 |
|      |      | 5.0 | TT-1028-50 |
| 10.5 | 30.0 | 1.6 | TT-1030-16 |
|      |      | 2.0 | TT-1030-20 |
|      |      | 2.5 | TT-1030-25 |
|      |      | 3.0 | TT-1030-30 |
|      |      | 5.0 | TT-1030-50 |
| 12.5 | 20.0 | 0.5 | TT-1220-05 |
|      |      | 0.8 | TT-1220-08 |
|      |      | 1.0 | TT-1220-10 |
|      |      | 1.6 | TT-1220-16 |
|      |      | 2.0 | TT-1220-20 |
|      |      | 2.5 | TT-1220-25 |
|      |      | 3.0 | TT-1220-30 |
|      |      | 5.0 | TT-1220-50 |
| 13.0 | 21.0 | 1.6 | TT-1321-16 |
|      |      | 2.0 | TT-1321-20 |
|      |      | 2.5 | TT-1321-25 |
|      |      | 3.0 | TT-1321-30 |
|      |      | 5.0 | TT-1321-50 |
| 12.1 | 22.0 | 0.5 | TT-1222-05 |
|      |      | 0.8 | TT-1222-08 |
|      |      | 1.0 | TT-1222-10 |
|      |      | 1.6 | TT-1222-16 |
|      |      | 2.0 | TT-1222-20 |
|      |      | 2.5 | TT-1222-25 |
|      |      | 3.0 | TT-1222-30 |
|      |      | 5.0 | TT-1222-50 |
| 13.0 | 24.0 | 0.5 | TT-1324-05 |
|      |      | 0.8 | TT-1324-08 |
|      |      | 1.0 | TT-1324-10 |
|      |      | 1.6 | TT-1324-16 |
|      |      | 2.0 | TT-1324-20 |
|      |      | 2.5 | TT-1324-25 |
|      |      | 3.0 | TT-1324-30 |
|      |      | 5.0 | TT-1324-50 |
| 12.3 | 28.0 | 1.6 | TT-1228-16 |
|      |      | 2.0 | TT-1228-20 |
|      |      | 2.5 | TT-1228-25 |
|      |      | 3.0 | TT-1228-30 |
|      |      | 5.0 | TT-1228-50 |
|      | 32.0 | 1.6 | TT-1232-16 |
|      |      | 2.0 | TT-1232-20 |
|      |      | 2.5 | TT-1232-25 |
|      |      | 3.0 | TT-1232-30 |
|      |      | 5.0 | TT-1232-50 |
|      |      | 0.5 | TT-1722-05 |
|      |      | 0.8 | TT-1722-08 |
|      |      | 1.0 | TT-1722-10 |

|      |      |     |            |
|------|------|-----|------------|
| 17.0 | 22.0 | 1.6 | TT-1722-16 |
|      |      | 2.0 | TT-1722-20 |
|      |      | 2.5 | TT-1722-25 |
|      |      | 3.0 | TT-1722-30 |
|      |      | 5.0 | TT-1722-50 |
| 16.5 | 24.0 | 0.5 | TT-1624-05 |
|      |      | 0.8 | TT-1624-08 |
|      |      | 1.0 | TT-1624-10 |
|      |      | 1.6 | TT-1624-16 |
|      |      | 2.0 | TT-1624-20 |
|      |      | 2.5 | TT-1624-25 |
|      |      | 3.0 | TT-1624-30 |
|      |      | 5.0 | TT-1624-50 |
| 17.0 | 28.0 | 1.6 | TT-1728-16 |
|      |      | 2.0 | TT-1728-20 |
|      |      | 2.5 | TT-1728-25 |
|      |      | 3.0 | TT-1728-30 |
|      |      | 5.0 | TT-1728-50 |
|      | 30.0 | 1.6 | TT-1730-16 |
|      |      | 2.0 | TT-1730-20 |
|      |      | 2.5 | TT-1730-25 |
|      |      | 3.0 | TT-1730-30 |
|      |      | 5.0 | TT-1730-50 |
|      | 32.0 | 1.6 | TT-1732-16 |
|      |      | 2.0 | TT-1732-20 |
|      |      | 2.5 | TT-1732-25 |
|      |      | 3.0 | TT-1732-30 |
|      |      | 5.0 | TT-1732-50 |
| 18.2 | 25.0 | 0.5 | TT-1825-05 |
|      |      | 0.8 | TT-1825-08 |
|      |      | 1.0 | TT-1825-10 |
|      |      | 1.6 | TT-1825-16 |
|      |      | 2.0 | TT-1825-20 |
|      |      | 2.5 | TT-1825-25 |
|      |      | 3.0 | TT-1825-30 |
|      |      | 5.0 | TT-1825-50 |
|      | 26.0 | 0.5 | TT-1826-05 |
|      |      | 0.8 | TT-1826-08 |
|      |      | 1.0 | TT-1826-10 |
|      |      | 1.6 | TT-1826-16 |
|      |      | 2.0 | TT-1826-20 |
|      |      | 2.5 | TT-1826-25 |
|      |      | 3.0 | TT-1826-30 |
|      |      | 5.0 | TT-1826-50 |
| 18.5 | 30.0 | 0.5 | TT-1830-05 |
|      |      | 0.8 | TT-1830-08 |
|      |      | 1.0 | TT-1830-10 |
|      |      | 1.6 | TT-1830-16 |
|      |      | 2.0 | TT-1830-20 |
|      |      | 2.5 | TT-1830-25 |
|      |      | 3.0 | TT-1830-30 |
|      |      | 5.0 | TT-1830-50 |
| 20.0 | 28.0 | 0.5 | TT-2028-05 |
|      |      | 0.8 | TT-2028-08 |
|      |      | 1.0 | TT-2028-10 |
|      |      | 1.6 | TT-2028-16 |
|      |      | 2.0 | TT-2028-20 |
|      |      | 2.5 | TT-2028-25 |
|      |      | 3.0 | TT-2028-30 |
|      |      | 5.0 | TT-2028-50 |
| 22.0 | 30.0 | 0.5 | TT-2230-05 |
|      |      | 0.8 | TT-2230-08 |
|      |      | 1.0 | TT-2230-10 |
|      |      | 1.6 | TT-2230-16 |
|      |      | 2.0 | TT-2230-20 |
|      |      | 2.5 | TT-2230-25 |
|      |      | 3.0 | TT-2230-30 |
|      |      | 5.0 | TT-2230-50 |
| 25.3 | 32.0 | 0.5 | TT-2532-05 |
|      |      | 0.8 | TT-2532-08 |
|      |      | 1.0 | TT-2532-10 |
|      |      | 1.6 | TT-2532-16 |
|      |      | 2.0 | TT-2532-20 |
|      |      | 2.5 | TT-2532-25 |
|      |      | 3.0 | TT-2532-30 |
|      |      | 5.0 | TT-2532-50 |

