






Copyright FCI.


PRODUCT NO.
SEE TABLE




(CO-PLANARITY OF SOLDERTAILS
AND HOLD-DOWN PLATE)



SECTION L-L
SCALE 8.000




SECTION J-J
SCALE 8.000



SECTION K-K
SCALE 8.000


spec ref				dr		wcadmin	2010/04/26		projection				size		A3	scale		3.000							
tolerance std				eng		Jeffrey Lim		2014/05/20						ecn no		ELX-S-14794-1									
ASME Y14.5				chr		-		-		rel level				Released											
				appr		Chen-Hong Tan		2014/05/20		product family															
surface 		linear		0.X		±				title				SAS PLUG R/A				dwg no		10098678		rev		D	
				0.XX		±0.20																			
				0.XXX		±																			
		angular		0°		±2°		www.fci.com		cat. no.				Product - Customer Drw						sheet 2 of 3					

PRODUCT NO.	PACKAGING
10098678-001LF	TRAY
10098678-001TRLF	TAPE & REEL
10098678-002C-TRLF	



SCALE 2.500

10098678-002C-TRLF WITH
PICK-UP CAP ATTACHED



SCALE 3.000

RECOMMENDED SMT PAD DIMENSIONS

NOTES:

- MATERIAL:
HOUSING & CAP: HIGH TEMPERATURE THERMOPLASTIC, BLACK, UL94V-0
CONTACT & HOLD DOWN: COPPER ALLOY
- FINISH:
CONTACT: 1.27um MIN. NICKEL UNDERPLATE OVERALL,
1.91um MIN. 100% MATTE TIN(LEAD-FREE) ON SOLDER TAIL,
0.38um MIN. GOLD ON CONTACT AREA
HOLD DOWN: 1.91um MIN. 100% MATTE TIN(LEAD-FREE) OVER
1.27um MIN. NICKEL UNDERPLATE OVERALL
- RECOMMENDED PCB THICKNESS: 1.40mm
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE
REFLOW OVEN
- THIS CONNECTOR IS COMPLY WITH SFF-8482 SPECIFICATION
- THIS CONNECTOR IS COMPLY WITH CUSTOMER
GENERAL SPECIFICATION FOR THE ENVIRONMENT(GSE)
- THE PLATING OF THIS CONNECTOR IS COMPLY WITH CUSTOMER
TESTING AND PLATING SPECIFICATION EL-MF864-00
- A SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN
MODIFIED WITH THE CURRENT DRAWING REVISION

spec ref				dr		wcadmin	2010/04/26	projection		MM		size	A3	scale	3.000	
tolerance std				eng		Jeffrey Lim	2014/05/20					ecn no		ELX-S-14794-1		
ASME Y14.5				chr		-	-					rel level				Released
				appr		Chen-Hong Tan	2014/05/20					product family				
surface	linear	0.X	±		title	SAS PLUG R/A				dwg no	10098678		rev	D		
		0.XX	±0.20													
		0.XXX	±													
		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw				sheet 3 of 3					