



注記 NOTES


- 製品番号 52559-***17 の梱包状態はアクチュエータがロックした状態とする。
詳細寸法については図面 SD-52559-***17 を参照下さい。
IN THE PACKAGE,ACTUATOR OF PART NO.52559-***17 SHOULD BE LOCKED
RE DETAILED DIMENSIONS,SEE SD-52559-***17
- 梱包数量：1000個／リール
NUMBER OF CONNECTORS:1000PCS/REEL
- リードテープ長さ LEAD TAPE LENGTH



- トップテープの剥離強度：(剥離方向は下図参照)
0.1N～0.7N(10.2gf～71.4gf) 尚、本規格値は、出荷時に適用。
(但し、輸送時に剥離が発生しない事。)
PEELING OFF FORCE OF TOP TAPE
0.1N～0.7N(10.2gf～71.4gf)XPEELING DIRECTION AS SHOWN IN FOLLOWING FIG.)
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT
PEEL OFF SHOULD NOT BE ALLOWED,
DURING TRANSPORTATION



引き出し方向
PULL OUT
DIRECTION



DETAIL "F"

5. 材料
- キャリアテープ：ポリプロピレン (PP)
トップテープ：PET, PE, PEF
リール：ポリスチレン (PS) <リサイクル材を含む>
- MATERIAL CARRIER TAPE:POLYPROPYLENE
TOP TAPE:PET,PE,PEF
REEL:POLYSTYREN(PS)
<RECYCLE MATERIAL CONTAINED>

REVISED	EC NO: J2014-1848	DRWN:NASUNUMA 2014/06/18	CHKD:KATAHASHI 2014/06/25	APPR:YNOGAWA 2014/06/30	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
						10 UNDER	± 0.3	DRAWN BY M.SHIMIZU	DATE 2000/12/20	TITLE 0.5 FPC CONN ASSY ZIF SMT ST EMBSTP PKG			
M						10 OVER 30 UNDER	± 0.25	CHECKED BY S.KUNISHI	DATE 2000/12/20	molex			
						30 OVER	± 0.2	APPROVED BY M.FUKUSHIMA	DATE 2000/12/20				
						ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.			
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTES		SD-52559-054			
								SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F


E

D

C

B

A



24mm幅キャリアテープ
24mm WIDTH CARRIER TAPE

24	25.5	14.4	17.3	52559-2492	24
		12.4	15.3	52559-2092	20
		9.4	12.3	52559-1492	14
		7.4	10.3	52559-1092	10
		5.4	8.3	52559-0692	6
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極数 CIRCUIT

REVISED EC NO: J2014-1848 DRWN:NASUNUMA 2014/06/18 CHKD:KATAHASHI 2014/06/25 APPR:YNOGAWA 2014/06/30 M	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION					
		10 UNDER	±0.3	M.SHIMIZU	2000/12/20	TITLE 0.5 FPC CONN ASSY ZIF SMT ST EMBSTP PKG							
		10 OVER 30 UNDER	±0.25	S.KUNISHI	2000/12/20								
		30 OVER	±0.2	M.FUKUSHIMA	2000/12/20	molex SD-52559-054							
		ANGULAR ±3 °		MATERIAL NO.							DOCUMENT NO.		SHEET NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTES		SD-52559-054						2 OF 4		
	REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

9 8 7 6 5 4 3 2

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F

E



D

C

B

A

引き出し方向 PULL OUT DIRECTION



SECT.X-X

32mm幅キャリアテープ
32mm WIDTH CARRIER TAPE

32	33.5	17.4	20.3	52559-3092	30
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極致 CIRCUIT

REVISED EC NO: J2014-1848 DRWN:NASUNUMA CHKD:KATAHASHI APPR:YNOGAWA M	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
				MM ONLY		---	METRIC			
		10 UNDER	±0.3	DRAWN BY	DATE	TITLE 0.5 FPC CONN ASSY ZIF SMT ST EMBSTP PKG				
		10 OVER 30 UNDER	±0.25	CHECKED BY	DATE					
		30 OVER	±0.2	APPROVED BY	DATE					
	ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.					SHEET NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTES		SD-52559-054					3 OF 4
REV	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

9 8 7 6 5 4 3 2

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F

E



D

C

B

A

引き出し方向 PULL OUT DIRECTION



SECT.X-X

44mm幅キャリアテープ
44mm WIDTH CARRIER TAPE

44	45.5	22.4	25.3	52559-4092	40
キャリアテープ幅 CARRIER TAPE WIDTH	C	(B)	(A)	ENG. NO.	極致 CIRCUIT

DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
MM ONLY	---	METRIC	

DRAWN BY	DATE
M.SHIMIZU	2000/12/20
CHECKED BY	DATE
S.KUNISHI	2000/12/20
APPROVED BY	DATE
M.FUKUSHIMA	2000/12/20
MATERIAL NO.	

TITLE
0.5 FPC CONN ASSY ZIF
SMT ST EMBSTP PKG

molex

DOCUMENT NO.	SHEET NO.
SD-52559-054	4 OF 4

SEE SHEET

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

REVISED EC NO: J2014-1848 DRWN:NASUNUMA 2014/06/18 CHKD:KATAHASHI 2014/06/25 APPR:YNOGAWA 2014/06/30 M	GENERAL TOLERANCES (UNLESS SPECIFIED)	
	10 UNDER	±0.3
	10 OVER 30 UNDER	±0.25
	30 OVER	±0.2
	ANGULAR	±3 °
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

9 8 7 6 5 4 3 2