





NOTES:

- 1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.
- *2. P/NS 106032-5020, 106032-0140, 106032-5310, 106032-5990 AND 106032-0910 ARE BULK PACKED IN QUANTITIES OF 100 pcs.

ENTER DESCRIPTION EC NO: MF2007-0445 DRAWN BY: ZNER CHKD: 2007/01/12 APPR: LGMIN REV: 2007/01/15			QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION ⊙ □			
				mm INCH		DRAWN BY RPACIFICI	DATE 2005/12/22	TITLE SC CONNECTOR (TUNABLE)					
				4 PLACES ± --- ± ---		CHECKED BY	DATE						
				3 PLACES ± --- ± ---		APPROVED BY		DATE	MOLEX INCORPORATED MOLEX SD-106032-XXX0				
				2 PLACES ± --- ± ---		MATERIAL NO.		DOCUMENT NO.					
1 PLACE ± --- ± ---		ANGULAR ±1/2°		SEE TABLE		SD-106032-XXX0		1 OF 3					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

	10		9		8		7		6		5		4		3		2		1				
	CONNECTOR P/N	$\varnothing$ (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)					CONNECTOR P/N	$\varnothing$ (Hm)	BOOT COLOR	HOUSING COLOR	CONNECTOR TYPE	CABLE (mm)							
F	106032-0000	127	BLUE	BLUE	MULTIMODE	3					106032-3000	128	BLUE	BLUE	MULTIMODE	3				F			
	106032-0900					2.0 & 1.6 DUPLEX					106032-3900					2.0 & 1.6 DUPLEX							
	106032-0100					1.6 SIMPLEX					106032-3100					1.6 SIMPLEX							
	106032-0050					3					106032-3060		3										
	106032-0950		WHITE	BEIGE		2.0 & 1.6 DUPLEX					106032-3960		2.0 & 1.6 DUPLEX					2.0 & 1.6 DUPLEX					
106032-0150	1.6 SIMPLEX									106032-3160	1.6 SIMPLEX												
106032-0060	3									106032-3050	3												
106032-0910*	2.0 & 1.6 DUPLEX									106032-3950	2.0 & 1.6 DUPLEX												
E	106032-0960		BEIGE	BEIGE		1.6 SIMPLEX					106032-3150		1.6 SIMPLEX					1.6 SIMPLEX				E	
	106032-0140*					3					106032-3080		3										
	106032-0160					2.0 & 1.6 DUPLEX					106032-3980		2.0 & 1.6 DUPLEX										
	106032-0080					1.6 SIMPLEX					106032-3180		1.6 SIMPLEX										
	D	106032-0980	RED	RED	MULTIMODE	2.0 & 1.6 DUPLEX					106032-3070	3				3				D			
106032-0180		1.6 SIMPLEX								106032-3970	2.0 & 1.6 DUPLEX												
106032-0070		3								106032-3170	1.6 SIMPLEX												
106032-0970		2.0 & 1.6 DUPLEX																					
106032-0170		1.6 SIMPLEX																					
C	106032-2000	125.5	YELLOW	BLUE		3														C			
	106032-2900					2.0 & 1.6 DUPLEX																	
	106032-2100					1.6 SIMPLEX																	
	106032-2050		3																				
	106032-2950		2.0 & 1.6 DUPLEX																				
	106032-2150		1.6 SIMPLEX																				
	106032-2080	3																					
	106032-2980	2.0 & 1.6 DUPLEX																					
	106032-2180	1.6 SIMPLEX																					
	106032-2070	3																					
B	106032-2970	BLACK	BLACK		2.0 & 1.6 DUPLEX														B				
	106032-2170				1.6 SIMPLEX																		
A																					A		
	ENTER DESCRIPTION EC NO: MF2007-0445 2007/01/12 DRWN:KPEVZNER 2007/01/12 CHKD: 2007/01/12 APPR: IGUMIN 2007/01/15 REV B1					QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 4:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		SC CONNECTOR (TUNABLE)		MOLEX INCORPORATED		SHEET NO. 2 OF 3				
						▽=0 ▽=0																	
							4 PLACES		±---	±---	DRAWN BY		DATE										
							3 PLACES		±---	±---	RPACIFIC I		2005/12/22										
							2 PLACES		±---	±---	CHECKED BY		DATE										
							1 PLACE		±---	±---	APPROVED BY		DATE										
							ANGULAR ±1/2°				MATERIAL NO.		DOCUMENT NO.										
							DRAFT WHERE APPLICABLE		SEE TABLE		SD-106032-XXX0												
							MUST REMAIN WITHIN DIMENSIONS																
						SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
	ib_frame_B_P_ME_T	9		8		7		6		5		4		3		2		1					

