

F

E

D

C

B

A

F


E

D


C

B

A



詳細 D
DETAIL D
(SCALE:5-1)




注記
NOTES

1. 材料
MATERIAL
ハウジング : ガラス入り耐熱樹脂、白色、UL94V-0
TERMINAL : PHOSPHOR BRONZE
ネイル : 黄銅
NAIL : BRASS


2. めっき仕様
PLATING

ロングターミナル
LONG TERMINAL
接点部 : 金めっき 0.25μmMIN.
CONTACT AREA : GOLD 0.25 μmMIN.
半田付け部 : 半田めっき 1.0μmMIN.
SOLDER TAIL AREA : TIN-LEAD 1.0μmMIN.
下地めっき : ニッケルめっき 2.0μmMIN.
UNDER-PLATING : NICKEL 2.0μmMIN.
ショートターミナル
SHORT TERMINAL
接点部 : 金めっき 0.25μmMIN.
CONTACT AREA : GOLD 0.25 μmMIN.
半田付け部 : 金めっき 0.3μmMAX.
SOLDER TAIL AREA : GOLD 0.3μmMAX.
下地めっき : ニッケルめっき 2.0μmMIN.
UNDER-PLATING : NICKEL 2.0μmMIN.
ネイル
NAIL
半田めっき : 2.0μmMIN.
TIN-LEAD : 2.0μmMIN.

3. テール平坦度は、0.1 MAX. とする。
TAIL COPLANARITY TO BE 0.1 MAX.
ネイル平坦度は、0.1 MAX. とする。
NAIL COPLANARITY TO BE 0.1 MAX.



1極目回路番号表示
CKT.NO.1 IDENTIFICATION



2.5	2.1	2.1	2.5	4.8	3.3V	標準トレイ NORMAL TRAY	54697-1440	54697-144*
E	D	C	B	A	POWER SUPPLY	梱包トレイ PACKAGING TRAY	MATERIAL NO.	MODEL NO.

REVISED EC NO: J2008-1539 DRWN:K INOSHITA CHKD:T HARUYAMA APPR:NUKITA	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION						
		10 UNDER	±0.2	DRAWN BY T. KANEKO	DATE '99/9/27	TITLE 0.8MM PITCH S.O.DIMM SOCKET 144CKT. HEIGHT4MM								
		10 OVER 30 UNDER	±0.25	CHECKED BY J. MIYAZAWA	DATE '99/9/27									
		30 OVER	±0.3	APPROVED BY H. IKESUGI	DATE '99/9/27	MOLEX INCORPORATED								
		ANGULAR ±3 °		MATERIAL NO.							DOCUMENT NO.			SHEET NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE							SD-54697-001			1 OF 3
				SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F



E

D

C

B

A



REVISED EC NO: J2008-1539 DRWN:K INOSHITA 2008/04/09 CHKD:T HARUYAMA 2008/04/09 APPR:NUKITA 2008/06/09	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY T. KANEKO	DATE '99/9/27	TITLE 0.8MM PITCH S.O.DIMM SOCKET 144CKT. HEIGHT4MM				
		10 OVER 30 UNDER	±0.25	CHECKED BY J. MIYAZAWA	DATE '99/9/27					
		30 OVER	±0.3	APPROVED BY H. IKESUGI	DATE '99/9/27	MOLEX INCORPORATED				
		ANGULAR ±3 °		MATERIAL NO.						
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 1		SD-54697-001		2 OF 3			
	REV	SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

