

DRAWING NO. SE211915		7		6		5		4		3		2		1																																					
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)																																					
	CODE (AWG)	NAVY			B ±.04	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.06	N ±.03	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH																											
YAZV10-2TC10	14-10 2.5mm ² STR 4mm ² SOL 4mm ² STR		#10	1	.69 [18]	.36 [9]	.62 [16]	----	21 [5]	2.04 [52]	.25 [6]	.21 [5]	.06 [2]	.90 [23]											RATCHET: Y8MRB-1 MR8G98 (2) CRIMPS NON-RATCHET Y10D Y14MV (2) CRIMPS																										
YAZV10-2TC10-45				2	.77 [20]			1.91 [49]																																											
YAZV10-2TC10-90				3	.94 [24]			1.33 [34]																																											
YAZV10-2TC14			1/4 [M6]	1	.41 [10]	.62 [16]	----	.27 [7]	2.16 [55]	.31 [8]	.05 [1]	.96 [24]																																							
YAZV10-2TC14-45				2			.77 [20]																															2.03 [52]													
YAZV10-2TC14-90				3			.94 [24]																															1.45 [37]													
YAZV10-2TC14E2			1/4 [M6]	1	.69 [18]	.41 [10]	.75 [19]	----	.27 [7]	2.28 [58]	.31 [8]	.21 [5]																										.05 [1]	1.09 [28]												
YAZV10-2TC14E2-45				2				.77 [20]																																											2.16 [55]
YAZV10-2TC14E2-90				3				.94 [24]																																											1.58 [40]




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175 MANCHESTER, NH 03109, USA FOR PRODUCT INFO = http://www.fciconnect.com			
HYLUG™ (TWO HOLE CODE)			
CAT NO: YAZV10-2TC- (TABLE)		SCALE: NTS	
DRAWN: D. BOISVERT		11/9/98 CHECKED: K. HENRY 12/03/98	
DSGN APPVL: B. MACDONALD		12/02/98 MFG APPVL: N/A	
Q.A. APPVL: S. GRAY		11/30/98	
MKTG APPVL: N/A			
CAD FILE: SE211915-01_3			
MDL REF: N/A			
DRAWING NO. SE211915		REV 3	
SHEET 1 OF 36			

3	6/04/01	ADD CAT #S YAZV10-2TC10, -45, -90 TO TABLE PER ECO 6461. BRING CAT # YAZV10-2TC10 TO TOP OF TABLE.	DB	PL
REV.	DATE	DESCRIPTION	BY	C'K'D.

DRAWING NO. SE211915		7			6			5			4			3			2			1															
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (* CRIMPS)																					
	CODE (AWG)	NAVY			B ±.06	C ±.04	E ±.02	H MAX.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL		HYDRAULIC				DIELESS (* CRIMPS)	WIRE STRIP LENGTH											
																	MD7-34R MD6	OUR840	Y8MRB-1 Y2MR	BCT500 Y500CT	Y750 Y35, BAT35 Y39, BAT750	Y46			Y45										
YAZ8C-2TC10	#8 AWG [10mm ² STR]	23	#10 [M5]	1	.75 [19]	.41 [10]	.62 [16]	----	.21 [5]	2.07 [52]	.25 [6]	.27 [7]	.08 [2]	.90 [23]	49	RED	8	8	RED (2)	8 W8CRT (2)	8 U8CRT (2)	8 U8CRT (2)	8 U8CRT (2)	MECHANICAL: MY29-11 (1)	7/8										
YAZ8C-2TC10-45				2			.91 [23]	2.00 [51]																											
YAZ8C-2TC10-90				3			1.00 [25]	1.37 [35]																											
YAZ8C-2TC10E2	#8 AWG [10mm ² STR]	23	#10 [M5]	1			.75 [19]	----		2.19 [56]				1.03 [26]	49	RED	W8CRT (2) W8CVT (2)	X8CRT (2) W8CVT (2)	RED (2)	X8CRT (2)	U8CRT (2)	U8CRT (2)	U8CRT (2)		7/8										
YAZ8C-2TC10E2-45				2			.91 [23]	2.12 [54]																											
YAZ8C-2TC10E2-90				3			1.00 [25]	1.50 [38]																											




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. OVERLAP 2 CRIMPS AS NEEDED WITHIN THE LENGTH BETWEEN THE INK STAMPED CRIMPING AREA.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™ (TWO HOLE CODE)

CAT NO. YAZ8C-2TC- (SEE TABLE)		SCALE FULL SIZE	
DRAWN: D. BOISVERT	11/10/98	CHECKED: K. HENRY	12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A	
		Q.A. APPVL: S. GRAY	11/30/98
		MKTG APPVL: B. HARGROVE	11/25/98
		CAD FILE: SE211915-02_1	
		MDL REF: N/A	
		DRAWING NO.	REV
		SE211915	1
		SHEET 2	OF 36



REV.	DATE	DESCRIPTION	BY	C'K'D.
1	8/22/00	CHANGED B, H & L DIMS PER ECO 5912	BM	JLM
0	11/10/98	RELEASED PER ECO 4612.	DB	KH

DRAWING NO. SE211915		7		6		5		4		3		2		1																							
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)																							
	CODE (AWG)	NAVY			B ±.06	C ±.04	E ±.02	H MAX.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH													
																	MD7-34R MD6	OURB40	YBMRB-1 Y2MR	BCT500 Y500CT	Y750 Y35, BAT35 Y39, BAT750	Y46			Y45												
YAZBC-2TC14	#8 AWG [10mm ² STR]	23	1/4 [M6]	1	.75 [19]	.44 [11]	.62 [16]	----	.27 [7]	2.19 [56]	.31 [8]	.27 [7]	.08 [2]	.96 [24]	49	RED	8 W8CRT (2) W8CVT (2)	8 X8CRT (2) W8CVT (2)	6 YBMRB-1 Y2MR	8 W8CRT (2) W8CVT (2) X8CRT (2)	8 U8CRT (2)	8 U8CRT (2)	8 U8CRT (2)	MECHANICAL: MY29-11 (1)	7/8												
YAZBC-2TC14-45				2																																	
YAZBC-2TC14-90				3																																	
YAZBC-2TC14E2	#8 AWG [10mm ² STR]	23	1/4 [M6]	1			.75 [19]	----		2.32 [59]				1.09 [28]	49	RED	8 W8CRT (2) W8CVT (2)	8 X8CRT (2) W8CVT (2)	6 YBMRB-1 Y2MR	8 W8CRT (2) W8CVT (2) X8CRT (2)	8 U8CRT (2)	8 U8CRT (2)	8 U8CRT (2)			MECHANICAL: MY29-11 (1)	7/8										
YAZBC-2TC14E2-45				2																																	
YAZBC-2TC14E2-90				3	.75 [19]	.44 [11]			.27 [7]	1.62 [41]	.31 [8]	.27 [7]	.08 [2]																								




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. OVERLAP 2 CRIMPS AS NEEDED WITHIN THE LENGTH BETWEEN THE INK STAMPED CRIMPING AREA.




TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™ (TWO HOLE CODE)

CAT NO. YAZBC-2TC-	(TABLE)	SCALE NTS
DRAWN: D. BOISVERT	11/9/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY	11/30/98	
MKTG APPVL: N/A		
CAD FILE: SE211915-03_1		
MDL REF: N/A		
DRAWING NO. SE211915		REV
SHEET 3 OF 36		1

1	8/22/00	CHANGED B, H, AND L DIMS PER ECO 5912	BM	JLM
0	11/11/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

SE211915		7		6		5		4		3		2		1											
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.03	C +.04 -.02	E ±.02	H REF.	K DIA. ±.02	L ±.06	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR 	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ6C-2TC14	#6 AWG [-----]	30	1/4 [M6]	1	1.12 [28]	.45 [11]	.62 [16]	----	.27 [7]	2.65 [67]	.31 [8]	.29 [7]	.08 [2]	.96 [24]	7 OR 374	BLUE	W5CVT W5CRT (2)	W5CVT W5CRT (2)	BLUE (2)	A5CR (2)	U5CRT U8CABT (2)	U5CRT U8CABT (2)	U5CRT U8CABT (2)	MECHANICAL: MY29-11 (1)	1-3/16
YAZ6C-2TC14-45				2				1.19 [30]		2.45 [62]															
YAZ6C-2TC14-90				3				1.50 [38]		1.51 [38]															
YAZ6C-2TC10E2	#6 AWG [-----]	30	#10 [M5]	1	1.12 [28]	.42 [11]	.75 [19]	----	.21 [5]	2.65 [67]	.25 [6]	.29 [7]	.09 [2]	1.03 [26]	7 OR 374	BLUE	W5CVT W5CRT (2)	W5CVT W5CRT (2)	BLUE (2)	A5CR (2)	U5CRT U8CABT (2)	U5CRT U8CABT (2)	U5CRT U8CABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH 1 CRIMP	1-3/16
YAZ6C-2TC10E2-45				2				1.19 [30]		2.48 [63]															
YAZ6C-2TC10E2-90				3				1.52 [39]		1.51 [38]															



NOTES:




1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

D

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.TM NO NEW Y34A HYPRESSTM ARE BEING PROCESSED.

A

CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										
	CODE (AWG)	NAVY			B ±.03	C ±.04 -.02	E ±.02	H REF.	K DIA. ±.02	L ±.06	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
																	MD7-34R MD6	OUR840	Y2MR 6	Y34A 8	Y750 Y35, BAT35 Y39, BAT750	Y46 4			Y45 3
YAZ6C-2TC38E2	#6 AWG [----]	30	3/8 [M10]	1	1.12 [28]	.58 [15]	.75 [19]	----	.40 [10]	2.97 [75]	.41 [10]	.29 [7]	.06 [2]	1.18 [30]	7 OR 374	BLUE	WSCVT WSCRT (2)	WSCVT WSCRT (2)	BLUE (2)	A5CR (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	MECHANICAL: MY29-11 (1)	1-3/16
YAZ6C-2TC38E2-45				2	1.12 [28]	.58 [15]	.75 [19]	1.18 [30]	.40 [10]	2.72 [69]	.41 [10]	.29 [7]	.06 [2]	1.18 [30]	7 OR 374	BLUE			BLUE (2)	A5CR (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH 1 CRIMP	
YAZ6C-2TC38E2-90				3				1.46 [37]		1.81 [46]															
YAZ6C-2TC38E6	#6 AWG [----]	30	3/8 [M10]	1	1.12 [28]	.58 [15]	.88 [22]	----	.40 [10]	3.09 [78]	.41 [10]	.29 [7]	.06 [2]	1.31 [33]	7 OR 374	BLUE	WSCVT WSCRT (2)	WSCVT WSCRT (2)	BLUE (2)	A5CR (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	USCRT UBCABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH 1 CRIMP	1-3/16
YAZ6C-2TC38E6-45				2			1.18 [30]	2.85 [72]																	
YAZ6C-2TC38E6-90				3			1.46 [37]	1.94 [49]																	



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

0	11/11/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

HYLUG™			
CAT NO: YAZ6C-2TC- (SEE TABLE)		SCALE NTS	
DRAWN: D. BOISVERT	11/11/98	CHECKED: K. HENRY	12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	APPVL: N/A	
Q.A. APPVL: S. GRAY	11/30/98	INSTR APPVL: B. HARGROVE	11/25/98
CAD FILE: SE211915-07_0		PM REF: N/A	
FRANATONE CONNECTORS USA INC.		MOL REF: N/A	
BURNBY ELECTRICAL		PROJECT:	
MANCHESTER, NH 03108		DRAWING NO.	
U. S. A.		REV	
1-800-346-4175		SE211915	
		SHEET 7 OF 36	




D

A

DRAWING NO. SE211915		7		6		5		4		3		2		1																							
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)																							
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH												
																	MD7-34R MD6	OUR840 BCT500 	Y2MR 	Y34A 	Y750 Y35, BAT35 Y39, BAT750 	Y46 	Y45 														
YAZ4C-2TC10E2	#4 AWG [-----]	40	#10 [M5]	1	1.12 [28]	.50 [13]	----	.21 [5]	2.67 [68]	.25 [6]	.34 [9]	.09 [2]	1.02 [26]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)	A4CR A6CAB (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	MECHANICAL: MY29-11 (1)	1-3/16													
YAZ4C-2TC10E2-45	↑	↑		2	.75 [19]	1.23 [31]	1.53 [39]		2.48 [63]							1.54 [39]	.96 [24]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)			A4CR A6CAB (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)									
YAZ4C-2TC10E2-90				3					1.53 [39]																				1.54 [39]	.31 [8]	.34 [9]	.09 [2]	1.09 [28]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)
YAZ4C-2TC14	↑	↑	1/4 [M6]	1	.62 [16]	----	.27 [7]	2.67 [68]	.27 [7]	.31 [8]	.34 [9]	.09 [2]	1.09 [28]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)	A4CR A6CAB (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-3/16													
YAZ4C-2TC14-45				2		1.23 [31]	2.48 [63]	1.54 [39]																	.96 [24]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)								
YAZ4C-2TC14-90				3		1.53 [39]	1.54 [39]	.31 [8]																						.34 [9]	.09 [2]	1.09 [28]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)
YAZ4C-2TC14E2	↑	↑	1/4 [M6]	1	.75 [19]	----	.27 [7]		2.80 [71]	.27 [7]	.31 [8]	.34 [9]	.09 [2]	1.09 [28]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)	A4CR A6CAB (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-3/16												
YAZ4C-2TC14E2-45				2		1.23 [31]			2.60 [66]																	.96 [24]	8 OR 346	GRAY	W4CVT W4CRT (2)								
YAZ4C-2TC14E2-90				3		1.53 [39]		1.66 [42]	.31 [8]																					.34 [9]	.09 [2]	1.09 [28]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)

NOTES:

- MATERIAL: COPPER TUBING.
- FINISH: TIN PLATED
- CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
- CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
- NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
- PERMANENT DIE IN TOOLING.
- DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
- FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.
- BATTERY OPERATED TOOLS.



TO ORDER BURNDY®PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

ITEM NO: N/A

CAT NO: YAZ4C-2TC- (TABLE)

SCALE: NTS

DRAWN BY: D.BOISVERT 11/11/98

CHECKER: K.HENRY 12/03/98

DSN APPVL: B.MACDONALD 12/02/98

MFG APPVL: N/A

QC APPVL: S.GRAY 11/30/98

MKT APPVL: B.HARDGROVE 11/25/98

PROD FAM: ---

PROJECT #: ---

DOCUMENT TYPE: Sales

REL LEVEL: AutoCAD

BURNDY
PRODUCTS

DRAWING NO

SE211915




SHEET 9 OF 36

REV

A

REV.	DATE	DESCRIPTION	ECO	BY	C'K'D
A	09/14/04	UPDATE CHANGE TO TABLE PER M/U.	9780	DB	PL

SE211915		7		6		5		4		3		2		1											
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR 	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ4C-2TC38	#4 AWG [----]	40	3/8 [M10]	1			----		3.23 [82]														MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1) 1 CRIMP	1-3/16	
YAZ4C-2TC38-45				2	1.12 [28]	.58 [15]	1.00 [25]	1.23 [31]	.40 [10]	3.01 [76]	.41 [10]	.34 [9]	.08 [2]	1.43 [36]	8 OR 346	GRAY	W4CVT W4CRT (2)	W4CVT W4CRT (2)	GRAY (4)	A4CR A6CAB (2)	U4CRT U6CABT (2)	U4CRT U6CABT (2)			U4CRT U6CABT (2)
YAZ4C-2TC38-90				3				1.50 [38]		2.09 [53]															






NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. PERMANENT DIE IN TOOLING.
7. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
8. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

0	11/11/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

HYLUG™			
CAT NO. YAZ4C-2TC- (SEE TABLE)			SCALE NTS
DRAWN: D. BOISVERT	11/11/98	CHECKED: K. HENRY	12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	PHS APPVL: N/A	
Q.A. APPVL: S. GRAY	11/30/98	MTG APPVL: B. HARGROVE	11/25/98
CAD FILE: SE211915-10_0		PH REF: N/A	
FRAMATOME CONNECTORS USA INC.		NOL REF: N/A	
BURNDOY ELECTRICAL		PROJECT:	
MANCHESTER, NH 03108		DRAWING NO.	REV
U. S. A.		SE211915	0
1-800-346-4175		SHEET 10 of 36	

CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)																				
	CODE (AWG)	NAVY			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH										
																	MD7-34R MD6	OUR840	Y2MR	Y34A	Y750 Y35, BAT35 Y39, BAT750	Y46	Y45												
YAZ3C-2TC14	#3 AWG #2 SOL [25mm ² STR]	50	1/4 [M6]	1	1.25 [32]	.55 [14]	.62 [16]	----	.27 [7]	2.83 [72]	.31 [8]	.38 [10]	.09 [2]	.96 [24]	9	WHITE	W3CRT (2)	W3CRT (2)	----	A3CR (2)	U3CRT (2)	U3CRT (2)	U3CRT (2)	MECHANICAL: MY29-11 (1)	1-5/16										
YAZ3C-2TC14-45				2			1.37 [35]	2.59 [66]																											
YAZ3C-2TC14-90				3			1.69 [43]	1.55 [39]																											
YAZ3C-2TC14E2	#3 AWG #2 SOL [25mm ² STR]	50	1/4 [M6]	1			.75 [19]	----		2.95 [75]				1.09 [28]	9	WHITE	W3CRT (2)	W3CRT (2)	----	A3CR (2)	U3CRT (2)	U3CRT (2)	U3CRT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-5/16										
YAZ3C-2TC14E2-45				2	1.25 [32]	.55 [14]		1.37 [35]	2.72 [69]																										
YAZ3C-2TC14E2-90				3			1.69 [43]																												






NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™			
CAT NO. YAZ3C-2TC- (SEE TABLE)		SCALE NT5	
DRAWN: D. BOISVERT 11/12/98		CHECKED: K. HENRY 12/03/98	
DSGN APPVL: B. MACDONALD 12/02/98		MFG APPVL: N/A	
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARGROVE 11/25/98	
CAD FILE: SE211915-11_0		PH REF: N/A	
FRANATONE CONNECTORS USA INC. BURNDOY ELECTRICAL		MOL REF: N/A	
MANCHESTER, NH 03108 U. S. A. 1-800-346-4175		PROJECT: .	
DRAWING NO. SE211915		REV 0	
SHEET 11 of 36			

0	11/12/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

SE211915		CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)									
CATALOG NO.	CODE (AWG)	NAVY	B			C	E	H	K DIA.	L	N	O.D.	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH
				±.06	±.04	±.02	REF.	±.02	±.09	±.04	±.01		MD7-34R MD6	OUR840			Y2MR	Y34A	Y750 Y35, BAT35 Y39, BAT750	Y46	Y45			
YAZ3C-2TC38E2	#3 AWG	50	3/8 [M10]	1	1.25 [32]	.58 [15]	----	.40 [10]	3.14 [80]	.41 [10]	.38 [10]	.08 [2]	1.18 [30]	9	WHITE	W3CRT (2)	W3CRT (2)	----	A3CR (2)	U3CRT (2)	U3CRT (2)	U3CRT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-5/16
YAZ3C-2TC38E2-45	#2 SOL [25mm² STR]	↑		2			1.37 [35]		2.88 [73]															
YAZ3C-2TC38E2-90					3			1.67 [42]		1.86 [47]														
YAZ3C-2TC38		↓	3/8 [M10]	1			----		3.39 [86]				1.43 [36]											
YAZ3C-2TC38-45	#3 AWG				2		1.00 [25]	1.37 [35]		3.13 [80]														
YAZ3C-2TC38-90	#2 SOL [25mm² STR]			50	3	1.25 [32]	.58 [15]	1.67 [42]	.40 [10]	2.11 [54]	.41 [10]	.38 [10]		.08 [2]	9	WHITE	W3CRT (2)	W3CRT (2)	----	A3CR (2)	U3CRT (2)	U3CRT (2)	U3CRT (2)	



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™	
CAT NO: YAZ3C-2TC- (SEE TABLE)	SCALE NTS
DRAWN: D. BOISVERT 11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD 12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY 11/30/98	MKTS APPVL: B. HARGROVE 11/25/98
CAD FILE: SE211915-12_0	PM REF: N/A
FRAMATOME CONNECTORS USA INC.	MDL REF: N/A
BURNDY ELECTRICAL	PROJECT:
MANCHESTER, NH 03108	DRAWING NO.
U. S. A.	REV
1-800-346-4175	SE211915
	SHEET 12 of 36

0	11/12/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C.K'D.

SE211915																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™			
CAT NO. YAZ2C-2TC-	(SEE TABLE)		SCALE NTS
DRAWN, D. BOISVERT	11/12/98	CHECKED, K. HENRY	12/03/98
DSGN APPVL, B. MACDONALD	12/02/98	APPVL, N/A	
Q.A. APPVL, S. GRAY	11/30/98	PKTS APPVL, B. HARGROVE	11/25/98
CAD FILE, SE211915-13_0		PM REF, N/A	
		MDL REF, N/A	
		PROJECT, .	
		DRAWING NO.	REV
		SE211915	0
		SHEET 13	of 36

0	11/12/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C.K'D.

DRAWING NO. SE211915		7		6		5		4		3		2		1															
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)														
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH				
																	MD7-34R MD6	OURB40	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 						
YAZ2C-2TC14E2	#2 AWG [----]	60	1/4 [M6]	1	1.25 [32]	.60 [15]	.75 [19]	----	.27 [7]	2.97 [75]	.31 [8]	.42 [11]	.11 [3]	1.09 [28]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	15/16				
YAZ2C-2TC14E2-45				2																						1.42 [36]	1.71 [43]	3.22 [82]	1.34 [34]
YAZ2C-2TC14E2-90				3																									
YAZ2C-2TC14E1	1/4 [M6]	1	1.00 [25]	1.42 [36]	1.74 [44]	3.22 [82]	3.02 [77]	1.96 [50]																					
YAZ2C-2TC14E1-45		2																											
YAZ2C-2TC14E1-90		3																											
YAZ2C-2NT14E1	#2 AWG [----]	60	1/4 [M6]	1	1.25 [32]	.48 [12]	1.00 [25]	----	.27 [7]	2.97 [75]	.31 [8]	.42 [11]	.11 [3]	1.34 [34]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)						
YAZ2C-2NT14E1-45				2																									
YAZ2C-2NT14E1-90				3																									





FIG 1





FIG 2





FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

1	7/27/00	UPDATE FORMAT, ADD CAT.#'S TO TABLE	DB	PL
0	11/12/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

CAT NO: YAZ2C-2TC- (TABLE)		SCALE NTS	
DRAWN: D. BOISVERT	11/12/98	CHECKED: K. HENRY	12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A	
 FCI FRAMATOME GROUP		Q.A. APPVL: S. GRAY	11/30/98
		MKTG APPVL: B. HARGROVE	11/25/98
		CAD FILE: SE211915-14_1	
		MDL REF: N/A	
		DRAWING NO.	
		SE211915	1
		SHEET 14 OF 36	

D. BURNEDY . RACINE . MALICO . SAAE Products

FCI
FRAMATOME GROUP
BURNDY • RACINE • MALICO • SAAE Products

DRAWING NO. SE211915		7		6		5		4		3		2		1														
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)														
	CODE (AWG)	NAVY			B	C	E	H	K DIA.	L	N	O.D.	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH			
					±.06	±.04	±.02	REF.	±.02	±.09	±.04	±.01																
YAZ2C-2TC516	#2 AWG [-----]	60	5/16 [M8]	1	1.25 [32]	.60 [15]	100 [25]	----	.33 [8]	3.28 [83]	.34 [9]	.42 [11]	.11 [3]	1.37 [35]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-5/16			
YAZ2C-2TC516-45				2				1.42 [36]		3.09 [78]																		
YAZ2C-2TC516-90				3				1.74 [44]		2.02 [51]																		
YAZ2C-2TC516E2	#2 AWG [-----]	60	5/16 [M8]	1	.75 [19]	----	.33 [8]	3.03 [77]	.34 [9]	1.12 [28]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)									
YAZ2C-2TC516E2-45				2		1.42 [36]		2.84 [72]																				
YAZ2C-2TC516E2-90				3		1.74 [44]		1.77 [45]																				
YAZ2C-2TC38E2	#2 AWG [-----]	60	3/8 [M10]	1	1.25 [32]	.60 [15]	.75 [19]	----	.40 [10]	3.16 [80]	.41 [10]	.42 [11]	.11 [3]	1.18 [30]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)					
YAZ2C-2TC38E2-45				2				1.42 [36]		2.96 [75]																		
YAZ2C-2TC38E2-90				3				1.74 [44]		1.90 [48]																		




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>




HYLUG™

CAT NO: YAZ2C-2TC- (SEE TABLE)		SCALE
DRAWN: D. BOISVERT		NTS
11/12/98		CHECKED: K. HENRY
12/02/98		1/03/98
DSGN APPVL: B. MACDONALD		MFG APPVL: N/A
Q.A. APPVL: S. GRAY		11/30/98
MKTG APPVL: B. HARGROVE		11/25/98
CAD FILE: SE211915-15_1		
MDL REF: N/A		
DRAWING NO.		REV
SE211915		1
SHEET 15 OF 36		

FCI
FRAMATOME GROUP
BURNDY • RACINE • MALICO • SAGE Products




1	6/04/01	ADD CAT. #S YAZ2C-2TC516, -45, -90 TO TABLE PER N/A.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

SE211915		7		6		5		4		3		2		1													
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)												
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH		
					MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 																
YAZ2C-2TC38E6	#2 AWG [-----]	60	3/8 [M10]	1	1.25 [32]	.60 [15]	.88 [22]	----	.40 [10]	3.28 [83]	.41 [10]	.42 [11]	.11 [3]	1.31 [33]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)	MECHANICAL: MY29-11 (1)	1-5/16		
YAZ2C-2TC38E6-45				2																						HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-5/16
YAZ2C-2TC38E6-90				3																							
YAZ2C-2TC38	#2 AWG [-----]	60	3/8 [M10]	1			1.00 [25]	----		3.41 [87]				1.43 [36]			W2CVT W2CRT (2)	W2CVT W2CRT (2)		A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)				
YAZ2C-2TC38-45				2																							
YAZ2C-2TC38-90				3																							



- NOTES:
1. MATERIAL: COPPER TUBING.
 2. FINISH: TIN PLATED
 3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
 6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
 7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

DRAWING NO. SE211915		7			6			5			4			3			2			1					
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ2C-2NTC38	#2 AWG [----]	60	3/8 [M10]	1	1.25 [32]	.60 [15]	1.75 [44]	----	.40 [10]	4.16 [106]	.41 [10]	.42 [11]	.11 [3]	2.18 [55]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-5/16
YAZ2C-2NTC38-45				2				1.42 [36]		3.96 [101]															
YAZ2C-2NTC38-90				3				1.74 [44]		2.90 [74]															
YAZ2C-2NTC	#2 AWG [----]	60	1/2 [M12]	1	1.25 [32]	.60 [15]	1.75 [44]	----	.56 [14]	4.60 [117]	.62 [16]	.42 [11]	.11 [3]	2.40 [61]	10	BROWN	W2CVT W2CRT (2)	W2CVT W2CRT (2)	----	A2CR (2)	U2CRT (2)	U2CRT (2)	U2CRT (2)		
YAZ2C-2NTC-45				2				1.42 [36]		4.32 [110]															
YAZ2C-2NTC-90				3				1.74 [44]		3.32 [84]															



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS.™ ARE BEING PROCESSED.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

CAT NO: YAZ2C-2NTC- (TABLE)

DRAWN: D. BOISVERT		11/12/98		CHECKED: K. HENRY		12/03/98	
DSGN APPVL: B. MACDONALD		12/02/98		MFG APPVL: N/A			
 FCI FRAMATOME GROUP BURNBY · RACINE · MALICO · SAAS Products				Q.A. APPVL: S. GRAY		11/30/98	
				MKTG APPVL: B. HARDGROVE		11/25/98	
				CAD FILE: SE211915-17.1			
				MDL REF: N/A			
				DRAWING NO.		REV	
				SE211915		1	
				SHEET 17 OF 36			



1	6/04/01	ADD CAT. #'S YAZ2C-2NTC, -45, -90 TO TABLE.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

SE211915																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

0	11/12/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

HYLUG™	
CAT NO: YAZ1C-2TC- (SEE TABLE)	SCALE NTS
DRAWN: D. BOISVERT 11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD 12/02/98	MF8 APPVL: N/A
Q.A. APPVL: S. GRAY 11/30/98	MKT6 APPVL: B. HARGROVE 11/25/98
CAD FILE: SE211915-1B_O	PH REF: N/A
FRAMATOME CONNECTORS USA INC.	MDL REF: N/A
BURNDY ELECTRICAL	PROJECT:
MANCHESTER, NH 03108	DRAWING NO.
U. S. A.	REV
1-800-348-4175	SE211915
	SHEET 18 OF 36

SE211915				1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31		32		33		34		35		36		37		38		39		40		41		42		43		44		45		46		47		48		49		50		51		52		53		54		55		56		57		58		59		60		61		62		63		64		65		66		67		68		69		70		71		72		73		74		75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90		91		92		93		94		95		96		97		98		99		100		101		102		103		104		105		106		107		108		109		110		111		112		113		114		115		116		117		118		119		120		121		122		123		124		125		126		127		128		129		130		131		132		133		134		135		136		137		138		139		140		141		142		143		144		145		146		147		148		149		150		151		152		153		154		155		156		157		158		159		160		161		162		163		164		165		166		167		168		169		170		171		172		173		174		175		176		177		178		179		180		181		182		183		184		185		186		187		188		189		190		191		192		193		194		195		196		197		198		199		200		201		202		203		204		205		206		207		208		209		210		211		212		213		214		215		216		217		218		219		220		221		222		223		224		225		226		227		228		229		230		231		232		233		234		235		236		237		238		239		240		241		242		243		244		245		246		247		248		249		250		251		252		253		254		255		256		257		258		259		260		261		262		263		264		265		266		267		268		269		270		271		272		273		274		275		276		277		278		279		280		281		282		283		284		285		286		287		288		289		290		291		292		293		294		295		296		297		298		299		300		301		302		303		304		305		306		307		308		309		310		311		312		313		314		315		316		317		318		319		320		321		322		323		324		325		326		327		328		329		330		331		332		333		334		335		336		337		338		339		340		341		342		343		344		345		346		347		348		349		350		351		352		353		354		355		356		357		358		359		360		361		362		363		364		365		366		367		368		369		370		371		372		373		374		375		376		377		378		379		380		381		382		383		384		385		386		387		388		389		390		391		392		393		394		395		396		397		398		399		400		401		402		403		404		405		406		407		408		409		410		411		412		413		414		415		416		417		418		419		420		421		422		423		424		425		426		427		428		429		430		431		432		433		434		435		436		437		438		439		440		441		442		443		444		445		446		447		448		449		450		451		452		453		454		455		456		457		458		459		460		461		462		463		464		465		466		467		468		469		470		471		472		473		474		475		476		477		478		479		480		481		482		483		484		485		486		487		488		489		490		491		492		493		494		495		496		497		498		499		500		501		502		503		504		505		506		507		508		509		510		511		512		513		514		515		516		517		518		519		520		521		522		523		524		525		526		527		528		529		530		531		532		533		534		535		536		537		538		539		540		541		542		543		544		545		546		547		548		549		550		551		552		553		554		555		556		557		558		559		560		561		562		563		564		565		566		567		568		569		570		571		572		573		574		575		576		577		578		579		580		581		582		583		584		585		586		587		588		589		590		591		592		593		594		595		596		597		598		599		600		601		602		603		604		605		606		607		608		609		610		611		612		613		614		615		616		617		618		619		620		621		622		623		624		625		626		627		628		629		630		631		632		633		634		635		636		637		638		639		640		641		642		643		644		645		646		647		648		649		650		651		652		653		654		655		656		657		658		659		660		661		662		663		664		665		666		667		668		669		670		671		672		673		674		675		676		677		678		679		680		681		682		683		684		685		686		687		688		689		690		691		692		693		694		695		696		697		698		699		700		701		702		703		704		705		706		707		708		709		710		711		712		713		714		715		716		717		718		719		720		721		722		723		724		725		726		727		728		729		730		731		732		733		734		735		736		737		738		739		740		741		742		743		744		745		746		747		748		749		750		751		752		753		754		755		756		757		758		759		760		761		762		763		764		765		766		767		768		769		770		771		772		773		774		775		776		777		778		779		780		781		782		783		784		785		786		787		788		789		790		791		792		793		794		795		796		797		798		799		800		801		802		803		804		805		806		807		808		809		810		811		812		813		814		815		816		817		818		819		820		821		822		823		824		825		826		827		828		829		830		831		832		833		834		835		836		837		838		839		840		841		842		843		844		845		846		847		848		849		850		851		852		853		854		855		856		857		858		859		860		861		862		863		864		865		866		867		868		869		870		871		872		873		874		875		876		877		878		879		880		881		882		883		884		885		886		887		888		889		890		891		892		893		894		895		896		897		898		899		900		901		902		903		904		905		906		907		908		909		910		911		912		913		914		915		916		917		918		919		920		921		922		923		924		925		926		927		928		929		930		931		932		933		934		935		936		937		938		939		940		941		942		943		944		945		946		947		948		949		950		951		952		953		954		955		956		957		958		959		960		961		962		963		964		965		966		967		968		969		970		971		972		973		974		975		976		977		978		979		980		981		982		983		984		985		986		987		988		989		990		991		992		993		994		995		996		997		998		999		1000		1001		1002		1003		1004		1005		1006		1007		1008		1009		1010		1011		1012		1013		1014		1015		1016		1017		1018		1019		1020		1021		1022		1023		1024		1025		1026		1027		1028		1029		1030		1031		1032		1033		1034		1035		1036		1037		1038		1039		1040		1041		1042		1043		1044		1045		1046		1047		1048		1049		1050		1051		1052		1053		1054		1055		1056		1057		1058		1059		1060		1061		1062		1063		1064		1065		1066		1067		1068		1069		1070		1071		1072		1073		1074		1075		1076		1077		1078		1079		1080		1081		1082		1083		1084		1085		1086		1087		1088		1089		1090		1091		1092		1093		1094		1095		1096		1097		1098		1099		1100		1101		1102		1103		1104		1105		1106		1107		1108		1109		1110		1111		1112		1113		1114		1115		1116		1117		1118		1119		1120		1121		1122	
----------	--	--	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	-----	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--	------	--




FIG 1




FIG 2




FIG 3




NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™			
CAT NO. YAZ1C-2TC-	(SEE TABLE)	SCALE	NTS
DRAWN: D. BOISVERT	11/13/98	CHECKED: K. HENRY	12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A	
Q.A. APPVL: S. GRAY	11/30/98	MKTG APPVL: B. HARGROVE	11/25/98
CAD FILE: SE211915-19_0		PM REF: N/A	
FRAMATOME CONNECTORS USA INC.		MDL REF: N/A	
BURNODY ELECTRICAL		PROJECT:	
MANCHESTER, NH 03108		DRAWING NO.	REV
U. S. A.		SE211915	0
1-800-346-4175		SHEET 19	OF 36

0	11/13/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C.K'D.

SE211915		7		6		5		4		3		2		1											
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
					MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 														
YAZ25-2TC14	1/0 AWG [-----]	100	1/4 [M6]	1	1.38 [35]	.75 [19]	.62 [16]	----	.27 [7]	3.04 [77]	.31 [8]	.51 [12]	.12 [3]	.96 [24]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-7/16
YAZ25-2TC14-45				2																					
YAZ25-2TC14-90				3																					
YAZ25-2TC14E2	1/0 AWG [-----]	100	1/4 [M6]	1				----		3.16 [80]															
YAZ25-2TC14E2-45				2																					
YAZ25-2TC14E2-90				3																					



- NOTES:
1. MATERIAL: COPPER TUBING.
 2. FINISH: TIN PLATED
 3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
 6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
 7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

SE211915		7		6		5		4		3		2		1											
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ25-2TC14E1	1/0 AWG [-----]	100	1/4 [M6]	1	1.38 [35]	.75 [19]	1.00 [25]	----	.27 [7]	3.41 [87]	.31 [8]	.51 [13]	.12 [3]	1.34 [34]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	MECHANICAL: MY29-11 (1)	1-7/16
YAZ25-2TC14E1-45				2				1.63 [41]		3.18 [81]															
YAZ25-2TC14E1-90				3				1.96 [50]		2.01 [51]															
YAZ25-2TC516E6	1/0 AWG [-----]	100	5/16 [M8]	1				----		3.35 [85]														HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-7/16
YAZ25-2TC516E6-45				2		.88 [22]	1.63 [41]	.33 [8]	3.12 [79]	.34 [9]			1.24 [31]			W25VT W25RT (4)	W25VT W25RT (4)		A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)			
YAZ25-2TC516E6-90				3		1.38 [35]	.75 [19]		1.96 [50]		1.95 [50]		.51 [13]	.12 [3]		12 OR 348	PINK								




FIG 1




FIG 2




FIG 3

- NOTES:
1. MATERIAL: COPPER TUBING.
 2. FINISH: TIN PLATED
 3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
 6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
 7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™			
CAT NO. YAZ25-2TC- (SEE TABLE)			SCALE NTS
DRAWN: D. BOISVERT 11/12/98		CHECKED: K. HENRY 12/03/98	
DSGN APPVL: B. MACDONALD 12/02/98		MFG APPVL: N/A	
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARGROVE 11/25/98	
CAD FILE: SE211915-21_0		PM REF: N/A	
FRAMATONE CONNECTORS USA INC. BURNBY ELECTRICAL		MOL REF: N/A	
PROJECT: .		DRAWING NO. SE211915	
MANCHESTER, NH 03108 U. S. A. 1-800-346-4175		REV 0	
SHEET 21 of 36			

0	11/16/98	RELEASE PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

REV. 061995

SE211915				r		b		5		4		3		2		1									
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ25-2TC516	1/0 AWG [-----]	100	5/16 [M8]	1	1.38 [35]	.75 [19]	1.00 [25]	----	.33 [8]	3.47 [88]	.34 [9]	.51 [13]	.12 [3]	1.37 [35]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	MECHANICAL: MY29-11 (1)	1-7/16
YAZ25-2TC516-45	↑	↑		2	↑	↑	↑	1.63 [41]		3.24 [82]															
YAZ25-2TC516-90				3				1.96 [50]																	
YAZ25-2TC38	1/0 AWG [-----]	100	3/8 [M10]	1	1.38 [35]	.75 [19]	1.00 [25]	----	.40 [10]	3.60 [91]	.41 [10]	.51 [13]	.12 [3]	1.43 [36]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-7/16
YAZ25-2TC38-45				2				1.63 [41]		3.37 [86]															
YAZ25-2TC38-90				3				1.96 [50]		2.20 [56]															




FIG 1




FIG 2







FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

HYLUG™	
CAT NO. YAZ25-2TC- (SEE TABLE)	SCALE NTS
DRAWN: D. BOISVERT 11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD 12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY 11/30/98	MKTG APPVL: B. HARGROVE 11/25/98
CAD FILE: SE211915-22_0	PM REF: N/A
FRAMATOME CONNECTORS USA INC.	MDL REF: N/A
BURNDY ELECTRICAL	PROJECT:
MANCHESTER, NH 03108	DRAWING NO.
U. S. A.	REV
1-800-345-4175	SE211915
	SHEET 22 OF 36

DRAWING NO. SE211915		7		6		5		4		3		2		1																			
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (★ CRIMPS)																		
	CODE (AWG)	NAVY 			B ±.06	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.09	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (★ CRIMPS)	WIRE STRIP LENGTH								
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 										
YAZ25-2NTC38	1/0 AWG [----]	100	3/8 [M10]	1	1.38 [35]	.75 [19]	1.75 [44]	----	.40 [10]	4.35 [110]	.41 [10]	.51 [13]	.12 [3]	2.18 [55]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-7/16								
YAZ25-2NTC38-45				2				1.63 [41]		4.12 [105]																							
YAZ25-2NTC38-90				3				1.96 [50]		2.95 [75]																							
YAZ25-2NTC	1/0 AWG [----]	100	1/2 [M12]	1				----	.56 [14]	4.79 [122]	.62 [16]	.51 [13]	.12 [3]	2.40 [61]	12 OR 348	PINK	W25VT W25RT (4)	W25VT W25RT (4)	----	A25R A2CAB (2)	U25RT U2CABT (2)	U25RT U2CABT (2)	U25RT U2CABT (2)										
YAZ25-2NTC-45				2				1.63 [41]		4.53 [115]																							
YAZ25-2NTC-90				3				1.38 [35]		.75 [19]																							



- NOTES:
1. MATERIAL: COPPER TUBING.
 2. FINISH: TIN PLATED
 3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
 6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
 7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.




TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
 MANCHESTER, NH 03109, USA
 FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™
 CAT NO: **YAZ25-2NTC38 (TABLE)** SCALE: NTS
 DRAWN: D. BOISVERT 11/9/98 CHECKED: K. HENRY 12/03/98
 DSGN APPVL: B. MACDONALD 12/02/98 MFG APPVL: N/A
 Q.A. APPVL: S. GRAY 11/30/98
 MKTG APPVL: N/A
 CAD FILE: SE211915-23_1
 MDL REF: N/A
 DRAWING NO. **SE211915** REV: 1
 SHEET 23 OF 36

FCI
 FRAMATOME GROUP
 BURNDY • RACINE • MALCO • SAAR Products

1	6/04/01	ADD CAT #S YAZ25-2NTC, -45, -90 TO TABLE PER ECO 6481.	DB	PL
REV.	DATE	DESCRIPTION	BY	C'K'D.

DRAWING NO. SE211915		7			6			5			4			3			2			1					
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 			Y45 
YAZ26-2TC14	2/0 AWG [70mm² STR]	125	1/4 [M6]	1	1.50 [38]	.83 [21]	.62 [16]	----	.27 [7]	3.20 [81]	.31 [8]	.56 [14]	.12 [3]	.96 [24]	13	BLACK	W26VT W26RT (4)	W26VT W26RT (4)	----	A26R (2)	U26RT (2)	U26RT (2)	U26RT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-9/16
YAZ26-2TC14-45				2				1.78 [45]																	
YAZ26-2TC14-90				3				2.12 [54]																	
YAZ26-2TC14E2	1	----	3.32 [84]	1.09 [28]																					
YAZ26-2TC14E2-45	2	.75 [19]	1.78 [45]		3.05 [77]																				
YAZ26-2TC14E2-90	3		.83 [21]		2.12 [54]	1.79 [45]																			
YAZ26-2NT14	1	.75 [19]	.62 [16]	----	3.20 [81]																				
YAZ26-2NT14-45	2			1.78 [45]	2.92 [74]	1.09 [28]																			
YAZ26-2NT14-90	3			2.12 [54]	1.66 [42]																				
	2/0 AWG [70mm² STR]	125	1/4 [M6]	3	1.50 [38]				.27 [7]		.31 [8]	.56 [14]	.12 [3]	1.09 [28]	13	BLACK	W26VT W26RT (4)	W26VT W26RT (4)	----	A26R (2)	U26RT (2)	U26RT (2)	U26RT (2)		



NOTES:

- MATERIAL: COPPER TUBING.
- FINISH: TIN PLATED
- CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
- CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
- NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
- DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
- FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

CAT NO: YAZ26-2----		(TABLE)		SCALE NTS	
DRAWN: D BOISVERT		11/12/98		CHECKED: K HENRY	
DSGN APPVL: B MACDONALD		11/30/98		MFG APPVL: N/A	
Q.A. APPVL: S GRAY		11/30/98		MKTG APPVL: N/A	
CAD FILE: SE211915-24_1				MDL REF: N/A	
DRAWING NO.		REV			
SE211915		1			
SHEET 24		OF 36			

1	6/2/01	ADDED CAT. # YAZ26-2NT14, YAZ26-2NT14-45 & YAZ26-2NT14-90	6604	PL	DB
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

REV. 012000

DRAWING NO. SE211915		7			6			5			4			3			2			1															
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)																				
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC			DIELESS (# CRIMPS)	WIRE STRIP LENGTH											
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 			Y45 										
YAZ26-2TC38	2/0 AWG [70mm² STR]	125	3/8 [M10]	1	1.50 [38]	.83 [21]	1.00 [25]	----	.40 [10]	3.76 [96]	.41 [10]	.56 [14]	.12 [3]	1.43 [36]	13	BLACK	W26VT W26RT (4)	W26VT W26RT (4)	----	A26R (2)	U26RT (2)	U26RT (2)	U26RT (2)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-9/16										
YAZ26-2TC38-45	↑	↑		2	↑	↑		1.78 [45]		2.12 [54]							3.48 [88]	.56 [14]	.12 [3]	2.40 [61]	↑	↑	↑			↑	↑	↑	↑	↑	↑	↑	↑		
YAZ26-2TC38-90				3				2.22 [56]		2.12 [54]							2.22 [56]																	.62 [16]	.56 [14]
YAZ26-2NTC	↓	↓	1/2 [M12]	1	↓	↓	----	.56 [14]	4.95 [30]	.62 [16]	.56 [14]	.12 [3]	2.40 [61]	13	BLACK	W26VT W26RT (4)	W26VT W26RT (4)	----	A26R (2)	U26RT (2)	U26RT (2)	U26RT (2)													
YAZ26-2NTC-45				2			1.75 [44]		1.78 [45]							2.12 [54]	4.67 [119]	.62 [16]	.56 [14]	.12 [3]	2.40 [61]	↑	↑			↑	↑	↑	↑	↑	↑	↑	↑	↑	↑
YAZ26-2NTC-90				3			2.12 [54]		2.12 [54]							3.41 [87]	3.41 [87]																		




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

CAT NO: YAZ26-2TC-, -2NTC (TABLE)		SCALE NTS	
DRAWN: D. BOISVERT		11/12/98	CHECKED: K. HENRY
DSGN APPVL: B. MACDONALD		12/02/98	MFG APPVL: N/A
 FCI FRAMATOME GROUP BURUNDY • RACINE • MALICO • SAAR Products		Q.A. APPVL: S. GRAY	
		MKTG APPVL: B. HARDGROVE	
		CAD FILE: SE211915-25_1	
		MDL REF: N/A	
		DRAWING NO.	
		REV	
		SE211915	
		SHEET 25 OF 36	
		1	

1	6/04/01	ADD CAT.#'S YAZ26-2NTC, -45, -90 TO TABLE.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.



BURNDY • PACINE • MALICO • SAAR Products

DRAWING NO. SE211915		7		6		5		4		3		2		1											
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET			HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840	Y2MR	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 		
YAZ27-2TC14E2	3/0 AWG [----]	150	1/4 [M6]	1	1.50 [38]	.90 [23]	.75 [19]	----	.27 [7]	3.36 [85]	.31 [8]	.62 [16]	.12 [3]	1.09 [28]	14	ORANGE	W27VT	W27VT	----	A27R (2)	U27RT (2)	U27RT (2)	U27RT (2)	MECHANICAL: MY29-11 (1)	1-9/16
YAZ27-2TC14E2-45				2				1.84 [47]		3.08 [78]							W27RT (4)	W27RT (4)							
YAZ27-2TC14E2-90				3				2.16 [55]		1.82 [46]															
YAZ27-2TC38	3/8 [M10]		1	1	1.00 [25]		1.84 [47]	----	.40 [10]	3.80 [97]	.41 [10]			1.43 [36]										HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-9/16
YAZ27-2TC38-45				2				2.16 [55]		3.52 [89]															
YAZ27-2TC38-90				3						2.25 [57]															
YAZ27-2NTC	3/0 AWG [----]	150	1/2 [M12]	1	1.50 [38]	.90 [23]	1.75 [44]	----	.56 [14]	4.99 [127]	.62 [16]	.62 [16]	.12 [3]	2.40 [61]	14	ORANGE	W27VT	W27VT	----	A27R (2)	U27RT (2)	U27RT (2)	U27RT (2)		
YAZ27-2NTC-45				2				1.84 [47]		4.71 [120]															
YAZ27-2NTC-90				3				2.16 [55]		3.44 [87]															




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.


TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™				SCALE
CAT NO: YAZ27-2TC-, -2NTC- (TABLE)				NTS
DRAWN: D. BOISVERT	11/12/98	CHECKED: K. HENRY	12/03/98	
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A		
O.A. APPVL: S. GRAY 11/30/98				
MKTG APPVL: B. HARDGROVE 11/25/98				
CAD FILE: SE211915-26_1				
MDL REF: N/A				
DRAWING NO.				REV
SE211915				1
SHEET 26 OF 36				

1	6/04/01	ADD CAT.#'S YAZ27-2NTC-, -45, -90 TO TABLE.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

REV. 061995

DRAWING NO. SE211915		7		6		5		4		3		2		1												
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)												
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET		HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	MD7-34R MD6	OUR840		Y35, BAT35 Y39, BAT750	Y46 	Y45 	Y48B 	Y60B		
YAZ28-2TC14E2	4/0 AWG [-]	200	1/4 [M6]	1	1.62 [41]	1.02 [26]	.75 [19]	----	.27 [7]	3.55 [90]	.31 [8]	.69 [18]	.14 [4]	1.09 [28]	15	PURPLE	W28VT W28RT (4)	W28VT W28RT (4)	A28R (2)	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-11/16
YAZ28-2TC14E2-45				2				2.02 [51]																		
YAZ28-2TC14E2-90				3				2.36 [60]																		
YAZ28-2TC38	4/0 AWG [-]	200	3/8 [M10]	1	1.02 [26]	1.00 [25]	----	.40 [10]	3.99 [101]	.41 [10]	.69 [18]	.14 [4]	1.43 [36]	15	PURPLE	W28VT W28RT (4)	W28VT W28RT (4)	A28R (2)	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)			
YAZ28-2TC38-45				2			2.02 [51]																			
YAZ28-2TC38-90				3			2.36 [60]																			
YAZ28-2NT14	4/0 AWG [-]	200	1/4 [M6]	1	1.62 [41]	.75 [19]	.62 [16]	----	.27 [7]	3.42 [87]	.31 [8]	.69 [18]	.14 [4]	.96 [24]	15	PURPLE	W28VT W28RT (4)	W28VT W28RT (4)	A28R (2)	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)		
YAZ28-2NT14-45				2				2.02 [51]																		
YAZ28-2NT14-90				3				2.36 [60]																		



NOTES:

- MATERIAL: COPPER TUBING.
- FINISH: TIN PLATED
- CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
- CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
- NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
- DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
- FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.
- OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>




HYLUG™

CAT NO: YAZ28-2---	(TABLE)	SCALE NT5
DRAWN: D BOISVERT	11/12/98	CHECKED: K HENRY 12/3/98
DSGN APPVL: B MACDONALD	11/30/98	MFG APPVL: N/A
		Q.A. APPVL: S GRAY 11/30/98
		MKTG APPVL: N/A
		CAD FILE: SE211915-27_1
		MDL REF: N/A
		DRAWING NO. SE211915
		REV 1

SHEET 27 OF 36

1	6/2/01	ADDED CAT. # YAZ28-2NT14, YAZ28-2NT14-45 & YAZ28-2NT14-90	6604	PL	DB
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

DRAWING NO. SE211915		7		6		5		4		3		2		1																		
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)																	
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET		HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH						
																	MD7-34R MD6	OUR840	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 	Y48B 	Y60B								
YAZ28-2NTC38	4/0 AWG [-----]	200	3/8 [M10]	1	1.62 [41]	1.02 [26]	1.75 [44]	----	.40 [10]	4.74 [120]	.69 [18]	.14 [4]	2.18 [55]	15	PURPLE	W28VT W28RT (4)	W28VT W28RT (4)	A28R (2)	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)	MECHANICAL: MY29-11 (1) HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-11/16							
YAZ28-2NTC38-45	↑	↑		2	↑	↑	↑	2.02 [51]		5.15 [131]						.41 [10]	↑	↑	↑	↑	↑	↑	↑			↑	↑	↑	↑	↑	↑	↑
YAZ28-2NTC38-90				3				2.36 [60]																								
YAZ28-2NTC	↓	↓	1/2 [M12]	1	↓	↓	↓	----	.56 [14]	4.86 [123]	.69 [18]	.14 [4]	2.40 [61]	15	PURPLE	W28VT W28RT (4)	W28VT W28RT (4)	A28R (2)	U28RT (2)	U28RT (2)	U28RT (2)	C28R (2)	L28RT (1)			1-11/16						
YAZ28-2NTC-45				2				2.02 [51]		4.86 [123]																						
YAZ28-2NTC-90				4/0 AWG [-----]				200		3						1.62 [41]	1.02 [26]	1.75 [44]	2.36 [60]	3.49 [89]	4.86 [123]											



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.
8. OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>




HYLUG™

CAT NO: YAZ28-2NTC- (TABLE)		SCALE NTS
DRAWN: D. BOISVERT	11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARDGROVE 11/25/98
CAD FILE: SE211915-28.1		MDL REF: N/A
DRAWING NO. SE211915		REV 1
SHEET 28 OF 36		

1	6/04/01	ADD CAT.#'S YAZ28-2NTC, -45, -90 TO TABLE.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

REV. 061995

CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)										WIRE STRIP LENGTH		
	CODE (AWG)	NAVY			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET		HYDRAULIC						DIELESS (# CRIMPS)	
																	MD7-34R MD6	OUR840	Y34A	Y750	Y46	Y45	Y48B			Y60B
YAZ29-2TC38	250 kcmil [120mm² STR]	250	3/8 [M10]	1					3.99 [101]						16	YELLOW	W29VT W29RT (4)	X29RT (6)	A29R (2)	U29RT (2)	U29RT (2)	C29R (2)	L29RT (1)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	1-11/16	
YAZ29-2TC38-45				2	1.62 [41]	1.10 [28]	1.00 [25]		2.09 [53]	.40 [10]	3.73 [95]	.41 [10]	.75 [19]	.14 [4]												1.43 [36]
YAZ29-2TC38-90				3					2.42 [61]		2.34 [59]															



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.
8. OVERLAPPING CRIMPS ARE REQUIRED ON THESE SIZES.

HYLUG™			
CAT NO. YAZ29-2TC- (SEE TABLE)		SCALE NTS	
DRAWN: D. BOISVERT 11/12/98		CHECKED: K. HENRY 12/03/98	
DESIGN APPVL: B. MACDONALD 12/02/98		MFG APPVL: N/A	
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARGROVE 11/25/98	
CAD FILE: SE211915-29_0		PH REF: N/A	
FRAMATOME CONNECTORS USA INC. BURNDY ELECTRICAL		MDL REF: N/A	
PROJECT: .		DRAWING NO. SE211915	
MANCHESTER, NH 03108 U. S. A. 1-800-346-4175		REV 0	

0	11/19/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										DIE INDEX	COLOR CODE	MECHANICAL RATCHET	HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH
	CODE (AWG)	NAVY 			B	C	E	H	K DIA.	L	N	O.D.	T REF.	Y MIN.				Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 	Y48B	Y60B		
					±.08	±.04	±.02	REF.	±.02	±.12	±.04	±.01													
YAZ30-2TC3B	300 kcmil [150mm² STR]	300	3/8 [M10]	1				----		4.42 [112]					17 OR 298	WHITE	W30RT (4)	A28R A30R (4)	U30RT U28ART (4)	U30RT U28ART (4)	U30RT U28ART (4)	C30R (1) C28AR (4)	L30RT (1)	HYDRAULIC; Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	2-1/16
YAZ30-2TC3B-45				2	2.00 [51]	1.20 [30]	1.00 [25]	2.44 [62]	.40 [10]	4.04 [103]	.41 [10]	.81 [21]	.16 [4]	1.43 [36]											
YAZ30-2TC3B-90				3				2.86 [73]		2.37 [60]															




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.TM NO NEW Y34A HYPRESSTM ARE BEING PROCESSED.

0	11/19/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

HYLUG TM			
CAT NO. YAZ30-2TC- (SEE TABLE)		SCALE NTS	
DRAWN: D. BOISVERT 11/12/98		CHECKED: K. HENRY 12/03/98	
DSGN APPVL: B. MACDONALD 12/02/98		MFG APPVL: N/A	
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARGROVE 11/25/98	
CAD FILE: SE211915-30_0		PM REF: N/A	
FRAMATOME CONNECTORS USA INC.		MDL REF: N/A	
BURNBY ELECTRICAL		PROJECT:	
MANCHESTER, NH 03108		DRAWING NO.	
U. S. A.		REV	
1-800-348-4175		SE211915	
		SHEET 30 OF 36	

DRAWING NO. SE211915		7		6		5		4		3		2		1												
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										WIRE STRIP LENGTH	
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET	HYDRAULIC						DIELESS (# CRIMPS)		
																	MD7-34R	Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 	Y48B	Y60B			
YAZ31-2TC14E2	350 kcmil [-----]	350	1/4 [M6]	1	2.00 [51]	1.29 [33]	.75 [19]	----	.27 [7]	4.02 [102]	.31 [8]	.88 [22]	.18 [5]	1.09 [28]	18 OR 324	RED	W31VT W31RT (4)	A31R A29AR (4)	U31RT U29ART (4)	U31RT U29ART (4)	U31RT U29ART (4)	C31R C29AR (1)	L31RT L29ART (1)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	2-1/16	
YAZ31-2TC14E2-45				2				2.51 [64]																		3.66 [93]
YAZ31-2TC14E2-90				3				2.92 [74]																		1.97 [50]
YAZ31-2NT38	3/8 [M10]	1	1.00 [25]	----	.40 [10]	4.45 [113]	.41 [10]	1.43 [36]	18 OR 324	RED	W31VT W31RT (4)	A31R A29AR (4)	U31RT U29ART (4)	U31RT U29ART (4)	U31RT U29ART (4)	C31R C29AR (1)	L31RT L29ART (1)									
YAZ31-2NT38-45		2		.96 [24]														2.51 [64]	4.10 [104]							
YAZ31-2NT38-90		3		2.92 [74]														2.41 [61]								
YAZ31-2TC38	3/8 [M10]	1	1.29 [33]	----	.40 [10]	4.45 [113]	.41 [10]	1.43 [36]	18 OR 324	RED	W31VT W31RT (4)	A31R A29AR (4)	U31RT U29ART (4)	U31RT U29ART (4)	U31RT U29ART (4)	C31R C29AR (1)	L31RT L29ART (1)									
YAZ31-2TC38-45		2		2.51 [64]														4.10 [104]								
YAZ31-2TC38-90		3		2.92 [74]														2.41 [61]								
YAZ31-2NTC	350 kcmil [-----]	350	1/2 [M12]	1	2.00 [51]	1.29 [33]	1.75 [44]	----	.56 [14]	5.64 [143]	.62 [16]	.88 [22]	.18 [5]	2.40 [61]	18 OR 324	RED	W31VT W31RT (4)	A31R A29AR (4)	U31RT U29ART (4)	U31RT U29ART (4)	U31RT U29ART (4)	C31R C29AR (1)	L31RT L29ART (1)			2-1/16
YAZ31-2NTC-45				2				2.51 [64]																5.29 [134]		
YAZ31-2NTC-90				3				2.92 [74]																3.60 [91]		




FIG 1




FIG 2




FIG 3

NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

TO ORDER BURNDY PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™

CAT NO. YAZ31-2 (TABLE)	SCALE NTS
DRAWN: D. BOISVERT 11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD 12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY 11/30/98	MKTG APPVL: B. HARDGROVE 11/25/98
CAD FILE: SE211915-31_2	MDL REF: N/A
DRAWING NO. SE211915	REV 2
SHEET 31 OF 36	

2	6/04/01	ADD CAT.#'S YAZ31-2, -45, -90 TO TABLE.	6481	DB	PL
REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.

DRAWING NO. SE211915		7			6			5			4			3			2			1						
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)											
	CODE (AWG)	NAVY 			B ±.08	C ±.04	E ±.02	H REF.	K DIA. ±.02	L ±.12	N ±.04	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET MD7-34R	HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
																		Y34A 	Y750 Y35, BAT35 Y39, BAT750	Y46 	Y45 	Y48B	Y60B			
YAZ32-2TC38	400 kcmil [----]	400	3/8 [M10]	1	2.12 [54]	1.40 [36]	1.00 [25]	----	.40 [10]	4.62 [117]	.41 [10]	.95 [24]	.19 [5]	1.43 [36]	19 OR 470	BLUE	W32RT (4)	A32R A30AR (4)	U32RT U30ART (4)	U32RT U30ART (4)	U32RT U30ART (4)	C32R C30AR (1)	L32RT L30ART (1)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	2-3/16	
YAZ32-2TC38-45				2				3.12 [79]																		2.46 [62]
YAZ32-2TC38-90				3																						




FIG 1




FIG 2




FIG 3

NOTES:




1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6S15 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. NAVY CABLE SIZE MAY BE OMITTED ON SOME SIZES BECAUSE OF SPACE LIMITATIONS.
6. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.
7. FOR USE BY CUSTOMERS THAT HAVE THIS HYPRESS.™ NO NEW Y34A HYPRESS™ ARE BEING PROCESSED.

REV.	DATE	DESCRIPTION	BY	C'K'D.
1	06/27/00	FIXED REV SHOULD OF BEEN REV 1	JRW	

HYLUG™		SCALE
CAT NO. YAZ32-2TC-	(SEE TABLE)	NTS
DRAWN: D. BOISVERT	11/12/98	CHECKED: K. HENRY 12/03/98
DSGN APPVL: B. MACDONALD	12/02/98	MFG APPVL: N/A
Q.A. APPVL: S. GRAY	11/30/98	MKTG APPVL: B. HARGROVE 11/25/98
CAD FILE: SE211915-32_1		PM REF: N/A
FRAMATOME CONNECTORS USA INC.		MDL REF: N/A
BURNDY ELECTRICAL		PROJECT:
MANCHESTER, NH 03108		DRAWING NO.
U. S. A.		REV
1-800-346-4175		SE211915
		SHEET 32 OF 36

DRAWING NO.		7		6		5		4		3		2		1												
SE211915																										
												REV.	DATE	DESCRIPTION	ECO	BY	C'K'D.									
												B	4/10/08	REVERSE TUBE REDUCTION CHNG	15552	PL	PL									
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS									INSTALLATION TOOLING (# CRIMPS)												
	CODE (AWG)	NAVY			B .±.08	C .±.04	E .±.02	H REF.	K DIA. .±.02	L .±.12	N .±.04	O.D .±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	MECHANICAL RATCHET	HYDRAULIC						DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
																	MD7-34R	Y34A 6	Y750 Y35,BAT35 Y39,BAT750	Y46 4	Y45 3	Y488	Y60B			
YAZ34-2TC14E2	500 kcmil (240mm² STR)	----- ↑	1/4 [M6]	1	2.25 [57]	1.55 [39]	.75 [19]	-----	.27 [7]	4.42 [112]	.31 [8]	1.06 [27]	.23 [6]	1.09 [28]	20 OR 299	BROWN ↑	W34RT [4]	A34R [4]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)	HYDRAULIC, Y644,Y644M Y644MBH, Y1000 Y1000BH (1)	2-5/16 ↑	
YAZ34-2TC14E2-45				2				2.94 [75]									4.06 [103]	4.85 [123]	4.50 [114]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)			L34RT (2)
YAZ34-2TC14E2-90				3				3.41 [87]									2.10 [53]	4.50 [114]	2.54 [65]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)			L34RT (2)
YAZ34-2NT38			3/8 [M10]	1	.96 [24]	1.00 [25]	-----	.40 [10]	4.85 [123]	.41 [10]	1.43 [36]	20 OR 299	BROWN ↑	W34RT [4]	A34R [4]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)						
YAZ34-2NT38-45				2			2.94 [75]							4.50 [114]	2.54 [65]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)						
YAZ34-2NT38-90				3			3.41 [87]							2.10 [53]	4.50 [114]	2.54 [65]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)					
YAZ34-2TC38			3/8 [M10]	1	1.55 [39]	1.00 [25]	-----	.40 [10]	4.85 [123]	.41 [10]	1.43 [36]	20 OR 299	BROWN ↑	W34RT [4]	A34R [4]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)						
YAZ34-2TC38-45				2			2.94 [75]							4.50 [114]	2.54 [65]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)						
YAZ34-2TC38-90				3			3.41 [87]							2.10 [53]	4.50 [114]	2.54 [65]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)					
YAZ34-2NTC			500 kcmil (240mm² STR)	----- ↓	1/2 [M12]	1	2.25 [57]	1.55 [39]	1.75 [44]	-----	.56 [14]	6.04 [153]	.62 [16]	1.06 [27]	.23 [6]	2.40 [61]	20 OR 299	BROWN ↓	W34RT [4]	A34R [4]	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	U34RT (4) U31ART (2)			C34R (2) C31AR (1)
YAZ34-2NTC-45	2	2.94 [75]				5.68 [144]				U34RT (4) U31ART (2)									U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)				
YAZ34-2NTC-90	3	3.41 [87]				3.72 [94]				U34RT (4) U31ART (2)									U34RT (4) U31ART (2)	U34RT (4) U31ART (2)	C34R (2) C31AR (1)	L34RT (2)				

SE211915		7		6		5		4		3		2		1									
CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)								
	CODE (AWG)	NAVY			B ±.09	C ±.06	E ±.02	H REF.	K DIA. ±.02	L ±.15	N ±.06	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	HYDRAULIC					DIELESS (# CRIMPS)	WIRE STRIP LENGTH
																	Y750 Y35, BAT35 Y39, BAT750	Y46 4	Y45 3	Y48B	Y60B		
YAZ36-2TC38	600 kcmil [300mm² STR]	----	3/8 [M10]	1			----		5.55 [141]						22 OR 472	GREEN	U36RT U32ART (4)	U36RT U32ART (4)	U32RT U30ART (4)	C36R C32AR (2)	L36RT L32ART (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	2-3/4
YAZ36-2TC38-45				2	2.69 [68]	1.74 [44]	1.00 [25]	3.40 [86]	.40 [10]	5.14 [131]	.50 [13]	1.19 [30]	.26 [7]	1.53 [39]									
YAZ36-2TC38-90				3				3.99 [101]		2.81 [71]													



NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.

HYLUG™			
CAT NO. YAZ36-2TC- (SEE TABLE)		SCALE NTS	
DRAWN: D. BOISVERT 11/12/98		CHECKED: K. HENRY 12/03/98	
DSGN APPVL: B. MACDONALD 12/02/98		MFG APPVL: N/A	
Q.A. APPVL: S. GRAY 11/30/98		MKTG APPVL: B. HARGROVE 11/25/98	
CAD FILE: SE211915-34_0		PM REF: N/A	
FRAMATOME CONNECTORS USA INC.		MDL REF: N/A	
BURNDY ELECTRICAL		PROJECT:	
MANCHESTER, NH 03108		DRAWING NO.	
U. S. A.		REV	
1-800-346-4175		SE211915	
		SHEET 34 of 36	

0	11/19/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)										
CODE (AWG)	NAVY			B ±.09	C ±.06	E ±.02	H REF.	K DIA. ±.02	L ±.15	N ±.06	O.D. ±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	Y750 Y35, BAT35 Y39, BAT750	Y46 4	Y45 3	Y48B	Y60B	DIELESS (# CRIMPS)	WIRE STRIP LENGTH		
750 kmil [-----]	----	3/8 [M10]	1	2.88 [73]	1.63 [41]	1.00 [25]	----	.40 [10]	5.82 [148]	.50 [13]	1.30 [33]	.27 [7]	1.53 [39]	24	BLACK	U39RT (4)	U39RT (4)	U39RT (4)	C39R (2)	L39RT (2)	HYDRAULIC: Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	2-15/16		
↑	↑		2			3.68 [93]	5.34 [136]																	
			3			4.27 [108]	2.87 [73]																	
↓	↓	3/8 [M10]	1	1.91 [49]	----	5.82 [148]	.50 [13]	1.53 [39]																
			2		3.68 [93]	5.34 [136]																		
↓	↓		3		1.00 [25]	4.27 [108]			.40 [10]	2.87 [73]														
750 kmil [-----]	----	1/2 [M12]	1	2.88 [73]	1.63 [41]	1.75 [44]	----	.56 [14]	6.82 [173]	.62 [16]	1.30 [33]	.27 [7]	2.40 [61]	24	BLACK	U39RT (4)	U39RT (4)	U39RT (4)	C39R (2)	L39RT (2)				2-15/16
			2			3.68 [93]	6.34 [161]																	
			↓			↓	3		4.27 [108]															




FIG 1




FIG 2




FIG 3




NOTES:

1. MATERIAL: COPPER TUBING.
2. FINISH: TIN PLATED
3. CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
4. CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
5. DIMENSIONS, METRIC WIRE, & METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS. DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.

HYLUG™			
CAT NO: YAZ39- (SEE TABLE)	SCALE NTS		
DRAWN: D. BOISVERT 11/12/98	CHECKED: K. HENRY 12/03/98		
DSGN APPVL: B. MACDONALD 12/02/98	MFG APPVL: N/A		
Q.A. APPVL: S. GRAY 11/30/98	MKTG APPVL: B. HARGROVE 11/25/98		
CAD FILE: SE211915-35_0	PM REF: N/A		
	MDL REF: N/A		
	PROJECT:	DRAWING NO.	REV
		SE211915	0
		SHEET 35 of 36	

0	11/20/98	RELEASED PER ECO 4612.	DB	KH
REV.	DATE	DESCRIPTION	BY	C'K'D.

CATALOG NO.	CONDUCTOR		BOLT SIZE	FIG. NO.	DIMENSIONS										INSTALLATION TOOLING (# CRIMPS)								
	CODE (AWG)	NAVY			B .±.09	C .±.06	E .±.02	H REF.	K DIA. .±.02	L .±.15	N .±.06	O.D .±.01	T REF.	Y MIN.	DIE INDEX	COLOR CODE	HYDRAULIC				DIELESS (# CRIMPS)	WIRE STRIP LENGTH	
																	Y46	Y45	Y488	Y60B			
YAZ44-2TC38	1000 kcmil [500mm²]	----	3/8 [M10]	1	3.00 [76]	2.19 [56]	1.00 [25]	----	.40 [10]	6.09 [155]	.50 [13]	1.50 [38]	.33 [8]	1.53 [39]	27	WHITE	S44RT (4)	P44RT (4)	C44R (2)	L44RT (2)	HYDRAULIC, Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	3-1/16	
YAZ44-2TC38-45				2				4.02 [102]		5.66 [144]													
YAZ44-2TC38-90				3				4.64 [118]		3.02 [77]													
YAZ44-2NT38				1				----		6.09 [155]													
YAZ44-2NT38-45	1000 kcmil [500mm²]	----	3/8 [M10]	2	1.62 [41]	1.00 [25]	1.00 [25]	4.02 [102]	.40 [10]	5.66 [144]	.50 [13]	1.50 [38]	.33 [8]	1.53 [39]	27	WHITE	S44RT (4)	P44RT (4)	C44R (2)	L44RT (2)	HYDRAULIC, Y644, Y644M Y644MBH, Y1000 Y1000BH (1)	3-1/16	
YAZ44-2NT38-90				3				4.64 [118]		3.02 [77]													
YAZ44-2NNT				1				----		7.09 [180]													.62 [16]
YAZ44-2NNT-45				2				4.02 [102]		6.66 [168]													
YAZ44-2NNT-90		----	3	4.64 [118]	4.02 [102]																		



- NOTES:
- MATERIAL: COPPER TUBING.
 - FINISH: TIN PLATED
 - CATALOG # PT6515 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y45 SERIES TOOLS.
 - CATALOG # PUADP-1 ADAPTOR IS REQUIRED TO USE "U" DIES IN Y46 SERIES TOOLS.
 - DIMENSIONS, METRIC WIRE,&METRIC BOLT SIZES IN BRACKETS [] ARE IN MILLIMETERS, DIMENSIONS ARE ROUNDED OFF TO THE NEAREST MILLIMETER, UNLESS OTHERWISE NOTED, AND ARE FOR REFERENCE ONLY.

TO ORDER BURNDY®PRODUCTS CALL 1-800-346-4175
MANCHESTER, NH 03109, USA
FOR PRODUCT INFO = <http://www.fciconnect.com>

HYLUG™ (TWO HOLE CODE)

ITEM NO: N/A

CAT NO: YAZ44- (TABLE)

SCALE: NTS
DRAWN BY: D.BOISVERT 11/12/98
CHECKER: K.HENRY 12/03/98
DSN APPVL: B.MACDONALD 12/02/98
MFG APPVL: N/A
QC APPVL: S.GRAY 11/30/98
MKT APPVL: B.HARDGROVE 11/25/98
PROD FAM: ---
PROJECT #: ---
DOCUMENT TYPE: AutoCAD
REL LEVEL: ---

BURNDY
PRODUCTS

DRAWING NO
SE211915
SHEET 36 of 36

REV
B