


4




3

2


1



2		1				
LOC	DIST	REVISIONS				
J	—	P	LTR	DESCRIPTION	DATE	APVD
		—	—	SEE SHEET 1	—	—



A—A
SCALE 1:1




B—B
SCALE 1:1

(APPLIED TO SHEET 4)

1. THE DIRECTION OF EACH CONNECTOR ON A TRAY IS REFERRED TO THIS DRAWING.
2. GENERAL TOLERANCE:±0.5

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
MM



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



Tyco Electronics AMP K.K.
Kawasaki, Japan

NAME

DDR SODIMM SOCKET 200P
STANDARD PROFILE STANDARD TYPE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

© 1612507

—

SCALE 1:2

SHEET 4 OF 4

REV D1