


CABLE ASSEMBLY PARTS LIST

A B C D E F G H


THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. NO PARTS SHALL BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

DWG. NO.	REV.	DESCRIPTION	DATE	APPROVED
XXB-502-D	X1	CUSTOMER APPROVAL	03/24/99	E.V.

1



2



3



4

CUSTOMER APPROVAL

ENGR. SIGN Math. Nemer

DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.


2. TEST CABLE FOR ALL OPENS & SHORTS.

3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

5

ITEM	QTY	MFG.	IDI PART NO.	DESCRIPTION
2	*X	IDI	120-810-020	MODULAR CABLE, 26 AVG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, WHITE PVC.
1	2 PCS	IDI	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

CABLE ASSEMBLY PARTS LIST



THIRD ANGLE PROJECTION

UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETERS)
2) TOLERANCES
XXX ± 0.25 (6.35)

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		


REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
SCALE: NONE		
SHEET 1 OF 1		

REV.	DATE	DESCRIPTION
X1	03/24/99	APPROVED
E.V.		
I/O INTERCONNECT		
SANTA ANA, CALIFORNIA		
TITLE		

A B C D E F G H
 DWG. NO. ZONE REV. DESCRIPTION DATE APPROVED
 XXB-510-D XI 1 CUSTOMER APPROVAL 03/24/99 E.V.



NOTES: UNLESS OTHERWISE SPECIFIED.
 1. CABLE TO BE BUNDLED AND TWIST TIED.
 2. TEST CABLE FOR ALL OPENS & SHORTS.
 3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
 PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

ITEM	QTY	MFG.	IOI PART NO.	DESCRIPTION
2	"X"	IOI	120-810-000	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, SILVER SATIN PVC.
1	2 PCS	IOI	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

THIRD ANGLE PROJECTION		I/O INTERCONNECT		TITLE	
VIEW	SYMBOL	VIEW	SYMBOL	VIEW	SYMBOL
FRONT		FRONT		FRONT	
TOP		TOP		TOP	
LEFT		LEFT		LEFT	
RIGHT		RIGHT		RIGHT	

REV.	DATE	BY	CHKD.	APP'D.	SCALE	SHEET	OF
1	03/24/99	E.V.			NONE	1	1


A B C D E F G H

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC., U.S.A. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED
XX8-511-D		X1	CUSTOMER APPROVAL	03/24/99	E.V.

WIRE DIAGRAM

P1		P2
1	GRAY	8
2	ORANGE	7
3	BLACK	6
4	RED	5
5	GREEN	4
6	YELLOW	3
7	BLUE	2
8	BROWN	1




CUSTOMER APPROVAL
ENGR. SIGN Math Nemeo
DATE: 4-12-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. CABLE TO BE BUNDLED AND TWIST TIED.
 2. TEST CABLE FOR ALL OPENS & SHORTS.
 3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-259-511-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-511-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-511-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM

PART NUMBER	LENGTH "X"
-------------	------------

I/O INTERCONNECT
SANTA ANA, CALIFORNIA




THIRD ANGLE PROJECTION

UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
X.XX ± 0.25 (6.35)

ITEM	QTY	MFG.	IOI PART NO.	DESCRIPTION
2	*X*	IOI	120-810-010	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.
1	2 PCS	IOI	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" Au, FLAT TYPE EXIT.
CABLE ASSEMBLY PARTS LIST				

REV. X1	DIGI KEY
SCALE: NONE	SHEET 1 OF 1





CUSTOMER APPROVAL
ENGR. SIGN Math Amec
DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED:
1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

THIRD ANGLE PROJECTION		I/O INTERCONNECT SANTA ANA, CALIFORNIA		BPBP MODULAR, REVERT STYLE, BLACK, CABLE ASSEMBLY	
UNLESS OTHERWISE NOTED: 1) DIMENSIONS ARE IN INCHES (MILLIMETER) 2) TOLERANCES: XXX ± 0.25 (6.35)		PART NO. 488-XXB-501-D		PART NO. 488-XXB-501-D	
DRAWING NO.		CUSTOMER		DIGI KEY	
SCALE		NONE		SHEET 1 OF 1	

2	*X*	120-810-010	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.
1	2 PCS	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AW, FLAT TYPE EXIT.
ITEM	QTY	MFG.	DESCRIPTION
		IOI PART NO.	

CABLE ASSEMBLY PARTS LIST



CUSTOMER APPROVAL

H2883-25-NB

H 2883-14-AT

42883-07-ND

NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.

2. TEST CABLE FOR ALL OPENS & SHORTS.

3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG.
PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

THIRD ANGLE PROJECTION



UNLESS OTHERWISE NOTED:

ALL DIMENSIONS ARE IN INCHES (MILLIMETER)

XX ± 0.25 [6.35]

© 2005 Blackwell Publishing Ltd, *Journal of Internal Medicine* 258: 105–112



CABLE ASSEMBLY PARTS LIST

100

A		B	C	D	E	F	G	H
DWG. NO.		XXB-521-D	ZONE	REV.	DESCRIPTION	DATE	APPROVED	E.V.
XXB-521-D				X1	CUSTOMER APPROVAL	03/24/99		

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. AND ARE NOT TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

1



1 2 PCS

P1

OPEN END

WIRE DIAGRAM

P1	OPEN END
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

3



CUSTOMER APPROVAL
ENGR. SIGN Math Nemes
DATE: 4-12-99

H3882-25-ND
H3882-14-ND
H3882-07-ND

NOTES: UNLESS OTHERWISE SPECIFIED.

- CABLE TO BE BUNDLED AND TWIST TIED.
- TEST CABLE FOR ALL OPENS & SHORTS.
- PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-258-521-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-521-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-521-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM

PART NUMBER
I/O INTERCONNECT

LENGTH "X"



TITLE: SANTA ANA, CALIFORNIA
8P8P MODULAR TO OPEN END
BLACK, CABLE ASSEMBLY

PART NO.	488-XXB-521-D
DWG. NO.	488-XXB-521-D
CUSTOMER	DIGI KEY
SCALE	NONE
SHEET	1 OF 1

THIRD ANGLE PROJECTION



UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
XXX ± 0.25 (6.35)

MODULAR CABLE, 26 AVG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, BLACK PVC.

CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50u" AU, FLAT TYPE EXIT.

DESCRIPTION

CABLE ASSEMBLY PARTS LIST

5



ITEM	QTY	MFG.	IDT PART NO.
2	1	101	120-810-010
1	1	101	325-881-50X

A	B	C	D	E	F	G	H
DWG. NO.	ZONE	REV.	DESCRIPTION	DATE	APPROVED		
XXB-520-D		X1	CUSTOMER APPROVAL	03/24/99	E.V.		

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. NO PARTS OR SUBASSEMBLIES ARE TO BE REPRODUCED OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.

WIRE DIAGRAM

PI	OPEN END
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN



CUSTOMER APPROVAL

ENGR. SIGN Math. Armer
DATE: 4-12-99

NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.
2. TEST CABLE FOR ALL OPENS & SHORTS.
3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

H3883-25-ND
H3883-14-ND
H3883-67-ND

488-258-320-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-320-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-320-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM
PART NUMBER	LENGTH "X"
I/O INTERCONNECT	

THIRD ANGLE PROJECTION



UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
X.XX ± 0.25 (6.35)

I/O INTERCONNECT

IN IN	REV. NO.	REV. DATE	REV. DATE
1	1	03/24/99	03/24/99
2	2	03/24/99	03/24/99
3	3	03/24/99	03/24/99
4	4	03/24/99	03/24/99
5	5	03/24/99	03/24/99
6	6	03/24/99	03/24/99
7	7	03/24/99	03/24/99
8	8	03/24/99	03/24/99
9	9	03/24/99	03/24/99
10	10	03/24/99	03/24/99
11	11	03/24/99	03/24/99
12	12	03/24/99	03/24/99
13	13	03/24/99	03/24/99
14	14	03/24/99	03/24/99
15	15	03/24/99	03/24/99
16	16	03/24/99	03/24/99
17	17	03/24/99	03/24/99
18	18	03/24/99	03/24/99
19	19	03/24/99	03/24/99
20	20	03/24/99	03/24/99
21	21	03/24/99	03/24/99
22	22	03/24/99	03/24/99
23	23	03/24/99	03/24/99
24	24	03/24/99	03/24/99
25	25	03/24/99	03/24/99
26	26	03/24/99	03/24/99
27	27	03/24/99	03/24/99
28	28	03/24/99	03/24/99
29	29	03/24/99	03/24/99
30	30	03/24/99	03/24/99
31	31	03/24/99	03/24/99
32	32	03/24/99	03/24/99
33	33	03/24/99	03/24/99
34	34	03/24/99	03/24/99
35	35	03/24/99	03/24/99
36	36	03/24/99	03/24/99
37	37	03/24/99	03/24/99
38	38	03/24/99	03/24/99
39	39	03/24/99	03/24/99
40	40	03/24/99	03/24/99
41	41	03/24/99	03/24/99
42	42	03/24/99	03/24/99
43	43	03/24/99	03/24/99
44	44	03/24/99	03/24/99
45	45	03/24/99	03/24/99
46	46	03/24/99	03/24/99
47	47	03/24/99	03/24/99
48	48	03/24/99	03/24/99
49	49	03/24/99	03/24/99
50	50	03/24/99	03/24/99
51	51	03/24/99	03/24/99
52	52	03/24/99	03/24/99
53	53	03/24/99	03/24/99
54	54	03/24/99	03/24/99
55	55	03/24/99	03/24/99
56	56	03/24/99	03/24/99
57	57	03/24/99	03/24/99
58	58	03/24/99	03/24/99
59	59	03/24/99	03/24/99
60	60	03/24/99	03/24/99
61	61	03/24/99	03/24/99
62	62	03/24/99	03/24/99
63	63	03/24/99	03/24/99
64	64	03/24/99	03/24/99
65	65	03/24/99	03/24/99
66	66	03/24/99	03/24/99
67	67	03/24/99	03/24/99
68	68	03/24/99	03/24/99
69	69	03/24/99	03/24/99
70	70	03/24/99	03/24/99
71	71	03/24/99	03/24/99
72	72	03/24/99	03/24/99
73	73	03/24/99	03/24/99
74	74	03/24/99	03/24/99
75	75	03/24/99	03/24/99
76	76	03/24/99	03/24/99
77	77	03/24/99	03/24/99
78	78	03/24/99	03/24/99
79	79	03/24/99	03/24/99
80	80	03/24/99	03/24/99
81	81	03/24/99	03/24/99
82	82	03/24/99	03/24/99
83	83	03/24/99	03/24/99
84	84	03/24/99	03/24/99
85	85	03/24/99	03/24/99
86	86	03/24/99	03/24/99
87	87	03/24/99	03/24/99
88	88	03/24/99	03/24/99
89	89	03/24/99	03/24/99
90	90	03/24/99	03/24/99
91	91	03/24/99	03/24/99
92	92	03/24/99	03/24/99
93	93	03/24/99	03/24/99
94	94	03/24/99	03/24/99
95	95	03/24/99	03/24/99
96	96	03/24/99	03/24/99
97	97	03/24/99	03/24/99
98	98	03/24/99	03/24/99
99	99	03/24/99	03/24/99
100	100	03/24/99	03/24/99


MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, SILVER SATIN PVC.
CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.

CABLE ASSEMBLY PARTS LIST

ITEM	QTY	PG.	IOI PART NO.	DESCRIPTION
2	1	101	120-810-000	MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, SILVER SATIN PVC.
1	1	101	325-881-50X	CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.

A	B	C	D	E	F	G	H
DATE	REV.	DESCRIPTION	DATE	APPROVED			
XXB-522-D	X1	CUSTOMER APPROVAL	03/24/99	E.V.			

THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC. ALL RIGHTS ARE RESERVED. NO PART OF THIS DOCUMENT SHALL BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.



OPEN END

CUSTOMER APPROVAL
ENGR. SIGN Matt Demec
DATE: 4-12-99

H3881-25-ND
H3881-14-ND
H3881-07-ND

- NOTES: UNLESS OTHERWISE SPECIFIED.
- CABLE TO BE BUNDLED AND TWIST TIED.
 - TEST CABLE FOR ALL OPENS & SHORTS.
 - PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-258-522-D	25.0 FT ± 4.0 IN 7.62 M ± 101.6 MM
488-148-522-D	14.0 FT ± 3.0 IN 4.27 M ± 76.2 MM
488-078-522-D	7.0 FT ± 2.0 IN 2.13 M ± 50.8 MM
PART NUMBER	LENGTH "X"
I/O INTERCONNECT	
TITLE	SANTA ANA, CALIFORNIA
DATE	REV.
03/24/99	X1
DESCRIPTION	BPBP MODULAR TO OPEN END WHITE, CABLE ASSEMBLY
PART NO.	488-XXB-522-D
REV.	488-XXB-522-D
CUSTOMER	DIGI KEY
SCALE	NONE
SHEET	1 OF 1



UNLESS OTHERWISE NOTED:
1) DIMENSIONS ARE IN INCHES (MILLIMETER)
2) TOLERANCES:
XXX ± 0.25 (6.35)

MODULAR CABLE, 26 AVG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, WHITE PVC.

CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.


DESCRIPTION

CABLE ASSEMBLY PARTS LIST

ITEM	QTY	MFG.	IOI PART NO.
2	1 PC	IOI	120-810-020
1	1 PC	IOI	325-881-50X

A		B	C	D	E	F	G	H
DWG. NO.		ZONE	REV.	DESCRIPTION	DATE	APPROVED		
XXB-51X-D			X1	CUSTOMER APPROVAL	03/26/99	E.V.		
			X2	ADD RETRACTED LENGTH	03/29/99	E.V.		


THESE DRAWINGS AND SPECIFICATIONS ARE THE SOLE PROPERTY OF I/O INTERCONNECT INC., U.S.A. AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF I/O INTERCONNECT INC. OR ITS AFFILIATED SUBSIDIARIES.



CUSTOMER APPROVAL
ENGR. SIGN Math Lemmer
DATE: 4-13-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. TEST CABLE FOR ALL OPENS & SHORTS.
 2. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

2		*X' FT	IOI	SEE "TABULATION BLOCK"	CABLE ASSEMBLY PARTS LIST			
1		2 PCS	IOI	325-881-50X	MODULAR COIL CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, PVC JACKET, (SEE TABULATION BLOCK FOR COLOR).			
ITEM	QTY	MFG.	IOI PART NO.	DESCRIPTION				
					THIRD ANGLE PROJECTION			
					UNLESS OTHERWISE NOTED, 13 DIMENSIONS ARE IN INCHES (MILLIMETER) 25 TOLERANCES: .XXX ± 0.25 (6.35)			
					TITLE: I/O INTERCONNECT SANTA ANA, CALIFORNIA			
					STANDARD STYLE, CABLE ASSEMBLY			
					PART NO. 488-XXB-51X-D			
					PVC NO. 488-XXB-51X-D			
					CUSTOMER DIGI KEY			
					SCALE: NONE			
					SHEET 1 OF 1			



WIRE DIAGRAM

P1

P2

1

2

3

4

5

6

7

8

GRAY

ORANGE

BLACK

RED

GREEN

YELLOW

BLUE

BROWN

POS 8

POS 1

H1881-25-ND

H1881-14-ND

H1881-07-ND

CUSTOMER APPROVAL

ENGR. SIGN *Math Lane*

DATE: 4-12-99


NOTES: UNLESS OTHERWISE SPECIFIED.

1. CABLE TO BE BUNDLED AND TWIST TIED.

2. TEST CABLE FOR ALL OPENS & SHORTS.

3. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

THIRD ANGLE PROJECTION		I/O INTERCONNECT	
UNLESS OTHERWISE NOTED: 1) DIMENSIONS ARE IN INCHES (MILLIMETER) 2) TOLERANCES: XXX ± 0.25 (6.35)		SANTA ANA, CALIFORNIA	
MODULAR CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, WHITE PVC.		PART NO. 488-XXB-512-D	
CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.		DWG NO. 488-XXB-512-D	
CABLE ASSEMBLY PARTS LIST		CUSTOMER DIGI KEY	
		SCALE NONE	
		SHEET 1 OF 1	



WIRE DIAGRAM

PI	OPEN END
1	GRAY
2	ORANGE
3	BLACK
4	RED
5	GREEN
6	YELLOW
7	BLUE
8	BROWN

CUSTOMER APPROVAL
ENGR. SIGN Matt Ammer
DATE: 4-13-99

- NOTES: UNLESS OTHERWISE SPECIFIED.
1. TEST CABLE FOR ALL OPENS & SHORTS.
 2. PACKAGE CABLE ASSEMBLY INDIVIDUALLY IN PLASTIC BAG. PACKAGE INDIVIDUAL BAG PER LOT NUMBER QUANTITIES.

488-148-525-D	121-810-022	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	WHITE
488-148-524-D	121-810-012	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	BLACK
488-148-523-D	121-810-002	14.0 FT (4.3 M)	50.0 IN (1270.0 MM)	SILVER SATIN
488-108-522-D	121-810-021	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	WHITE
488-108-521-D	121-810-011	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	BLACK
488-108-520-D	121-810-001	10.0 FT (3.0 M)	42.0 IN (1066.8 MM)	SILVER SATIN
488-078-525-D	121-810-020	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	WHITE
488-078-524-D	121-810-010	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	BLACK
488-078-523-D	121-810-000	7.0 FT (2.1 M)	28.0 IN (711.2 MM)	SILVER SATIN
488-058-522-D	121-810-023	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	WHITE
488-058-521-D	121-810-013	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	BLACK
488-058-520-D	121-810-003	5.0 FT (1.5 M)	22.0 IN (558.8 MM)	SILVER SATIN
IOI PART NUMBER	IOI CABLE PART NUMBER	EXTENDED LENGTH "X"	RETRACTED LENGTH "R"	

TABULATION BLOCK

THIRD ANGLE PROJECTION

UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES (MILLIMETER)

2) TOLERANCES: .XXX ± .025 (6.35)

MODULAR COIL CABLE, 26 AWG (7/34) BARE COPPER, 8 CONDUCTOR, UNSHIELDED, PVC JACKET, (SEE TABULATION BLOCK FOR COLOR).

CONNECTOR, MODULAR PLUG, 8 POSITION, 8 CONDUCTOR, 50U" AU, FLAT TYPE EXIT.

ITEM	QTY	PC	IOI	MFG.	IOI PART NO.	DESCRIPTION
2	1	PC	IOI		325-881-50X	SEE "TABULATION BLOCK"

CABLE ASSEMBLY PARTS LIST

I/O INTERCONNECT
SANTA ANA, CALIFORNIA

899C COIL CABLE
TO OPEN END, CABLE ASSEMBLY

PART NO. 488-XXB-52X-D
REV. NO. 488-XXB-52X-D
DATE/REV. DIGI KEY
SCALE NONE SHEET 1 OF 1