


REVISIONS		DWG. NO.	SPC-FD03	Effective	7/8/02	DWG. NO.	1308
DWG #	REV	DESCRIPTION	DRAWN	DATE	CHECKED	DATE	APPRVD
1934	A	Released	JIN	07/29/08	JWM	07/29/08	JWM
							07/29/08



- Notes:
1. New product shall be reference to Ballcore GR-326 standard.
 2. Insertion loss: $\leq 0.2\text{dB}$ typical ($\leq 1300\text{nm}$).
 3. Cable Marking: "Plus Corning MMF-50/125 optical fiber cable
DFNR(L) E***** M"

SPC #	Length (Meters)
SPC22832	1
SPC22833	2
SPC22834	3
SPC22835	5
SPC22836	10

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
Jason Nash	07/29/08
CHECKED BY:	DATE:
JWM	07/29/08
APPROVED BY:	DATE:
JWM	07/29/08

DRAWING TITLE:	
Fiber Jumper, Multimode SIMPLEX SC/LC	
SIZE	DWG. NO.
A	Ta-899
SCALE:	U.O.M.: INCHES [mm]
NTS	

ELECTRONIC FILE	REV
Ta-899.DWG	A