







Copyright FCI.



SCALE 5:1



spec ref	-	dr	Andrew Yong	2010/10/21	projection	MM	size	A3	scale	5:1
tolerance std	ISO 406 ISO 1101	eng	Guo-Min Sun	2014/02/25	chr	-	ecn no	ELX-N-17048-1	rel level	Released
surface	✓	appr	Rick Bian	2014/02/26	product family	MINITEK	dwg no	94278	rev	AA
linear	0.X ± - 0.XX ± 0.25 0.XXX ± -	title	MINITEK II R/A HEADER	cat. no.	-	Product - Customer Drw	sheet 1 of 3			
angular	0° ± -°	www.fci.com								

spec ref -				dr Andrew Yong		2010/10/21		projection				size A3		scale 5:1					
tolerance std ISO 406 ISO 1101 TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Guo-Min Sun		2014/02/25						ecn no ELX-N-17048-1							
				chr -		-													
								appr Rick Bian		2014/02/26		product family MINITEK				rel level Released			
surface ☒ ISO 1302		linear		0.X		± -				title MINITEK 11 R/A HEADER						dwg no 94278		rev AA	
				0.XX		±0.25													
				0.XXX		± -													
		angular		0°		± -°		www.fci.com		cat. no. -		Product - Customer Drw				sheet 2 of 3			





FIG. 1
SEE NOTE 3

NOTES:

1. MATERIAL:
BODY : HIGH TEMPERATURE PLASTIC UL 94V-0 BLACK
PIN : COPPER ALLOY
2. TOLERANCE UNLESS OTHERWISE NOTED ± 0.25
3. STAND-OFF DESIGN FOR 2X2 POS. REFERS TO FIG. 1.
4. POLARISED BY OMISSION OF PINS. REFER TO TABLE FOR POSITION.
5. 94278-XXXLF IS SAME TO 94278-XXX. THE 'LF' IS ADDED JUST FOR EASY LEAD FREE IDENTIFICATION
6. THE HOUSING WILL WITHSTAND EXPOSURE TO 255°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDERING APPLICATION WITH A 1.57MM MINIMUM THICK CIRCUIT BOARD.
8. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

spec ref		-		dr		Andrew Yong		2010/10/21		projection		MM		size		A3		scale		5:1			
tolerance std		ISO 406		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Guo-Min Sun		2014/02/25						ecn no		ELX-N-17048-1					
ISO 1101				chr		-		-															
				appr		Rick Bian		2014/02/26		product family		MINITEK		rel level		Released							
surface		- ✓		linear		0.X		± -				title		MINITEK II		dwg no		94278		rev		A	
				0.XX		±0.25																	
				0.XXX		± -																	
ISO 1302		angular		0°		± -°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 3 of 3							