




LAYOUT INSPECTION




REMARKS: ”◇” SPECIAL CHARACTERISTIC
”+” SAFETY CHARACTERISTIC
”() ” REFERENCE ONLY

VARTTRONIX LTD.		Dimension : mm		TOL : ± 0.2 IF NOT SPECIFY	DD NOT SCALE DRAWING	3rd ANGLE PROJECTION 
DWG. NO. : VI-514-1	REV 0	Drawn by : ZHP		SIGN :	Date : 2004-12-04	
		Checked by : YIN		SIGN :	Date :	

DWG.NO.: VI-514-1 (REV.0)




DWG.NO.: VI-514-1 (REV.0)



DWG.NO.: VI-514-1 (REV.0)

SEGMENT TRACKING




COMMON TRACKING

COM

40

21






20

1




COM

REMARKS: SAME COMMON SHOULD BE CONNECTED TOGETHER ON THE P.C.B.

VARITRONIX LIMITED		OPEN LAYER :	SCALE
POLARIZER LOCATION DIAGRAM		P	Do not scale
DOC. NO. : PL-VI-514-1-01		Drawn by : ZHP	Date : 2004-12-04
		Checked by : INA	Date : 2004-12-04
		Approval by :	Date : 2004-12-04



VARITRONIX LIMITED		OPEN LAYER : DP-L0		SCALE	
DIL-PIN DETAILS LOCATION DIAGRAM				Do not scale	
DOC. NO. : DP-VI-514-1-01		Drawn by : ZHP		Date : 2004-12-04	
		Checked by : INA		Date : 2004-12-04	
ALL DIMENSIONS IN mm		Approval by :		Date : 2004-12-04	



REMARKS: PIN LENGTH (L) REFER TO COVER PAGE

① ----- X.XX=2.54 (FOR PIN LENGTH ≥ 3.20 & $\leq 10.00\text{mm}$)

X.XX=1.75 (FOR PIN LENGTH > 10.00 & $\leq 19.50\text{mm}$)

DWG.NO.: VI-514-1 (REV.0)

PIN	COM	PIN	COM	PIN	COM	PIN	COM
1	COM	11	3C	21	1A	31	3F
2	X	12	DP2	22	1F	32	3G
3	5B,C	13	2E	23	1G	33	COL2
4	DP4	14	2D	24	2B	34	4B
5	4E	15	2C	25	2A	35	4A
6	4D	16	DP1	26	2F	36	4F
7	4C	17	1E	27	2G	37	4G
8	DP3	18	1D	28	COL1	38	Z
9	3E	19	1C	29	3B	39	Y
10	3D	20	1B	30	3A	40	COM

REMARKS : SAME COMMON SHOULD BE CONNECTED TOGETHER ON P.C.B.