



+ CONNECTORS

MICROMINIATURE & NANOMINIATURE D CONNECTORS



✓ Active

TE CONNECTIVITY (TE)  
M83513/04-B03C, MCKS-C2-B-15S6G9-18.0

[Microdot](#) | [Microminiature D](#)

1-1532172-9  
TE Internal Number: 1-1532172-9  
Mil-Spec: M83513/04-B03C  
Alias ID: 094-6236-0003, MCKS-C2-B-15S6G9-18.0

[Not EU RoHS Compliant](#)  
[Not EU ELV Compliant](#)

**Connector Style**   Receptacle

**Number of Positions**   15

[↓](#)   **PRODUCT DRAWING**  
English

[↓](#)   **3D PDF**

DOCUMENTATION

Product Drawings

**RECEPTACLE ASSEMBLY, MICRO-D PER MIL-DTL-83513/04, MCKS SERIES, 15 POSITION**

PDF [\(TIFF AVAILABLE\)](#)

**English**

CAD Files

**Customer View Model**

3D\_IGS.ZIP

**English**

**Customer View Model**

3D\_STP.ZIP

**English**

**Customer View Model**

2D\_DXF.ZIP

**English**

3D PDF

PDF

3D

Product Environmental Compliance

REACH Substance Communication Document

RSCD\_Cadmium

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Connector Style   Receptacle

Wire Type   Stranded

Product Type   Connector

Configuration Features

Number of Positions   15

Preloaded   Yes

Body Features

Lead Length   457.2 mm [ 18 in ]

Insulation Color   Black

Shell Plating Material   Electroless Nickel

Contact Features

Contact Mating Area Plating Material   Gold

Contact Type   Socket

Contact Base Material   Beryllium Copper

Statement of Compliance

Statement of Compliance

PDF