









20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



CONNECTOR IS ALLOWED
TO 'LEAN' 6° IN EITHER DIRECTION
(AS SHOWN)



NOTE:

1. MATERIALS:
TERMINALS: HIGH CONDUCTIVITY COPPER ALLOY
PLATING: GOLD PLATED IN CONTACT AREA
HOUSING: RoHS COMPLIANT 94V-0 THERMOPLASTIC
2. MEETS MOLEX PRODUCT SPEC. PS-45711-001.
3. PACKAGED PER MOLEX PACKAGING SPEC. PK-45711-000.

MOD DIMENSIONS		QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DRAWN BY	DATE	TITLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
EC NO:	REV:		mm	INCH						
UFP-2014-3732	11/19/04	▽=0	4 PLACES	± ---	± ---	SBB	11/19/04	2:1	METRIC	○ □ THIRD ANGLE
DRVNBP/SZC02R		▽=0	3 PLACES	± ---	± ---					
CHD:		▽=0	2 PLACES	± 0.25	± ---	CHECKED BY				
APR:APATEL		▽=0	1 PLACE	± 0.25	± ---	B. KOSTIC	03/17/06			
			ANGULAR ± 1 °			APPROVED BY				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
			MATERIAL NO.		DOCUMENT NO.		MOLEX INCORPORATED		SHEET NO.	
			45711-1000		SD-45711-100		MOLEX INCORPORATED		1 OF 1	
			SIZE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX		D		INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	