






PRODUCT NUMBER
SEE TABLE



mat'l. code				surface		tolerance		projection	product family			
				ISO 1302 ✓		ISO 406 ISO 1101			LATCH-N-LOK			
ltr ecn nodr date				tolerances unless otherwise specified:						title		
K	ELX-N-008455	ZK	11/28/11	angles	linea	.XX±.01/0.XX±0.3 .XXX±.005/0.XXX±0.13 .XXXX±.0020/0.XXX±0.05		INCH/MM				
E	M05-0062	ERE	4/01/05	0°±2°			scale 1:1		2X10 LNL LOW PROFILE HEADER ASSEMBLY			
F	M06-0062	MHT	2/03/05	dr	K. KOEGEL	8/17/87			dwg no		sheet 1 of 2	size
G	M06-0285	AGS	7/28/06	engr	D. HORCHLER	10/23/91			79479		A3	
H	M06-0365	AGS	9/20/06	chr	D. HORCHLER	10/23/91						
J	M09-0048	MHT	3/12/09	appr	D. HORCHLER	10/23/91			type Product Customer Drawing			
sheet revision				K	K							
index sheet				1	2							

PDS: Rev :K

STATUS: Released

Printed: Jan 04, 2012




FCIconnect.com

Copyright FCI

PRODUCT NUMBER	COLOR, NOTE 4	DIM L	STYLE	LEAD FREE OPTION	
79479-X01	70343 LIGHT GRAY	SEE KEY BELOW	SIDE FLANGE AS SHOWN	NOTE 7	OBSOLETE
-X02	80166 OFF WHITE				
-X03	70634 DARK GRAY				OBSOLETE
-X04	701 BLACK				
-X05	70511 SLATE GRAY				OBSOLETE
-X07	70455 SILVER GRAY		NO SIDE FLANGE		
-X08	80086 PEARL WHITE				OBSOLETE
-X09	70419 PEBBLE GRAY				
-X10	70634 DARK GRAY				OBSOLETE
-X11	701 BLACK				
-X12	70511 SLATE GRAY				OBSOLETE
-X14	70455 SILVER GRAY				
79479-195	70511 SLATE GRAY		SIDE FLANGE AS SHOWN (6)		OBSOLETE
79479-199	70419 PEBBLE GRAY				

PIN LENGTH KEY

DASH NO.	DIM L
79479-0XX	.20/5.08
79479-1XX	.13/3.30
79479-195	.13/3.30



NOTES:

1. HEADER SHROUD
MAT'L: HIGH TEMPERATURE THERMOPLASTIC,
UL-94V-0 RATED.
2. GROUND CONTACT
MAT'L: COPPER ALLOY
PLATING: 100-160u"/2.54-4.06u TIN
3. SIGNAL CONTACT
MAT'L: COPPER ALLOY
PLATINGOPTION: PERFORMANCE PLATING WILLBE EITHER GOLD OR GXT (30u")
ON CONTACT AREA OR TAIL OVER 50u" MIN Ni, OPTINALLY (78-295u") TIN
ON TAIL OVER 50u" MIN Ni.
4. NUMBERS SHOWN ARE FOR G.E. LEXANAND ARE FOR REFERENCE ONLY.
5. DRAWING SHOWS STYLE WITH SIDE FLANGES.
FLANGE DIMENSIONS NOTED DO NOT APPLY TO FLANGLESS PARTS.
6. TO BE PRINTED IN LOCATION SHOWN WITH 79479-195
7. ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
8. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm
MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES
IF THEY ARE AVAILABLE.
9. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
10. PRODUCT SPEC: GS-12-003

mat'l. code	surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family LATCH-N-LOK
ltr ecn nodr date	tolerances unless otherwise specified	angles linea	scale 1:1	title 2X10 LNL LOW PROFILE HEADER ASSEMBLY
K		0°±2'		dwg no 79479
	dr K. KOEGEL 8/17/87	engr D. HORCHLER 10/23/91		sheet 2 of 2 size A3
	chr D. HORCHLER 10/23/91	app D. HORCHLER 10/23/91		type Product Customer Drawing
sheet index	revision sheet			