


**Part Number: 68129-0620**

2.50mm Pitch Board-to-Board Header, One-Piece, Right-Angle, 3.20/5.30mm Length Kinked PC Tail, 6 Circuits



Status: **OBSOLETE**
Replacement: NONE
Series: [68129](#)
Category: PCB Headers

*Series image - Reference only***Product Environmental Compliance**

[EU RoHS:](#) Compliance Status Not Reviewed
[China RoHS:](#)
[REACH SVHC:](#) Not Reviewed
[Low-Halogen Status:](#) Not Reviewed

Part Detail**General**

| | |
|---------------|-----------------------|
| Status | Obsolete |
| Category | PCB Headers |
| Series | 68129 |
| Application | Signal, Wire-to-Board |
| Obsolete Date | 2005/01/01 |
| Product Name | N/A |

Physical

| | |
|--------------------------------|----------------|
| Breakaway | No |
| Circuits (Loaded) | 6 |
| Circuits (maximum) | 6 |
| Durability (mating cycles max) | 30 |
| Glow-Wire Compliant | No |
| Lock to Mating Part | None |
| Number of Rows | 1 |
| Orientation | Right Angle |
| PC Tail Length | 3.20mm |
| PCB Locator | No |
| PCB Retention | Yes |
| PCB Thickness - Recommended | 1.60mm |
| Packaging Type | Bag |
| Pitch - Mating Interface | 2.50mm |
| Polarized to Mating Part | No |
| Shrouded | No |
| Stackable | No |
| Surface Mount Compatible (SMC) | No |
| Temperature Range - Operating | -20°C to +85°C |

Electrical**(Please review the Product Specification for specific details.)**

| | |
|-------------------------------|------|
| Current - Maximum per Contact | 1A |
| Voltage - Maximum | 250V |

Material Info**Reference - Drawing Numbers**

| | |
|-----------------------|--------------|
| Product Specification | PS-68129-001 |
| Sales Drawing | SD-68129-002 |

Application Tooling

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.

Previously Available Application Tooling

[Check our list of old tooling that used to be available for this part](#)

