

12345678

A

B

C

D

E

F

A

B



C

D

E

F


(26.60)
PROTECTIVE CAP WIDTH



VIEWS SHOWN WITH
PROTECTIVE COVER INSTALLED
10122771-101LF

NOTE 11

NOTE 12




spec ref		-		dr		Sander Soe		2012/09/12		projection		MM		size		A2		scale		5:1							
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Tao Zhan		2015/04/23						ecn no		ELX-DG-20731-1											
ASME Y14.5				chr		-		-						product family		AIRMAX VS											
-				appr		Collins Lu		2015/04/27						rel level		Released											
surface				linear				title		AIRMAX VS2 VERTICAL HEADER						dwg no		10122771						rev		D	
										5 PAIR 150 POS 2MM 10 COL																	
ASME Y14.5				angular				0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 2 of 4			

PDS: Rev :D

STATUS:Released

Printed: Apr 28, 2015

12345678



RECOMMENDED PCB LAYOUT
FOR DIFFERENTIAL APPLICATIONS,
COMPONENT SIDE
(TWO ADJACENT FOOTPRINTS SHOWN)
NOTES 6, AND 8

spec ref -		dr Sander Soe		2012/09/12		projection MM	size A2	scale 3:1	
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng Tao Zhan	2015/04/23				ecn no ELX-DG-20731-1	
			chr -	-				rel level Released	
			appr Collins Lu	2015/04/27					
						product family AIRMAX VS			
surface	linear	0.X	±0.3			title AIRMAX VS2 VERTICAL HEADER 5 PAIR 150 POS 2MM 10 COL	dwg no 10122771	rev D	
		0.XX	±0.10						
		0.XXX	±0.050						
	ASME Y14.5	angular	0°	±2°					
		www.fci.com		cat. no. -	Product- Customer Drw			sheet 3 of 4	

