

10 9 8 7 6 5 4 3 2 1

F








E

D

C

B

A



32.3	31.3	28	-15 *	15
30.3	29.3	26	-14 *	14
28.3	27.3	24	-13 *	13
26.3	25.3	22	-12 *	12
24.3	23.3	20	-11 *	11
22.3	21.3	18	-10 *	10
20.3	19.3	16	-09 *	9
18.3	17.3	14	-08 *	8
16.3	15.3	12	-07 *	7
14.3	13.3	10	-06 *	6
12.3	12.3	8	-05 *	5
10.3	9.3	6	35363-04 *	4
(C)	(B)	A	ENG. NO.	CKT

- NOTES
1. MATERIAL : UNFILLED POLYAMIDE, UL94V-0
 2. MATING HOUSING : 35007-**0*
MATING TERMINAL : 50212-8000
 3. CHAMBER : 0.3 MAX.
 4. KINK

CKT NO	1	2	3	4	5	N-2	N-1	N
6 CKT OVER	-	A	B	-	-	B	A	-
5 CKT	A	B	-	B	A			
4 CKT	A	B	B	A				



5. PRODUCT SPECIFICATION NO : PS-35507-001

REVISED EC NO: KOR2008-0018 DRWN: JHBAE CHKD: YSOKIM APPR: YUNSIKKIM	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± --- ± --- 1 PLACE ± 0.15 ± --- ANGULAR ± 1 °	DIMENSION STYLE MM ONLY DRAWN BY YSOKIM CHECKED BY JKOH APPROVED BY CWLEE MATERIAL NO. DATE 1996/09/11	SCALE 5:1 DATE 1996/09/11	DESIGN UNITS METRIC THIRD ANGLE PROJECTION	2.0 W/B CONN WAFFER ASSY (R/A)	
						MOLEX INCORPORATED	
						ENTER PART	
						SD-35363-001	
						SHEET NO. 1 OF 3	


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

9 8 7 6 5 4 3 2 1



FOR 2 & 3 CKTS.



LEGEND

SD-35363-***	*	COLOR	0 : NATURAL
CKT NO. _____			1 : BLACK
			2 : RED
			3 : YELLOW
			4 : BLUE
			5 : GREEN





NOTES

1. MATERIAL : UNFILLED POLYAMIDE, UL94V-0
2. MATING HOUSING : 35007-***0*
- MATING TERMINAL : 50212-8000
3. CHAMBER : 0.3 MAX.
4. KINK

CKT NO.	1	2	3
2 CKT	NONE	KINK	
3 CKT	A	B	A

5. PRODUCT SPECIFICATION NO : PS-35507-001

9.7	8.3	7.3	4	-03 *	3
7.7	6.3	5.3	2	35363-02 *	2
(D)	(C)	(B)	A	ENG. NO.	CKT



30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	

REVISED
EC NO: KOR2008-0018
DRWN: JHAE
CHKD: YS00KIM
APPR: YUNS IKKIM
G1

QUALITY SYMBOLS
=0
=0

GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± --- ± ---
1 PLACE ± 0.15 ± ---
ANGULAR ± 1 °
DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY
YS00KIM
DATE
1996/09/11
CHECKED BY
JKOH
DATE
1996/09/11
APPROVED BY
CWLEE
DATE
1996/09/11
MATERIAL NO.
ENTER PART
SD-35363-001

SCALE
5:1
DESIGN UNITS
METRIC
THIRD ANGLE
PROJECTION
2.0 W/B CONN
WAFER ASSY
(R/A)
MOLEX INCORPORATED
DOCUMENT NO.
SD-35363-001
SHEET NO.
2 OF 3

F



E

D



C

B

A





SECTION K-K'



④ LEGEND

SD-35363-***	*	COLOR	0 : NATURAL
CKT NO.			1 : BLACK
			2 : RED
			3 : YELLOW
			4 : BLUE
			5 : GREEN

42.3	41.3	38	35363-201*	20
(C)	(B)	A	ENG. NO.	CKT



NOTES

- ①. MATERIAL : UNFILLED POLYAMIDE, UL94V-0
 2. MATING HOUSING : 35007-***0*
 MATING TERMINAL : 50212-8000
 3. KINK

CKT NO	1	2	3	4	N-3	N-2	N-1	N
CKT	20	-	A	B	-	-	B	A

4. PRODUCT SPECIFICATION NO : PS-35507-001

30 over	±0,3
10 over 30 under	±0,25
10 under	±0,2
ANGLE	±3°

GENERAL TOLERANCE

REVISED
 EC NO: KOR2008-0018
 DRWN: JHAE 2009/01/14
 CHKD: YS00KIM 2009/01/14
 APPR: YUNS IKKIM 2009/01/15
 G1

QUALITY SYMBOLS
 ▴=0
 ▽=0
 DESCRIPTION
 REV

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±---
2 PLACES	±---	±---
1 PLACE	±0,15	±---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
YS00KIM	1996/09/11
CHECKED BY	DATE
JKOH	1996/09/11
APPROVED BY	DATE
CWLEE	1996/09/11

MATERIAL NO.

ENTER PART

SIZE
A3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SCALE
5:1

TITLE

DESIGN UNITS
METRICTHIRD ANGLE
PROJECTION2.0 W/B CONN
WAFFER ASSY
(R/A)

MOLEX INCORPORATED

DOCUMENT NO.

SD-35363-001

SHEET NO.

3 OF 3