






Tous droits strictement réservés. Reproduction ou communication à des tiers int
sous quelque forme que ce soit, sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any for
without the written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

PRODUCT NO.	DIM.M
95547-005**	10.0
95547-025**	9.0
95547-045**	6.55
95547-055**	6.55



PRODUCT NO.	DIM.M
95547-020**	2.15
95547-040**	-0.3
95547-050**	-0.3
95547-050**H	-0.3
95547-250**	-0.3



ABOVE P.C.B.
RIGHT PUSH ROD
(CAN BE USED FOR SINGLE DECK)



mat'l code				tolerance unless otherwise specified				CUSTOMER COPY		A FCI www.fciconnect.com			
rev.	ecn no.	dr	date	linear		± 0.30		projection	title EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3				
N	N06-0034	M	Z 02/14/06										
H	T00234	WL	07/28/00	angles		± 2'			product family PCMCIA			code sheet 1 OF 12	
J	T00374	WL	12/20/00	dr	WENDY CHEN	01/27/95	unit						
K	T10149	WL	05/18/01	enr	JOSEPH HSIA	01/27/95	mm/inch						
L	T03-0209	WL	06/02/03	chr	JOSEPH HSIA	01/27/95	scale						
M	N04-0092	WB	12/01/04	appd	JENN TSAO	01/27/95		A3	95547				
sheet	revision	L	M	L	N	L	M	L	M	N	L		
index	sheet	1	2	3	4	5	6	7	8	9	10	11	12

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by




All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.	DIM.M
95547-005**LF	10.0
95547-025**LF	9.0
95547-045**LF	6.55
95547-055**LF	6.55



PRODUCT NO.	DIM.M
95547-020**LF	2.15
95547-040**LF	-0.3
95547-050**LF	-0.3
95547-050**HLF	-0.3
95547-250**LF	-0.3





mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection	title EJECTOR HEADER ASS'Y	
M								5.0V, SMT TYPE 1/2/3	
					angles	± 2°		product family PCMCIA	
					dr	WENDY CHEN 01/27/95	unit	code	
					enrg	JOSEPH HSIA 01/27/95	mm/inch	size	
					chr	JOSEPH HSIA 01/27/95	scale	A3	
					appd	JENN TSAO 01/27/95		95547	
sheet	revision							sheet 2 of	
index	sheet								

Tous droits strictement réservés. Reproduction ou communication à des tiers int
sous quelque forme que ce soit, sans autorisation écrite du propriétaire.
Propriété de c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by



All rights strictly reserved. Reproduction or issue to third parties in any for
without the written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.	DIM.M
95547-105**	10.0
95547-125**	9.0
95547-145**	6.55
95547-155**	6.55



PRODUCT NO.	DIM.M
95547-120**	2.15
95547-140**	-0.3
95547-150**	-0.3
95547-322**	2.15






mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection	title EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3	
L					angles	± 2°		product family PCMCIA code	
					dr	WENDY CHEN 01/27/95	unit	size	
					enr	JOSEPH HSIA 01/27/95	mm/inch	dwg no.	
					chr	JOSEPH HSIA 01/27/95	scale	A3	
					appd	JENN TSAO 01/27/95		95547	
sheet	revision							sheet 3 of	
index	sheet								




Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire. Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without the written authority from the proprietor. Property of c BERG ELECTRONICS. Copyright BERG ELECTRONICS by

PRODUCT NO.	DIM.M
95547-105**LF	10.0
95547-125**LF	9.0
95547-145**LF	6.55
95547-155**LF	6.55



PRODUCT NO.	DIM.M
95547-120**LF	2.15
95547-140**LF	-0.3
95547-150**LF	-0.3
95547-150**HLF	-0.3
95547-322**LF	2.15





mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection	title EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3	
N									
					angles	± 2°			
			dr	WENDY CHEN	01/27/95	unit			
			enr	JOSEPH HSIA	01/27/95	mm/inch			
			chr	JOSEPH HSIA	01/27/95	scale			
			appd	JENN TSAO	01/27/95				
sheet	revision								
index	sheet								

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by




All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.	DIM.M
95547-605CA	10.0
95547-625CA	9.0
95547-645CA	6.55
95547-655CA	6.55



PRODUCT NO.	DIM.M
95547-620CA	2.15
95547-640CA	-0.3
95547-650CA	-0.3





mat'l code					tolerance unless otherwise specified			CUSTOMER COPY				www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.3			title				
L									EJECTOR HEADER ASS'Y				
M									5.0V, SMT TYPE 1/2/3				
					angles	± 2°							
			dr	WENDY CHEN	01/27/95	unit		product family		PCMCIA		code	
			enrg	JOSEPH HSIA	01/27/95	mm/inch		size		dwg no.		sheet	
			chr	JOSEPH HSIA	01/27/95	scale		A3		95547		5 of	
			appd	JENN TSAO	01/27/95								
sheet	revision												
index	sheet												

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by



All rights strictly reserved. Reproduction or issue to third parties in any form without the written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.	DIM.M
95547-505CA	10.0
95547-525CA	9.0
95547-545CA	6.55
95547-555CA	6.55



PRODUCT NO.	DIM.M
95547-520CA	2.15
95547-540CA	-0.3
95547-550CA	-0.3
95547-750CA	2.15





mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection	title EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3	
L									
M					angles	± 2°			
			dr	WENDY CHEN	01/27/95	unit			
			enr	JOSEPH HSIA	01/27/95	mm/inch			
			chr	JOSEPH HSIA	01/27/95	scale			
			appd	JENN TSAO	01/27/95				
sheet	revision								
index	sheet								

Tous droits strictement réservés. Reproduction ou communication à des tiers int sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by



All rights strictly reserved. Reproduction or issue to third parties in any for without the written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.	DIM.M
95547-505CALF	10.0
95547-525CALF	9.0
95547-545CALF	6.55
95547-555CALF	6.55



PRODUCT NO.	DIM.M
95547-520CALF	2.15
95547-540CALF	-0.3
95547-550CALF	-0.3
95547-750CALF	2.15






mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	± 0.30	projection	title EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3	
L									
M					angles	± 2°			
			dr	WENDY CHEN	01/27/95	unit			
			enr	JOSEPH HSIA	01/27/95	mm/inch			
			chr	JOSEPH HSIA	01/27/95	scale			
			appd	JENN TSAO	01/27/95				
sheet	revision								
index	sheet								

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without the written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

FCI

PRODUCT NO.
95547-050**H
95547-050**HLF



mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
rev.	ecn	no.	dr	date	linear	±0.3	projection	title	
L								EJECTOR HEADER ASS'Y	
M					angles	± 2°		5.0V, SMT TYPE 1/2/3	
					dr	WENDY CHEN/12/19/00	unit	product family	PCMCIA
					enqr	JOSEPH HSIA/12/19/00	mm/inch	code	
					chr	JOSEPH HSIA/12/19/00	scale	size	dwg no.
					appd	JOSEPH HSIA/12/19/00	1.4:1	A3	95547
sheet	revision								
index	sheet								

1

2

3

4

5

6

DESCRIPTION : ABOVE PCB, DECK AND PUSH ROD LOCATION ARE AS VIEW BY USER.

LOWER DECK								
Ⓐ PRODUCT NO.	STAND-OFF HIGH DIM. L	PUSH ROD LOCATION ⓐ	P.C.B. SIDE ⓐ	P.C.B LAYOUT RECOMMENDED	Ⓑ MATING RECEPTACLE	MOUNT STYLE TO PCB AND PUSH ROD SIDE		
95547-020**	2.2	RIGHT	ABOVE	SEE DRAWING P/N: TA-1052	↑ RECEPTACLE PART NUMBER: 91931-31169			
95547-040**	4.3							
95547-050**	5.0							
95547-050**H	5.0							
95547-250**	5.0							
95547-120**	2.2	LEFT	ABOVE	SEE DRAWING P/N: TA-1052	↑ RECEPTACLE PART NUMBER: 91931-31169			
95547-140**	4.3							
95547-150**	5.0							
95547-322**	2.2	LEFT	ABOVE	SEE PAGE 7				
95547-520**	2.2	RIGHT	BELOW	SEE DRAWING P/N: TA-1052		↓		
95547-540**	4.3							
95547-550**	5.0							
95547-750**	5.0	RIGHT	BELOW	SEE PAGE 7				
95547-620**	2.2	LEFT	BELOW	SEE DRAWING P/N: TA-1052			↓	
95547-640**	4.3							
95547-650**	5.0							

NOTES:

- 8mm MIN. CARD EJECT.
- EJECT TRAVEL: 9.5mm
- PUSH ROD LOCATION AND P.C.B. SIDE ARE AS APPEARS INSTALLED.
- MATERIAL
 - HEADER ASS'Y:
 - PLASTIC : HOUSING ...LCP UL94V-O BLACK
 - PIN : COPPER ALLOY
 - PCB : FR4
 - EJECT MECHANISM ASS'Y:
 - PLASTIC : GUIDE: POLYPHTHARAMID UL94V-O BLACK
 - : PUSH ROD CAP: POLYPHTHARAMID UL94V-O BLACK
 - PLATE AND PUSH ROD : STAINLESS
 - EMI CONTACT: PHOSPHOR BRONZE
- FINISH (PIN)
 - UNDER PLATING : 0.5 um MIN. Ni
 - CONTACT AREA : 0.1 um MIN. GOLD OVER
 - 0.5 um MIN. Pd-Ni(OTHER VERSIONS),
 - 0.1 um MIN. GOLD OVER 0.8um MIN. Pd-Ni
 - (FOR 95547-250** AND 95547-250**LF ONLY)
 - SOLDER TAIL : TIN LEAD PLATING: 2.5 um MIN. Sn-Pb
 - LEAD FREE PLATING: 2.5 um MIN. PURE TIN

6. DIM "X"

4.25±0.1	3.5±0.1	5.0±0.1
OTHERS	36,67	1,17,34,35,51,68

7. TABLE J

** DIM.S
CA 13.0
DA 15.6

- ADD "H" TO PART NUMBER FOR OPTIONAL HOLD DOWN (4 PER ASSEMBLY).
- IF LEAD FREE P/N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- LEAD FREE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DISCRIBLED IN GS-22-008
- IF LEAD FREE P/N. PACKAGING MEETS GS-14-920 SPECIFICATION

TIN LEAD ORDERING INFORMATION

NAME	PART NO.	Q'TY
① EJECT HEADER ASS'Y	95547-*****	1
② MATING RECEPTACLE	91931-31169	1

UPPER DECK						
① PRODUCT NO.	JOINT WITH LOWER DECK STAND-OFF HIGH(DIM. L)	PUSH ROD LOCATION ③	P.C.B. SIDE ④	② MATING RECEPTACLE	MOUNT STYLE TO PCB AND PUSH ROD SIDE	
95547-005**	0.0	RIGHT	ABOVE	 RECEPTACLE PART NUMBER: 91931-31169 		
95547-025**	2.2					
95547-045**	4.3					
95547-055**	5.0					
95547-105**	0.0					
95547-125**	2.2	LEFT				
95547-145**	4.3					
95547-155**	5.0					
95547-505**	0.0	RIGHT	BELOW			
95547-525**	2.2					
95547-545**	4.3					
95547-555**	5.0					
95547-605**	0.0					
95547-625**	2.2	LEFT				
95547-645**	4.3					
95547-655**	5.0					

NOTES:

1. IT CAN'T BE USED FOR SINGLE DECK.

2. IT MUST BE ASSEMBLED BY USER FOR DOUBLE DECK APPLICATION.(PLEASE REFER TO P/N 95562)

3. ** : SEE TABLE J

NOTES:

- IT CAN'T BE USED FOR SINGLE DECK.
- IT MUST BE ASSEMBLED BY USER FOR DOUBLE DECK APPLICATION.(PLEASE REFER TO P/N 95562)
- ** : SEE TABLE J

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fclconnect.com	
rev.	ecn	no.	dr	date	linear	projection	title	EJECTOR HEADER ASS'Y	5.0V, SMT TYPE 1/2/3
L									
M					angles				
					dr WENDY CHEN 01/27/95	unit	product family	PCMCIA	code
					enrg JOSEPH HSIA 01/27/95	mm/inch	size	dwg no.	sheet
					chr JOSEPH HSIA 01/27/95	scale	A3	95547	100f
					appd JENN TSAO 01/27/95	1:1			
sheet	revision								
index	sheet								

Tous droits strictement réservés. Reproduction ou communication à des tiers sans autorisation écrite du propriétaire.
Property of c BERG ELECTRONICS.
Droits de reproduction BERG ELECTRONICS by

All rights strictly reserved. Reproduction or issue to third parties in any form without written authority from the proprietor.
Property of c BERG ELECTRONICS.
Copyright BERG ELECTRONICS by

DESCRIPTION : ABOVE PCB, DECK AND PUSH ROD LOCATION ARE AS VIEW BY USER.

LOWER DECK							
① PRODUCT NO.	STAND-OFF HIGH DIM. L	PUSH ROD LOCATION ②	P.C.B. SIDE ③	P.C.B LAYOUT RECOMMENDED	④ MATING RECEPTACLE	MOUNT STYLE TO PCB AND PUSH ROD SIDE	
95547-020**LF	2.2	RIGHT	ABOVE	SEE DRAWING P/N: TA-1052	↑ RECEPTACLE PART NUMBER: 91931-31169LF ↓		
95547-040**LF	4.3						
95547-050**LF	5.0						
95547-050**HLF	5.0						
95547-250**LF	5.0						
95547-120**LF	2.2	LEFT	ABOVE	SEE DRAWING P/N: TA-1052			
95547-140**LF	4.3						
95547-150**LF	5.0						
⚠ 95547-150**HLF	5.0	LEFT	ABOVE	SEE PAGE 7			
95547-322**LF	2.2	RIGHT	BELOW	SEE DRAWING P/N: TA-1052			
95547-520**LF	2.2						
95547-540**LF	4.3						
95547-550**LF	5.0	RIGHT	BELOW	SEE PAGE 7			
95547-750**LF	5.0						
95547-620**LF	2.2	LEFT	BELOW	SEE DRAWING P/N: TA-1052			
95547-640**LF	4.3						
95547-650**LF	5.0						

UPPER DECK					
Ⓐ PRODUCT NO.	JOINT WITH LOWER DECK STAND-OFF HIGH(DIM. L)	PUSH ROD LOCATION ③	P.C.B. SIDE ③	Ⓑ MATING RECEPTACLE	MOUNT STYLE TO PCB AND PUSH ROD SIDE
95547-005**LF	0.0	RIGHT	ABOVE	↑ RECEPTACLE PART NUMBER: 91931-31169LF ↓	
95547-025**LF	2.2				
95547-045**LF	4.3				
95547-055**LF	5.0				
95547-105**LF	0.0	LEFT			
95547-125**LF	2.2				
95547-145**LF	4.3				
95547-155**LF	5.0				
95547-505**LF	0.0	RIGHT	BELOW		
95547-525**LF	2.2				
95547-545**LF	4.3				
95547-555**LF	5.0				
95547-605**LF	0.0	LEFT			
95547-625**LF	2.2				
95547-645**LF	4.3				
95547-655**LF	5.0				

NOTES:

1. IT CAN'T BE USED FOR SINGLE DECK.
2. IT MUST BE ASSEMBLED BY USER FOR DOUBLE DECK APPLICATION.(PLEASE REFER TO P/N 95562)
3. ** : SEE TABLE J

LEAD FREE ORDERING INFORMATION

NAME	PART NO.	Q'TY
① EJECT HEADER ASS'Y	95547-*****LF	1
② MATING RECEPTACLE	91931-31169LF	1

mat'l code				tolerance unless otherwise specified		CUSTOMER COPY		A FCI www.fclconnect.com	
rev.	ecn	no.	dr	date	linear	projection	title	product family	PCMCIA
N							EJECTOR HEADER ASS'Y 5.0V, SMT TYPE 1/2/3	code	
					angles	unit	size	dwg no.	sheet
					dr WENDY CHEN	01/27/95	mm/inch	95547	110f
					enrg JOSEPH HSIA	01/27/95	scale		
					chr JOSEPH HSIA	01/27/95	1:1		
					appd JENN TSAO	01/27/95			
sheet	revision								
index	sheet								

