

10 9 8 7 6 5 4 3 2 1

NOTES:


- 1.) MATERIAL -
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT. 5 & 6 FOR CHART DIMENSIONS AND EDP NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MIN., .285" MAX.
UPPER ROW - .200" MIN.
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 6 & 7
FOR THIS PRODUCT IN TRAYS SEE SHT. 8 & 9

FINISHES


- 15 GOLD .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 30 GOLD .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 50 GOLD .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA.

.105
(2.67)


POINT OF
CONTACT



SECTION C-C



4 DIGIT DATE CODE
SEE NOTE 5





- ⊕ Ø.015(5) TAIL TO TAIL
⊕ Ø.020(5) X(5) Y(5) TAIL TO INSULATOR

OPTION "A" ASSEMBLY
STANDARD HOUSING

NOTE FOR LEAD FREE CONVERSION:


THE PRIMARY SHIPPING CARTON WILL BE
LABELED "COMPLIANT TO ROHS DIRECTIVE
2002/95/EC AND ELV ANNEX II OF
DIRECTIVE 2000/53/EC". CARTONS WITHOUT
THIS LABEL MAY CONTAIN PRODUCT WITH
LEAD.




OPTION "B" ASSEMBLY
STD. HOUSING W/MOUNTING EARS
SCALE 4:1

REFER TO OPT. A FOR ALL OTHER INFORMATION


OPTION "J" ASSEMBLY
OPTION "J" IS THE SAME AS OPTION "B" EXCEPT
DATE CODE IS NOT STAMPED ON HOUSING.



RECOMMENDED P.C.B.
LAYOUT



4 DIGIT DATE CODE
SEE NOTE 5



OPTION "C" ASSEMBLY
STANDARD HOUSING

NOTE FOR LEAD FREE CONVERSION:
THE PRIMARY SHIPPING CARTON WILL BE
LABELED "COMPLIANT TO RoHS DIRECTIVE
2002/95/EC AND ELV ANNEX II OF
DIRECTIVE 2000/53/EC". CARTONS WITHOUT
THIS LABEL MAY CONTAIN PRODUCT WITH
LEAD.


tb_frame_A3_P_AM_T
Rev. F 2009/06/18

NOTES:



- 1.) MATERIAL-
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT. 9 & 10 FOR CHART DIMENSIONS AND EDP NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MIN., .285" MAX.
UPPER ROW - .200" MIN.
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR
PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 10 & 11
FOR THIS PRODUCT IN TRAYS SEE SHT. 12 & 13

FINISHES

- | | |
|---------|--|
| 15 GOLD | .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA. |
| 30 GOLD | .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA. |
| 50 GOLD | .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA. |




SECTION C-C



OPTION "D" ASSEMBLY
STD. HOUSING W/MOUNTING EARS
SCALE 4:1

REFER TO OPT. C FOR ALL OTHER INFORMATION



RECOMMENDED P.C.B. LAYOUT

ADD OPTION K & L		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: S2010-0534		F _A =0		mm		IN/MM		NTS		INCH			
2009/12/30	DRWN:SKANG	F _B =0		4 PLACES ± ---		DRAWN BY		DATE		TITLE			
2010/01/08	CHKD:ATSEE	F _P =0		3 PLACES ± ---		DATE		1991/10/21		EARLY ENTRY R/A RECPT			
2010/01/14	APPR:MLONG			2 PLACES ± 0.25		CHECKED BY		DATE		.120"PC TAIL W/O LOWER			
				1 PLACE ± ---		DJB		1991/10/21		ROW PINSTOP-.100" GRID			
				ANGULAR ± 1/2°		APPROVED BY		DATE		MOLEX INCORPORATED			
				DRAFT WHERE APPLICABLE		MLONG		2010/01/14		SDA-71973-****			
				MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.					
						SEE TABLE							
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

SHEET NO.
2 OF 26



10 9 8 7 6 5 4 3 2 1

NOTES:

- 1.) MATERIAL -
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT. 13 & 14 FOR CHART DIMENSIONS AND EDP NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MIN., .250" MAX.
UPPER ROW - .200" MIN.
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 14 & 15
FOR THIS PRODUCT IN TRAYS SEE SHT. 16 & 17

FINISHES


- 15 GOLD .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 30 GOLD .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 50 GOLD .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA.





OPTION "E" ASSEMBLY
STANDARD HOUSING

NOTE FOR LEAD FREE CONVERSION:


THE PRIMARY SHIPPING CARTON WILL BE
LABELED "COMPLIANT TO ROHS DIRECTIVE
2002/95/EC AND ELV ANNEX II OF
DIRECTIVE 2000/53/EC". CARTONS WITHOUT
THIS LABEL MAY CONTAIN PRODUCT WITH
LEAD.



SECTION C-C




OPTION "F" ASSEMBLY
STD. HOUSING W/MOUNTING EARS
AND LOWER ROW PINSTOP
SCALE 4:1
REFER TO OPT. E FOR ALL OTHER INFORMATION




RECOMMENDED P.C.B. LAYOUT

GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
		IN/MM		NTS		INCH			
		mm	INCH	DRAWN BY	DATE	TITLE			
4 PLACES		± .005	± .002	DJB	1991/10/21	EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID MOLEX INCORPORATED		SHEET NO. 3 OF 26	
3 PLACES		± .010	± .005	CHECKED BY	DATE				
2 PLACES		± .025	± .010	DJB	1991/10/21				
1 PLACE		± .050	± .020	APPROVED BY	DATE				
ANGULAR ± 1/2°				MLONG	2010/01/14	DOCUMENT NO. SDA-71973-****			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE							
		SIZE A3							

10 9 8 7 6 5 4 3 2 1



4 DIGIT DATE CODE
SEE NOTE 5



⊕ Ø.015(5) TAIL TO TAIL
⊕ Ø.020(5) X(5) Y(5) TAIL TO INSULATOR

OPTION "G" ASSEMBLY STANDARD HOUSING


NOTE FOR LEAD FREE CONVERSION:

THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.



- NOTES:**
- 1.) MATERIAL -
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
 - 2.) SEE SHT. 17 & 18 FOR CHART DIMENSIONS AND EDP NO.'S
 - 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MIN., .250" MAX.
UPPER ROW - .200" MIN.
 - 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR PERFORMANCE DATA
 - 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
 - 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 18 & 19
FOR THIS PRODUCT IN TRAYS SEE SHT. 20 & 21

FINISHES

- 15 GOLD .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 30 GOLD .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 50 GOLD .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA.




SECTION C-C



OPTION "H" ASSEMBLY STD. HOUSING W/MOUNTING EARS AND LOWER PINSTOP SCALE 4:1



REFER TO OPT. G FOR ALL OTHER INFORMATION



RECOMMENDED P.C.B. LAYOUT

ADD OPTION K & L EC NO: S2010-0534		2009/12/30 2010/01/08 2010/01/14		DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
								IN/MM		NTS		INCH			
K	REV	DRAWN:SKANG CHKD:ATSEE APPR:MLONG	F _A =0 F _E =0 F _P =0	4 PLACES 3 PLACES 2 PLACES 1 PLACE ANGULAR	± --- ± --- ± 0.25 ± --- ± 1/2°	± --- ± .010 ± --- ± ---	DRAWN BY		DATE		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID				
							DJB		1991/10/21						
							CHECKED BY		DATE		MOLEX MOLEX INCORPORATED				
							DJB		1991/10/21						
							APPROVED BY		DATE						
MLONG		2010/01/14													
MATERIAL NO.		SEE TABLE		SDA-71973-****					4 OF 26						
SIZE		A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											


10 9 8 7 6 5 4 3 2 1



RECOMMENDED P.C.B.
LAYOUT

SCALE 4:1

SECTION D-D



NOTES:


- 1.) MATERIAL -
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT. 22 FOR CHART DIMENSIONS AND ITEM NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MINIMUM, .285" MAX.
UPPER ROW - .200" MINIMUM
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 22

FINISHES PER ES-88-(***)

- 15 GOLD .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 30 GOLD .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 50 GOLD .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA.

NOTE FOR LEAD FREE CONVERSION:

THE PRIMARY SHIPPING CARTON WILL BE
LABELED "COMPLIANT TO RoHS DIRECTIVE
2002/95/EC AND ELV ANNEX II OF
DIRECTIVE 2000/53/EC". CARTONS WITHOUT
THIS LABEL MAY CONTAIN PRODUCT WITH
LEAD.



.028±.002
(0.71±0.05)
Ø .015 TAIL TO TAIL
Ø .020 X S Y TAIL TO INSULATOR
(SEE NOTE 7)

OPTION "I" ASSEMBLY

STANDARD HOUSING W/ PEGS AND MOUNTING EARS

ADD OPTION K & L	
EC NO: S2010-0534	2009/12/30
DRWN:SKANG	2010/01/08
CHKD:ATSEE	2010/01/14
APPR:MLONG	2010/01/14
DESCRIPTION	REV
QUALITY SYMBOLS	REV
F _A =0	
F _E =0	
F _P =0	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
mm	INCH
4 PLACES ± ---	± ---
3 PLACES ± ---	± .010
2 PLACES ± 0.25	± ---
1 PLACE ± ---	± ---
ANGULAR ± 1/2°	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE IN/MM	
DRAWN BY	DATE
DJB	1991/10/21
CHECKED BY	DATE
DJB	1991/10/21
APPROVED BY	DATE
MLONG	2010/01/14
MATERIAL NO.	
SEE TABLE	
SIZE	A3

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	INCH	
EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID		
MOLEX INCORPORATED		
DOCUMENT NO.		SHEET NO.
SDA-71973-****		5 OF 26
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

9 8 7 6 5 4 3 2 1




FINISHES

- 15 GOLD .000015 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 30 GOLD .000030 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000075 MINIMUM TIN PLATE IN SELECT AREA.
- 50 GOLD .000050 MINIMUM GOLD PLATE IN SELECT AREA OVER
.000050 MINIMUM NICKEL UNDERPLATE OVER-ALL WITH
.000100 MINIMUM TIN PLATE IN SELECT AREA.

NOTES:

- 1.) MATERIAL-
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT.25 FOR CHART DIMENSIONS AND ITEM NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MINIMUM, .285" MAX.
UPPER ROW - .200" MINIMUM
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT.25

SECTION D-D



.105
(2.67)
POINT OF
CONTACT

.069
(1.75) REF.

.120±.015
(3.05±0.38)

.010
(0.25)

.310
(7.87) BSC.

SCALE NTS DESIGN UNITS INCH THIRD ANGLE PROJECTION

EARLY ENTRY R/A RECPT
.120"PC TAIL W/O LOWER
ROW PINSTOP-.100" GRID

MOLEX MOLEX INCORPORATED

DOCUMENT NO. SDA-71973-**** SHEET NO. 6 OF 26

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

OPTION "K" ASSEMBLY
STANDARD HOUSING W/ PEGS

ADD OPTION K & L		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION	
EC NO:	DRWN:SKANG	CHYD:ATSEE	APPR:MLONG	DESCRIPTION	REV	mm	INCH	DRAWN BY	DATE	TITLE	DOCUMENT NO.	SHEET NO.	
S2010-0534	2009/12/30	2010/01/08	2010/01/14			4 PLACES	± ---	DJB	1991/10/21				
						3 PLACES	± ---	CHECKED BY	DATE				
						2 PLACES	± 0.25	DJB	1991/10/21				
						1 PLACE	± ---	APPROVED BY	DATE				
						ANGULAR ± 1/2°		MLONG	2010/01/14				
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE					
						SIZE A3							





<u>FINISHES</u>			
15	GOLD	.000015 MINIMUM .000050 MINIMUM .000075 MINIMUM	GOLD PLATE IN SELECT AREA OVER NICKEL UNDERPLATE OVER-ALL WITH TIN PLATE IN SELECT AREA.
30	GOLD	.000030 MINIMUM .000050 MINIMUM .000075 MINIMUM	GOLD PLATE IN SELECT AREA OVER NICKEL UNDERPLATE OVER-ALL WITH TIN PLATE IN SELECT AREA.
50	GOLD	.000050 MINIMUM .000050 MINIMUM .000100 MINIMUM	GOLD PLATE IN SELECT AREA OVER NICKEL UNDERPLATE OVER-ALL WITH TIN PLATE IN SELECT AREA.

NOTES:

- 1.) MATERIAL -
INSULATOR - LCP, UL 94V-0, COLOR BLACK
CONTACTS - PHOSPHOR BRONZE
- 2.) SEE SHT. 22 FOR CHART DIMENSIONS AND ITEM NO.'S
- 3.) RECOMMENDED MATING PIN LENGTH:
LOWER ROW - .200" MINIMUM, .250" MAX.
UPPER ROW - .200" MINIMUM
- 4.) REFER TO PRODUCT SPECIFICATION PS-71973-9999 FOR
PERFORMANCE DATA
- 5.) MANUFACTURED DATE CODE - YEAR, WEEK.
- 6.) PACKAGING: FOR THIS PRODUCT IN TUBES SEE SHT. 26

SECTION D-D



$\frac{.028 \pm .002}{(0.71 \pm 0.05)}$ → ← → $\frac{.1}{(2)}$ BS

⊕	∅ .015	Ⓢ	TAIL TO TAIL
⊕	∅ .020	Ⓢ	X Ⓢ Y Ⓢ TAIL TO INSULATOR

(SEE NOTE 8)

OPTION "L" ASSEMBLY
STANDARD HOUSING W/ PEGS

ADD OPTION K & L EC NO: S2010-0534 2009/12/30 DRWN:SKANG 2010/01/08 CHK'D:ATSEE 2010/01/14 APPR:MLONG	QUALITY SYMBOLS F=0 F=0 F=0	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION
			mm INCH	DRAWN BY DATE DJB 1991/10/21	TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID				
			4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± ---	CHECKED BY DATE DJB 1991/10/21					
			ANGULAR ±1/2°		APPROVED BY DATE MLONG 2010/01/14	molex MOLEX INCORPORATED			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
					SEE TABLE		SDA-71973-****		7 OF 26
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

	10				9		8		7		6		5		4		3		2		1							
F	NO. OF CKTS		OPTION A ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION A ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION							
	PER ROW	TOTAL			I5 GOLD		30 GOLD		50 GOLD		A	B					I5 GOLD		30 GOLD		50 GOLD		A	B				
	4	8				71973-0204	71973-0304	71973-0404	.300 (7.62)	.395 (10.03)								71973-0233	71973-0333	71973-0433	3.200 (81.28)	3.295 (83.69)						
	5	10				71973-0205	71973-0305	71973-0405	.400 (10.16)	.495 (12.57)								71973-0234	71973-0334	71973-0434	3.300 (83.82)	3.395 (86.23)						
	6	12				71973-0206	71973-0306	71973-0406	.500 (12.70)	.595 (15.11)								71973-0235	71973-0335	71973-0435	3.400 (86.36)	3.495 (88.77)						
	7	14				71973-0207	71973-0307	71973-0407	.600 (15.24)	.695 (17.65)								71973-0236	71973-0336	71973-0436	3.500 (88.90)	3.595 (91.31)						
	8	16				71973-0208	71973-0308	71973-0408	.700 (17.78)	.795 (20.19)																		
	9	18				71973-0209	71973-0309	71973-0409	.800 (20.32)	.895 (22.73)																		
E	10	20				71973-0210	71973-0310	71973-0410	.900 (22.86)	.995 (25.27)																		
	11	22				71973-0211	71973-0311	71973-0411	1.000 (25.40)	1.095 (27.81)																		
	12	24				71973-0212	71973-0312	71973-0412	1.100 (27.94)	1.195 (30.35)																		
	13	26				71973-0213	71973-0313	71973-0413	1.200 (30.48)	1.295 (32.89)																		
	14	28				71973-0214	71973-0314	71973-0414	1.300 (33.02)	1.395 (35.43)																		
	15	30				71973-0215	71973-0315	71973-0415	1.400 (35.56)	1.495 (37.97)																		
D	16	32				71973-0216	71973-0316	71973-0416	1.500 (38.10)	1.595 (40.51)																		
	17	34				71973-0217	71973-0317	71973-0417	1.600 (40.64)	1.695 (43.05)																		
	18	36				71973-0218	71973-0318	71973-0418	1.700 (43.18)	1.795 (45.59)																		
	19	38				71973-0219	71973-0319	71973-0419	1.800 (45.72)	1.895 (48.13)																		
	20	40				71973-0220	71973-0320	71973-0420	1.900 (48.26)	1.995 (50.67)																		
	21	42				71973-0221	71973-0321	71973-0421	2.000 (50.80)	2.095 (53.21)																		
	22	44				71973-0222	71973-0322	71973-0422	2.100 (53.34)	2.195 (55.75)																		
	23	46				71973-0223	71973-0323	71973-0423	2.200 (55.88)	2.295 (58.29)																		
C	24	48				71973-0224	71973-0324	71973-0424	2.300 (58.42)	2.395 (60.83)																		
	25	50				71973-0225	71973-0325	71973-0425	2.400 (60.96)	2.495 (63.37)																		
	26	52				71973-0226	71973-0326	71973-0426	2.500 (63.50)	2.595 (65.91)																		
	27	54				71973-0227	71973-0327	71973-0427	2.600 (66.04)	2.695 (68.45)																		
	28	56				71973-0228	71973-0328	71973-0428	2.700 (68.58)	2.795 (70.99)																		
	29	58				71973-0229	71973-0329	71973-0429	2.800 (71.12)	2.895 (73.53)																		
B	30	60				71973-0230	71973-0330	71973-0430	2.900 (73.66)	2.995 (76.07)																		
	31	62				71973-0231	71973-0331	71973-0431	3.000 (76.20)	3.095 (78.61)																		
	32	64				71973-0232	71973-0332	71973-0432	3.100 (78.74)	3.195 (81.15)																		
A											ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14		QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- ANGULAR ± 1/2°		DIMENSION STYLE IN/MM DRAWN BY DATE CHECKED BY DATE APPROVED BY DATE MATERIAL NO.		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID MOLEX MOLEX INCORPORATED		SHEET NO. 8 OF 26				
											K		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		DOCUMENT NO. SDA-71973-****											
											A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
tb_frame_A3_P_AM.T Rev. F 2009/06/18										9		8		7		6		5		4		3		2		1		

10		9		8		7		6		5		4		3		2		1					
NO. OF CKTS		OPTION B ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR PLATING SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION B ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR PLATING SPECIFICATIONS)						DIMENSION			
PER ROW	TOTAL		OPT. J ASSY 15 GOLD	15 GOLD	30 GOLD	50 GOLD	A	B		D	PER ROW	TOTAL		OPT. J ASSY 15 GOLD	15 GOLD	30 GOLD	50 GOLD	A	B		D		
4	8			71973-1004	71973-1104	71973-1204	.300 (7.62)	.395 (10.03)		.658 (16.71)	33	66			71973-1033	71973-1133	71973-1233	3.200 (81.28)	3.295 (83.69)		3.558 (90.37)		
5	10			71973-1005	71973-1105	71973-1205	.400 (10.16)	.495 (12.57)		.758 (19.25)	34	68			71973-1034	71973-1134	71973-1234	3.300 (83.82)	3.395 (86.23)		3.658 (92.91)		
6	12			71973-1006	71973-1106	71973-1206	.500 (12.70)	.595 (15.11)		.858 (21.79)	35	70			71973-1035	71973-1135	71973-1235	3.400 (86.36)	3.495 (88.77)		3.758 (95.45)		
7	14			71973-1007	71973-1107	71973-1207	.600 (15.24)	.695 (17.65)		.958 (24.33)	36	72			71973-1036	71973-1136	71973-1236	3.500 (88.90)	3.595 (91.31)		3.858 (97.99)		
8	16			71973-1008	71973-1108	71973-1208	.700 (17.78)	.795 (20.19)		1.058 (26.87)													
9	18			71973-1009	71973-1109	71973-1209	.800 (20.32)	.895 (22.73)		1.158 (29.41)													
10	20			71973-1010	71973-1110	71973-1210	.900 (22.86)	.995 (25.27)		1.258 (31.95)													
11	22			71973-1011	71973-1111	71973-1211	1.000 (25.40)	1.095 (27.81)		1.358 (34.49)													
12	24			71973-1012	71973-1112	71973-1212	1.100 (27.94)	1.195 (30.35)		1.458 (37.03)													
13	26			71973-1013	71973-1113	71973-1213	1.200 (30.48)	1.295 (32.89)		1.558 (39.57)													
14	28			71973-1014	71973-1114	71973-1214	1.300 (33.02)	1.395 (35.43)		1.658 (42.11)													
15	30		71973-1315	71973-1015	71973-1115	71973-1215	1.400 (35.56)	1.495 (37.97)		1.758 (44.65)													
16	32			71973-1016	71973-1116	71973-1216	1.500 (38.10)	1.595 (40.51)		1.858 (47.19)													
17	34			71973-1017	71973-1117	71973-1217	1.600 (40.64)	1.695 (43.05)		1.958 (49.73)													
18	36			71973-1018	71973-1118	71973-1218	1.700 (43.18)	1.795 (45.59)		2.058 (52.27)													
19	38			71973-1019	71973-1119	71973-1219	1.800 (45.72)	1.895 (48.13)		2.158 (54.81)													
20	40		71973-1320	71973-1020	71973-1120	71973-1220	1.900 (48.26)	1.995 (50.67)		2.258 (57.35)													
21	42			71973-1021	71973-1121	71973-1221	2.000 (50.80)	2.095 (53.21)		2.358 (59.89)													
22	44			71973-1022	71973-1122	71973-1222	2.100 (53.34)	2.195 (55.75)		2.458 (62.43)													
23	46			71973-1023	71973-1123	71973-1223	2.200 (55.88)	2.295 (58.29)		2.558 (64.97)													
24	48			71973-1024	71973-1124	71973-1224	2.300 (58.42)	2.395 (60.83)		2.658 (67.51)													
25	50			71973-1025	71973-1125	71973-1225	2.400 (60.96)	2.495 (63.37)		2.758 (70.05)													
26	52			71973-1026	71973-1126	71973-1226	2.500 (63.50)	2.595 (65.91)		2.858 (72.59)													
27	54			71973-1027	71973-1127	71973-1227	2.600 (66.04)	2.695 (68.45)		2.958 (75.13)													
28	56			71973-1028	71973-1128	71973-1228	2.700 (68.58)	2.795 (70.99)		3.058 (77.67)													
29	58			71973-1029	71973-1129	71973-1229	2.800 (71.12)	2.895 (73.53)		3.158 (80.21)													
30	60			71973-1030	71973-1130	71973-1230	2.900 (73.66)	2.995 (76.07)		3.258 (82.75)													
31	62			71973-1031	71973-1131	71973-1231	3.000 (76.20)	3.095 (78.61)		3.358 (85.29)													
32	64			71973-1032	71973-1132	71973-1232	3.100 (78.74)	3.195 (81.15)		3.458 (87.83)													
OPTION "J" IS THE SAME AS "B" EXCEPT DATE CODE IS NOT STAMPED ON HOUSING.							ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG CHKD:ATSEE APPR:MLONG		2009/12/30 2010/01/08 2010/01/14		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION		
											F _A =0 F _G =0 F _P =0		4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- ANGULAR ± 1/2°		DRAWN BY DATE DJB 1991/10/21 CHECKED BY DATE DJB 1991/10/21 APPROVED BY DATE MLONG 2010/01/14		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID		molex MOLEX INCORPORATED		SHEET NO. 9 OF 26		
											DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		MATERIAL NO.		DOCUMENT NO.		SDA-71973-****				
											SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
fb_frame_A3_P_AM.T Rev. F 2009/06/18		9		8		7		6		5		4		3		2		1					

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

	10		9		8		7		6		5		4		3		2		1					
F	NO. OF CKTS		OPTION C ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET 1 FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS	OPTION C ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET 1 FOR FINISH SPECIFICATIONS)						DIMENSION				F
	PER ROW	TOTAL			15 GOLD	30 GOLD	50 GOLD	A	B						15 GOLD	30 GOLD	50 GOLD	A	B					
	4	8			X 71973-1804	X 71973-1904	X 71973-2004	.300 (7.62)	.395 (10.03)					X 71973-1833	X 71973-1933	X 71973-2033	3.200 (81.28)	3.295 (83.69)						
	5	10			X 71973-1805	X 71973-1905	X 71973-2005	.400 (10.16)	.495 (12.57)					X 71973-1834	X 71973-1934	X 71973-2034	3.300 (83.82)	3.395 (86.23)						
	6	12			X 71973-1806	X 71973-1906	X 71973-2006	.500 (12.70)	.595 (15.11)					X 71973-1835	X 71973-1935	X 71973-2035	3.400 (86.36)	3.495 (88.77)						
	7	14			X 71973-1807	X 71973-1907	X 71973-2007	.600 (15.24)	.695 (17.65)					X 71973-1836	X 71973-1936	X 71973-2036	3.500 (88.90)	3.595 (91.31)						
	8	16			X 71973-1808	X 71973-1908	X 71973-2008	.700 (17.78)	.795 (20.19)															
	9	18			X 71973-1809	X 71973-1909	X 71973-2009	.800 (20.32)	.895 (22.73)															
E	10	20			X 71973-1810	X 71973-1910	X 71973-2010	.900 (22.86)	.995 (25.27)												E			
	11	22			X 71973-1811	X 71973-1911	X 71973-2011	1.000 (25.40)	1.095 (27.81)															
	12	24			X 71973-1812	X 71973-1912	X 71973-2012	1.100 (27.94)	1.195 (30.35)															
	13	26			X 71973-1813	X 71973-1913	X 71973-2013	1.200 (30.48)	1.295 (32.89)															
	14	28			X 71973-1814	X 71973-1914	X 71973-2014	1.300 (33.02)	1.395 (35.43)															
	15	30			X 71973-1815	X 71973-1915	X 71973-2015	1.400 (35.56)	1.495 (37.97)															
D	16	32			X 71973-1816	X 71973-1916	X 71973-2016	1.500 (38.10)	1.595 (40.51)												D			
	17	34			X 71973-1817	X 71973-1917	X 71973-2017	1.600 (40.64)	1.695 (43.05)															
	18	36			X 71973-1818	X 71973-1918	X 71973-2018	1.700 (43.18)	1.795 (45.59)															
	19	38			X 71973-1819	X 71973-1919	X 71973-2019	1.800 (45.72)	1.895 (48.13)															
	20	40			X 71973-1820	X 71973-1920	X 71973-2020	1.900 (48.26)	1.995 (50.67)															
	21	42			X 71973-1821	X 71973-1921	X 71973-2021	2.000 (50.80)	2.095 (53.21)															
	22	44			X 71973-1822	X 71973-1922	X 71973-2022	2.100 (53.34)	2.195 (55.75)															
	23	46			X 71973-1823	X 71973-1923	X 71973-2023	2.200 (55.88)	2.295 (58.29)															
C	24	48			X 71973-1824	X 71973-1924	X 71973-2024	2.300 (58.42)	2.395 (60.83)												C			
	25	50			X 71973-1825	X 71973-1925	X 71973-2025	2.400 (60.96)	2.495 (63.37)															
	26	52			X 71973-1826	X 71973-1926	X 71973-2026	2.500 (63.50)	2.595 (65.91)															
	27	54			X 71973-1827	X 71973-1927	X 71973-2027	2.600 (66.04)	2.695 (68.45)															
	28	56			X 71973-1828	X 71973-1928	X 71973-2028	2.700 (68.58)	2.795 (70.99)															
	29	58			X 71973-1829	X 71973-1929	X 71973-2029	2.800 (71.12)	2.895 (73.53)															
B	30	60			X 71973-1830	X 71973-1930	X 71973-2030	2.900 (73.66)	2.995 (76.07)												B			
	31	62			X 71973-1831	X 71973-1931	X 71973-2031	3.000 (76.20)	3.095 (78.61)															
	32	64			X 71973-1832	X 71973-1932	X 71973-2032	3.100 (78.74)	3.195 (81.15)															
A	*X* INDICATES TOOLING IS NOT AVAILABLE							ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14		DESCRIPTION REV	QUALITY SYMBOLS F=0 F=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		A				
												mm	INCH	DRAWN BY DATE DJB 1991/10/21		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID								
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY DATE MLONG 2010/01/14			MOLEX INCORPORATED		DOCUMENT NO. SDA-71973-****		SHEET NO. 12 OF 26			
tb_frame_A3_P_AM_T Rev. F 2009/06/18												9	8	7	6	5	4	3	2	1				

10		9		8		7		6		5		4		3		2		1					
NO. OF CKTS		OPTION D ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION D ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION			
PER ROW	TOTAL			I5 GOLD	30 GOLD	50 GOLD	A	B			D	PER ROW	TOTAL			I5 GOLD	30 GOLD	50 GOLD	A	B			D
4	8			X 71973-2604	X 71973-2704	X 71973-2804	.300 (7.62)	.395 (10.03)			.658 (16.71)	33	66			X 71973-2633	X 71973-2733	X 71973-2833	3.200 (81.28)	3.295 (83.69)			3.558 (90.37)
5	10			X 71973-2605	X 71973-2705	X 71973-2805	.400 (10.16)	.495 (12.57)			.758 (19.25)	34	68			X 71973-2634	X 71973-2734	X 71973-2834	3.300 (83.82)	3.395 (86.23)			3.658 (92.91)
6	12			X 71973-2606	X 71973-2706	X 71973-2806	.500 (12.70)	.595 (15.11)			.858 (21.79)	35	70			X 71973-2635	X 71973-2735	X 71973-2835	3.400 (86.36)	3.495 (88.77)			3.758 (95.45)
7	14			X 71973-2607	X 71973-2707	X 71973-2807	.600 (15.24)	.695 (17.65)			.958 (24.33)	36	72			X 71973-2636	X 71973-2736	X 71973-2836	3.500 (88.90)	3.595 (91.31)			3.858 (97.99)
8	16			X 71973-2608	X 71973-2708	X 71973-2808	.700 (17.78)	.795 (20.19)			1.058 (26.87)												
9	18			X 71973-2609	X 71973-2709	X 71973-2809	.800 (20.32)	.895 (22.73)			1.158 (29.41)												
10	20			X 71973-2610	X 71973-2710	X 71973-2810	.900 (22.86)	.995 (25.27)			1.258 (31.95)												
11	22			X 71973-2611	X 71973-2711	X 71973-2811	1.000 (25.40)	1.095 (27.81)			1.358 (34.49)												
12	24			X 71973-2612	X 71973-2712	X 71973-2812	1.100 (27.94)	1.195 (30.35)			1.458 (37.03)												
13	26			X 71973-2613	X 71973-2713	X 71973-2813	1.200 (30.48)	1.295 (32.89)			1.558 (39.57)												
14	28			X 71973-2614	X 71973-2714	X 71973-2814	1.300 (33.02)	1.395 (35.43)			1.658 (42.11)												
15	30			X 71973-2615	X 71973-2715	X 71973-2815	1.400 (35.56)	1.495 (37.97)			1.758 (44.65)												
16	32			X 71973-2616	X 71973-2716	X 71973-2816	1.500 (38.10)	1.595 (40.51)			1.858 (47.19)												
17	34			X 71973-2617	X 71973-2717	X 71973-2817	1.600 (40.64)	1.695 (43.05)			1.958 (49.73)												
18	36			X 71973-2618	X 71973-2718	X 71973-2818	1.700 (43.18)	1.795 (45.59)			2.058 (52.27)												
19	38			X 71973-2619	X 71973-2719	X 71973-2819	1.800 (45.72)	1.895 (48.13)			2.158 (54.81)												
20	40			X 71973-2620	X 71973-2720	X 71973-2820	1.900 (48.26)	1.995 (50.67)			2.258 (57.35)												
21	42			X 71973-2621	X 71973-2721	X 71973-2821	2.000 (50.80)	2.095 (53.21)			2.358 (59.89)												
22	44			X 71973-2622	X 71973-2722	X 71973-2822	2.100 (53.34)	2.195 (55.75)			2.458 (62.43)												
23	46			X 71973-2623	X 71973-2723	X 71973-2823	2.200 (55.88)	2.295 (58.29)			2.558 (64.97)												
24	48			X 71973-2624	X 71973-2724	X 71973-2824	2.300 (58.42)	2.395 (60.83)			2.658 (67.51)												
25	50			X 71973-2625	X 71973-2725	X 71973-2825	2.400 (60.96)	2.495 (63.37)			2.758 (70.05)												
26	52			X 71973-2626	X 71973-2726	X 71973-2826	2.500 (63.50)	2.595 (65.91)			2.858 (72.59)												
27	54			X 71973-2627	X 71973-2727	X 71973-2827	2.600 (66.04)	2.695 (68.45)			2.958 (75.13)												
28	56			X 71973-2628	X 71973-2728	X 71973-2828	2.700 (68.58)	2.795 (70.99)			3.058 (77.67)												
29	58			X 71973-2629	X 71973-2729	X 71973-2829	2.800 (71.12)	2.895 (73.53)			3.158 (80.21)												
30	60			X 71973-2630	X 71973-2730	X 71973-2830	2.900 (73.66)	2.995 (76.07)			3.258 (82.75)												
31	62			X 71973-2631	X 71973-2731	X 71973-2831	3.000 (76.20)	3.095 (78.61)			3.358 (85.29)												
32	64			X 71973-2632	X 71973-2732	X 71973-2832	3.100 (78.74)	3.195 (81.15)			3.458 (87.83)												
X INDICATES TOOLING IS NOT AVAILABLE							ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION				
											mm		INCH		DRAWN BY DATE		TITLE		MOLEX MOLEX INCORPORATED		SHEET NO. 13 OF 26		
											4 PLACES ± --- ± ---		3 PLACES ± --- ± .010		DJB 1991/10/21		EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID						
											2 PLACES ± 0.25 ± ---		1 PLACE ± --- ± ---		DJB 1991/10/21		APPROVED BY DATE		MLONG 2010/01/14		MATERIAL NO.		DOCUMENT NO.
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS											SEE TABLE			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
											SIZE A3												

fb_frame_A3_P_AM.T
Rev. F 2009/06/18

986

865

744

623

502

381

260

139

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

10			9			8			7			6			5			4			3			2			1									
NO. OF CKTS		OPTION E ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION E ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION																
PER ROW	TOTAL				15 GOLD	30 GOLD	50 GOLD	A	B				PER ROW	TOTAL				15 GOLD	30 GOLD	50 GOLD	A	B														
4	8				71973-3404	71973-3504	71973-3604	.300 (7.62)	.395 (10.03)				34	68				71973-3434	71973-3534	71973-3634	3.300 (83.82)	3.395 (86.23)														
5	10				71973-3405	71973-3505	71973-3605	.400 (10.16)	.495 (12.57)				35	70				71973-3435	71973-3535	71973-3635	3.400 (86.36)	3.495 (88.77)														
6	12				71973-3406	71973-3506	71973-3606	.500 (12.70)	.595 (15.11)				36	72				71973-3436	71973-3536	71973-3636	3.500 (88.90)	3.595 (91.31)														
7	14				71973-3407	71973-3507	71973-3607	.600 (15.24)	.695 (17.65)																											
8	16				71973-3408	71973-3508	71973-3608	.700 (17.78)	.795 (20.19)																											
9	18				71973-3409	71973-3509	71973-3609	.800 (20.32)	.895 (22.73)																											
10	20				71973-3410	71973-3510	71973-3610	.900 (22.86)	.995 (25.27)																											
11	22				71973-3411	71973-3511	71973-3611	1.000 (25.40)	1.095 (27.81)																											
12	24				71973-3412	71973-3512	71973-3612	1.100 (27.94)	1.195 (30.35)																											
13	26				71973-3413	71973-3513	71973-3613	1.200 (30.48)	1.295 (32.89)																											
14	28				71973-3414	71973-3514	71973-3614	1.300 (33.02)	1.395 (35.43)																											
15	30				71973-3415	71973-3515	71973-3615	1.400 (35.56)	1.495 (37.97)																											
16	32				71973-3416	71973-3516	71973-3616	1.500 (38.10)	1.595 (40.51)																											
17	34				71973-3417	71973-3517	71973-3617	1.600 (40.64)	1.695 (43.05)																											
18	36				71973-3418	71973-3518	71973-3618	1.700 (43.18)	1.795 (45.59)																											
19	38				71973-3419	71973-3519	71973-3619	1.800 (45.72)	1.895 (48.13)																											
20	40				71973-3420	71973-3520	71973-3620	1.900 (48.26)	1.995 (50.67)																											
21	42				71973-3421	71973-3521	71973-3621	2.000 (50.80)	2.095 (53.21)																											
22	44				71973-3422	71973-3522	71973-3622	2.100 (53.34)	2.195 (55.75)																											
23	46				71973-3423	71973-3523	71973-3623	2.200 (55.88)	2.295 (58.29)																											
24	48				71973-3424	71973-3524	71973-3624	2.300 (58.42)	2.395 (60.83)																											
25	50				71973-3425	71973-3525	71973-3625	2.400 (60.96)	2.495 (63.37)																											
26	52				71973-3426	71973-3526	71973-3626	2.500 (63.50)	2.595 (65.91)																											
27	54				71973-3427	71973-3527	71973-3627	2.600 (66.04)	2.695 (68.45)																											
28	56				71973-3428	71973-3528	71973-3628	2.700 (68.58)	2.795 (70.99)																											
29	58				71973-3429	71973-3529	71973-3629	2.800 (71.12)	2.895 (73.53)																											
30	60				71973-3430	71973-3530	71973-3630	2.900 (73.66)	2.995 (76.07)																											
31	62				71973-3431	71973-3531	71973-3631	3.000 (76.20)	3.095 (78.61)																											
32	64				71973-3432	71973-3532	71973-3632	3.100 (78.74)	3.195 (81.15)																											
33	66				71973-3433	71973-3533	71973-3633	3.200 (81.28)	3.295 (83.69)																											
*X INDICATES TOOLING IS NOT AVAILABLE											ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14 REV														QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
																									IN/MM		N/A		N/A		N/A					
																									mm		INCH		DRAWN BY		DATE		TITLE			
																									4 PLACES ± --- ± ---		4 PLACES ± --- ± ---		DJB		1991/10/21		EARLY ENTRY R/A RECPT			
3 PLACES ± --- ± .010		3 PLACES ± --- ± .010		CHECKED BY		DATE		.120"PC TAIL W/O LOWER																												
2 PLACES ± 0.25 ± ---		2 PLACES ± 0.25 ± ---		DJB		1991/10/21		ROW PINSTOP-.100" GRID																												
1 PLACE ± --- ± ---		1 PLACE ± --- ± ---		APPROVED BY		DATE		MOLEX INCORPORATED																												
ANGULAR ± 1/2°		ANGULAR ± 1/2°		MLONG		2010/01/14		MOLEX INCORPORATED																												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SDA-71973-****																												
SIZE A3		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SHEET NO. 16 OF 26																												
fb_frame_A3_P_AM_T Rev. F 2009/06/18			9			8			7			6			5			4			3			2			1									

10		9		8		7		6		5		4		3		2		1					
NO. OF CKTS		OPTION F ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION F ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION			
PER ROW	TOTAL			15 GOLD	30 GOLD	50 GOLD	A	B		D	PER ROW	TOTAL			15 GOLD	30 GOLD	50 GOLD	A	B		D		
4	8			71973-4204	71973-4304	71973-4404	.300 (7.62)	.395 (10.03)		.658 (16.71)	34	68			71973-4234	71973-4334	71973-4434	3.300 (83.82)	3.395 (86.23)		3.658 (92.91)		
5	10			71973-4205	71973-4305	71973-4405	.400 (10.16)	.495 (12.57)		.758 (19.25)	35	70			71973-4235	71973-4335	71973-4435	3.400 (86.36)	3.495 (88.77)		3.758 (95.45)		
6	12			71973-4206	71973-4306	71973-4406	.500 (12.70)	.595 (15.11)		.858 (21.79)	36	72			71973-4236	71973-4336	71973-4436	3.500 (88.90)	3.595 (91.31)		3.858 (97.99)		
7	14			71973-4207	71973-4307	71973-4407	.600 (15.24)	.695 (17.65)		.958 (24.33)													
8	16			71973-4208	71973-4308	71973-4408	.700 (17.78)	.795 (20.19)		1.058 (26.87)													
9	18			71973-4209	71973-4309	71973-4409	.800 (20.32)	.895 (22.73)		1.158 (29.41)													
10	20			71973-4210	71973-4310	71973-4410	.900 (22.86)	.995 (25.27)		1.258 (31.95)													
11	22			71973-4211	71973-4311	71973-4411	1.000 (25.40)	1.095 (27.81)		1.358 (34.49)													
12	24			71973-4212	71973-4312	71973-4412	1.100 (27.94)	1.195 (30.35)		1.458 (37.03)													
13	26			71973-4213	71973-4313	71973-4413	1.200 (30.48)	1.295 (32.89)		1.558 (39.57)													
14	28			71973-4214	71973-4314	71973-4414	1.300 (33.02)	1.395 (35.43)		1.658 (42.11)													
15	30			71973-4215	71973-4315	71973-4415	1.400 (35.56)	1.495 (37.97)		1.758 (44.65)													
16	32			71973-4216	71973-4316	71973-4416	1.500 (38.10)	1.595 (40.51)		1.858 (47.19)													
17	34			71973-4217	71973-4317	71973-4417	1.600 (40.64)	1.695 (43.05)		1.958 (49.73)													
18	36			71973-4218	71973-4318	71973-4418	1.700 (43.18)	1.795 (45.59)		2.058 (52.27)													
19	38			71973-4219	71973-4319	71973-4419	1.800 (45.72)	1.895 (48.13)		2.158 (54.81)													
20	40			71973-4220	71973-4320	71973-4420	1.900 (48.26)	1.995 (50.67)		2.258 (57.35)													
21	42			71973-4221	71973-4321	71973-4421	2.000 (50.80)	2.095 (53.21)		2.358 (59.89)													
22	44			71973-4222	71973-4322	71973-4422	2.100 (53.34)	2.195 (55.75)		2.458 (62.43)													
23	46			71973-4223	71973-4323	71973-4423	2.200 (55.88)	2.295 (58.29)		2.558 (64.97)													
24	48			71973-4224	71973-4324	71973-4424	2.300 (58.42)	2.395 (60.83)		2.658 (67.51)													
25	50			71973-4225	71973-4325	71973-4425	2.400 (60.96)	2.495 (63.37)		2.758 (70.05)													
26	52			71973-4226	71973-4326	71973-4426	2.500 (63.50)	2.595 (65.91)		2.858 (72.59)													
27	54			71973-4227	71973-4327	71973-4427	2.600 (66.04)	2.695 (68.45)		2.958 (75.13)													
28	56			71973-4228	71973-4328	71973-4428	2.700 (68.58)	2.795 (70.99)		3.058 (77.67)													
29	58			71973-4229	71973-4329	71973-4429	2.800 (71.12)	2.895 (73.53)		3.158 (80.21)													
30	60			71973-4230	71973-4330	71973-4430	2.900 (73.66)	2.995 (76.07)		3.258 (82.75)													
31	62			71973-4231	71973-4331	71973-4431	3.000 (76.20)	3.095 (78.61)		3.358 (85.29)													
32	64			71973-4232	71973-4332	71973-4432	3.100 (78.74)	3.195 (81.15)		3.458 (87.83)													
33	66			71973-4233	71973-4333	71973-4433	3.200 (81.28)	3.295 (83.69)		3.558 (90.37)													
X INDICATES TOOLING IS NOT AVAILABLE.							ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14		DESCRIPTION	QUALITY SYMBOLS F A=0 F B=0 F P=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH		THIRD ANGLE PROJECTION					
											4 PLACES		± ---	± ---	DRAWN BY DATE DJB 1991/10/21		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID						
											3 PLACES		± ---	± .010	CHECKED BY DATE DJB 1991/10/21								
2 PLACES		± 0.25	± ---	APPROVED BY DATE MLONG 2010/01/14		MOLEX MOLEX INCORPORATED																	
1 PLACE		± ---	± ---	MATERIAL NO.				DOCUMENT NO.															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SDA-71973-****		SHEET NO. 17 OF 26																	
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																				
fb_frame_A3_P_AM.T Rev. F 2009/06/18		9		8		7		6		5		4		3		2		1					

10		9		8		7		6		5		4		3		2		1					
NO. OF CKTS		OPTION E ASSEMBLY PACKAGED IN TRAYS PER PK-70873-0239 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION E ASSEMBLY PACKAGED IN TRAYS PER PK-70873-0239 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION			
PER ROW	TOTAL			15 GOLD	30 GOLD	50 GOLD	A	B					15 GOLD	30 GOLD	50 GOLD	A	B						
4	8			71973-8204	71973-8304	71973-8404	.300 (7.62)	.395 (10.03)					71973-8234	71973-8334	71973-8434	3.300 (83.82)	3.395 (86.23)						
5	10			71973-8205	71973-8305	71973-8405	.400 (10.16)	.495 (12.57)					71973-8235	71973-8335	71973-8435	3.400 (86.36)	3.495 (88.77)						
6	12			71973-8206	71973-8306	71973-8406	.500 (12.70)	.595 (15.11)					71973-8236	71973-8336	71973-8436	3.500 (88.90)	3.595 (91.31)						
7	14			71973-8207	71973-8307	71973-8407	.600 (15.24)	.695 (17.65)															
8	16			71973-8208	71973-8308	71973-8408	.700 (17.78)	.795 (20.19)															
9	18			71973-8209	71973-8309	71973-8409	.800 (20.32)	.895 (22.73)															
10	20			71973-8210	71973-8310	71973-8410	.900 (22.86)	.995 (25.27)															
11	22			71973-8211	71973-8311	71973-8411	1.000 (25.40)	1.095 (27.81)															
12	24			71973-8212	71973-8312	71973-8412	1.100 (27.94)	1.195 (30.35)															
13	26			71973-8213	71973-8313	71973-8413	1.200 (30.48)	1.295 (32.89)															
14	28			71973-8214	71973-8314	71973-8414	1.300 (33.02)	1.395 (35.43)															
15	30			71973-8215	71973-8315	71973-8415	1.400 (35.56)	1.495 (37.97)															
16	32			71973-8216	71973-8316	71973-8416	1.500 (38.10)	1.595 (40.51)															
17	34			71973-8217	71973-8317	71973-8417	1.600 (40.64)	1.695 (43.05)															
18	36			71973-8218	71973-8318	71973-8418	1.700 (43.18)	1.795 (45.59)															
19	38			71973-8219	71973-8319	71973-8419	1.800 (45.72)	1.895 (48.13)															
20	40			71973-8220	71973-8320	71973-8420	1.900 (48.26)	1.995 (50.67)															
21	42			71973-8221	71973-8321	71973-8421	2.000 (50.80)	2.095 (53.21)															
22	44			71973-8222	71973-8322	71973-8422	2.100 (53.34)	2.195 (55.75)															
23	46			71973-8223	71973-8323	71973-8423	2.200 (55.88)	2.295 (58.29)															
24	48			71973-8224	71973-8324	71973-8424	2.300 (58.42)	2.395 (60.83)															
25	50			71973-8225	71973-8325	71973-8425	2.400 (60.96)	2.495 (63.37)															
26	52			71973-8226	71973-8326	71973-8426	2.500 (63.50)	2.595 (65.91)															
27	54			71973-8227	71973-8327	71973-8427	2.600 (66.04)	2.695 (68.45)															
28	56			71973-8228	71973-8328	71973-8428	2.700 (68.58)	2.795 (70.99)															
29	58			71973-8229	71973-8329	71973-8429	2.800 (71.12)	2.895 (73.53)															
30	60			71973-8230	71973-8330	71973-8430	2.900 (73.66)	2.995 (76.07)															
31	62			71973-8231	71973-8331	71973-8431	3.000 (76.20)	3.095 (78.61)															
32	64			71973-8232	71973-8332	71973-8432	3.100 (78.74)	3.195 (81.15)															
33	66			71973-8233	71973-8333	71973-8433	3.200 (81.28)	3.295 (83.69)															
X INDICATES TOOLING IS NOT AVAILABLE.							ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG CHKD:ATSEE APPR:MLONG		2009/12/30 2010/01/08 2010/01/14		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION		
													mm INCH		DRAWN BY DATE DJB 1991/10/21		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID						
												4 PLACES ± --- ± ---		CHECKED BY DATE DJB 1991/10/21		molex MOLEX INCORPORATED		SHEET NO. 18 OF 26					
												3 PLACES ± --- ± .010											
												2 PLACES ± 0.25 ± ---											
												1 PLACE ± --- ± ---											
												ANGULAR ±1/2°		APPROVED BY DATE MLONG 2010/01/14									
												DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SDA-71973-****							
												SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

10										9										7										6										5										4										3										2										1																																																																					
NO. OF CKTS										OPTION G ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)										DIMENSION										NO. OF CKTS										OPTION G ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)										DIMENSION																																																																																																			
PER ROW										TOTAL										A										B										PER ROW										TOTAL										A										B																																																																															
4										8										X 71973-5004										X 71973-5104										X 71973-5204										.300 (7.62)										.395 (10.03)										32										64										X 71973-5032										X 71973-5132										X 71973-5232										3.100 (78.74)										3.195 (81.15)																			
5										10										X 71973-5005										X 71973-5105										X 71973-5205										.400 (10.16)										.495 (12.57)										33										66										X 71973-5033										X 71973-5133										X 71973-5233										3.200 (81.28)										3.295 (83.69)																			
6										12										X 71973-5006										X 71973-5106										X 71973-5206										.500 (12.70)										.595 (15.11)										34										68										X 71973-5034										X 71973-5134										X 71973-5234										3.300 (83.82)										3.395 (86.23)																			
7										14										X 71973-5007										X 71973-5107										X 71973-5207										.600 (15.24)										.695 (17.65)										35										70										X 71973-5035										X 71973-5135										X 71973-5235										3.400 (86.36)										3.495 (88.77)																			
8										16										X 71973-5008										X 71973-5108										X 71973-5208										.700 (17.78)										.795 (20.19)										36										72										X 71973-5036										X 71973-5136										X 71973-5236										3.500 (88.90)										3.595 (91.31)																			
9										18										X 71973-5009										X 71973-5109										X 71973-5209										.800 (20.32)										.895 (22.73)																																																																																									
E										10										X 71973-5010										X 71973-5110										X 71973-5210										.900 (22.86)										.995 (25.27)																																																																																									
										11										X 71973-5011										X 71973-5111										X 71973-5211										1.000 (25.40)										1.095 (27.81)																																																																																									
										12										X 71973-5012										X 71973-5112										X 71973-5212										1.100 (27.94)										1.195 (30.35)																																																																																									
										13										X 71973-5013										X 71973-5113										X 71973-5213										1.200 (30.48)										1.295 (32.89)																																																																																									
										14										X 71973-5014										X 71973-5114										X 71973-5214										1.300 (33.02)										1.395 (35.43)																																																																																									
										15										X 71973-5015										X 71973-5115										X 71973-5215										1.400 (35.56)										1.495 (37.97)																																																																																									
D										16										X 71973-5016										X 71973-5116										X 71973-5216										1.500 (38.10)										1.595 (40.51)																																																																																									
										17										X 71973-5017										X 71973-5117										X 71973-5217										1.600 (40.64)										1.695 (43.05)																																																																																									
										18										X 71973-5018										X 71973-5118										X 71973-5218										1.700 (43.18)										1.795 (45.59)																																																																																									
										19										X 71973-5019										X 71973-5119										X 71973-5219										1.800 (45.72)										1.895 (48.13)																																																																																									
										20										X 71973-5020										X 71973-5120										X 71973-5220										1.900 (48.26)										1.995 (50.67)																																																																																									
										21										X 71973-5021										X 71973-5121										X 71973-5221										2.000 (50.80)										2.095 (53.21)																																																																																									
										22										X 71973-5022										X 71973-5122										X 71973-5222										2.100 (53.34)										2.195 (55.75)																																																																																									
C										23										X 71973-5023										X 71973-5123										X 71973-5223										2.200 (55.88)										2.295 (58.29)																																																																																									
										24										X 71973-5024										X 71973-5124										X 71973-5224										2.300 (58.42)										2.395 (60.83)																																																																																									
										25										X 71973-5025										X 71973-5125										X 71973-5225										2.400 (60.96)										2.495 (63.37)																																																																																									
										26										X 71973-5026										X 71973-5126										X 71973-5226										2.500 (63.50)										2.595 (65.91)																																																																																									
										27										X 71973-5027										X 71973-5127										X 71973-5227										2.600 (66.04)										2.695 (68.45)																																																																																									
										28										X 71973-5028										X 71973-5128										X 71973-5228										2.700 (68.58)										2.795 (70.99)																																																																																									
B										29										X 71973-5029										X 71973-5129										X 71973-5229										2.800 (71.12)										2.895 (73.53)																																																																																									
										30										X 71973-5030										X 71973-5130										X 71973-5230										2.900 (73.66)										2.995 (76.07)																																																																																									
										31										X 71973-5031										X 71973-5131										X 71973-5231										3.000 (76.20)										3.095 (78.61)																																																																																									
"X" INDICATES TOOLING IS NOT AVAILABLE.										ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG CHKD:ATSEE APPR:MLONG 2009/12/30 2010/01/08 2010/01/14										QUALITY SYMBOLS F _A =0 F _B =0 F _P =0										GENERAL TOLERANCES (UNLESS SPECIFIED)										DIMENSION STYLE IN/MM										SCALE NTS										DESIGN UNITS INCH										THIRD ANGLE PROJECTION																																																																															
																														4 PLACES ± --- ± ---										3 PLACES ± --- ± .010										2 PLACES ± 0.25 ± ---										1 PLACE ± --- ± ---										DRAWN BY DATE										CHECKED BY DATE										APPROVED BY DATE										MATERIAL NO.										DOCUMENT NO.										SHEET NO.																													
																														ANGULAR ± 1/2°										SEE TABLE										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																			
																														DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																							
fb_frame_A3_P_AM_T Rev. F 2009/06/18										9										8										7										6										5										4										3										2										1																																																											

10			9			8			7			6			5			4			3			2			1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
F	NO. OF CKTS		OPTION H ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)									DIMENSION				NO. OF CKTS	OPTION H ASSEMBLY PACKAGED IN TUBES PER PK-70873-0139 (SEE SHEET I FOR FINISH SPECIFICATIONS)									DIMENSION				F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	PER ROW	TOTAL			15 GOLD			30 GOLD			50 GOLD			A	B			D			15 GOLD			30 GOLD			50 GOLD				A	B		D																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

X INDICATES TOOLING IS NOT AVAILABLE.

"X" INDICATES TOOLING IS NOT AVAILABLE.																					
A	ADD OPTION K & L				QUALITY SYMBOLS				GENERAL TOLERANCES (UNLESS SPECIFIED)				DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION		A
	EC NO: S2010-0534				2009/12/30								IN/MM		NTS		INCH				
	DRWN:SKANG				2010/01/08				mm				DRAWN BY		DATE		TITLE		EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID		
	CHKD:ATSEE				± ---				4 PLACES		1991/10/21										
	APPR:MLONG				± ---				3 PLACES		1991/10/21										
					± .010				2 PLACES		1991/10/21		APPROVED BY		DATE		MOLEX MOLEX INCORPORATED				
					± ---				1 PLACE		2010/01/14		MLONG		2010/01/14						
					ANGULAR ±1/2°								MATERIAL NO.		DOCUMENT NO.		SHEET NO.				
					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE												
													SIZE		SDA-71973-****		21 OF 26				
												A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							

10										9										8										7										6										5										4										3										2										1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
NO. OF CKTS										OPTION G ASSEMBLY PACKAGED IN TRAYS PER PK-70873-0239 (SEE SHEET I FOR FINISH SPECIFICATIONS)										DIMENSION										NO. OF CKTS										OPTION G ASSEMBLY PACKAGED IN TRAYS PER PK-70873-0239 (SEE SHEET I FOR FINISH SPECIFICATIONS)										DIMENSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
PER ROW										TOTAL										A										B										PER ROW										TOTAL										A										B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
4										8										15 GOLD										30 GOLD										50 GOLD										34										68										15 GOLD										30 GOLD										50 GOLD																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5										10										71973-9004										71973-9104										71973-9204										71973-9005										71973-9105										71973-9205										71973-9034										71973-9134										71973-9234																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
6										12										.300 (7.62)										.395 (10.03)										.400 (10.16)										.495 (12.57)										.500 (12.70)										.595 (15.11)										.600 (15.24)										.695 (17.65)										.700 (17.78)										.795 (20.19)										.800 (20.32)										.895 (22.73)										.900 (22.86)										.995 (25.27)										1.000 (25.40)										1.095 (27.81)										1.100 (27.94)										1.195 (30.35)										1.200 (30.48)										1.295 (32.89)										1.300 (33.02)										1.395 (35.43)										1.400 (35.56)										1.495 (37.97)										1.500 (38.10)										1.595 (40.51)										1.600 (40.64)										1.695 (43.05)										1.700 (43.18)										1.795 (45.59)										1.800 (45.72)										1.895 (48.13)										1.900 (48.26)										1.995 (50.67)										2.000 (50.80)										2.095 (53.21)										2.100 (53.34)										2.195 (55.75)										2.200 (55.88)										2.295 (58.29)										2.300 (58.42)										2.395 (60.83)										2.400 (60.96)										2.495 (63.37)										2.500 (63.50)										2.595 (65.91)										2.600 (66.04)										2.695 (68.45)										2.700 (68.58)										2.795 (70.99)										2.800 (71.12)										2.895 (73.53)										2.900 (73.66)										2.995 (76.07)										3.000 (76.20)										3.095 (78.61)										3.100 (78.74)										3.195 (81.15)										3.200 (81.28)										3.295 (83.69)										3.300 (83.82)										3.395 (86.23)										3.400 (86.36)										3.495 (88.77)										3.500 (88.90)										3.595 (91.31)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
7										14										71973-9007										71973-9107										71973-9207										71973-9008										71973-9108										71973-9208										71973-9009										71973-9109										71973-9209										71973-9010										71973-9110										71973-9210										71973-9011										71973-9111										71973-9211										71973-9012										71973-9112										71973-9212										71973-9013										71973-9113										71973-9213										71973-9014										71973-9114										71973-9214										71973-9015										71973-9115										71973-9215										71973-9016										71973-9116										71973-9216										71973-9017										71973-9117										71973-9217										71973-9018										71973-9118										71973-9218										71973-9019										71973-9119										71973-9219										71973-9020										71973-9120										71973-9220										71973-9021										71973-9121										71973-9221										71973-9022										71973-9122										71973-9222										71973-9023										71973-9123										71973-9223										71973-9024										71973-9124										71973-9224										71973-9025										71973-9125										71973-9225										71973-9026										71973-9126										71973-9226										71973-9027										71973-9127										71973-9227										71973-9028										71973-9128										71973-9228										71973-9029										71973-9129										71973-9229										71973-9030										71973-9130										71973-9230										71973-9031										71973-9131										71973-9231										71973-9032										71973-9132										71973-9232										71973-9033										71973-9133										71973-9233										71973-9034										71973-9134										71973-9234										71973-9035										71973-9135										71973-9235										71973-9036										71973-9136										71973-9236										71973-9037										71973-9137										71973-9237										71973-9038										71973-9138										71973-9238										71973-9039										71973-9139										71973-9239										71973-9040										71973-9140										71973-9240										71973-9041										71973-9141										71973-9241										71973-9042										71973-9142										71973-9242										71973-9043										71973-9143										71973-9243										71973-9044										71973-9144										71973-9244										71973-9045										71973-9145										71973-9245										71973-9046										71973-9146										71973-9246										71973-9047										71973-9147										71973-9247										71973-9048										71973-9148										71973-9248										71973-9049										71973-9149										71973-9249										71973-9050										71973-9150										71973-9250										71973-9051										71973-9151										71973-9251										71973-9052										71973-9152										71973-9252										71973-9053										71973-9153										71973-9253										71973-9054										71973-9154										71973-9254										71973-9055										71973-9155										71973-9255										71973-9056										71973-9156										71973-9256										71973-9057										71973-9157										71973-9257										71973-9058										71973-9158										71973-9258										71973-9059										71973-9159										71973-9259										71973-9060										71973-9160										71973-9260										71973-9061										71973-9161										71973-9261										71973-9062										71973-9162										71973-9262										71973-9063										71973-9163										71973-9263										71973-9064										71973-9164										71973-9264										71973-9065										71973-9165										71973-9265										71973-9066										71973-9166										71973-9266										71973-9067										71973-9167										71973-9267										71973-9068										71973-9168										71973-9268										71973-9069										71973-9169										71973-9269										71973-9070										71973-9170										71973-9270										71973-9071										71973-9171										71973-9271										71973-9072										71973-9172										71973-9272										71973-9073										71973-9173										71973-9273										71973-9074										71973-9174										71973-9274										71973-9075										71973-9175										71973-9275										71973-9076										71973-9176										71973-9276										71973-9077										71973-9177										71973-9277										71973-9078										71973-9178										71973-9278										71973-9079										71973-9179										71973-9279										71973-9080										71973-9180										71973-9280										71973-9081										71973-9181										71973-9281										71973-9082										71973-9182										71973-9282										71973-9083										71973-9183										71973-9283										71973-9084										71973-9184										71973-9284										71973-9085										71973-9185										71973-9285										71973-9086										71973-9186										71973-9286										71973-9087										71973-9187										71973-9287										71973-9088										71973-9188										71973-9288										71973-9089										71973-9189										71973-9289										71973-9090										71973-9190										71973-9290										71973-9091										71973-9191										71973-9291										71973-9092										71973-9192										71973-9292										71973-9093										71973-9193										71973-9293										71973-9094										71973-9194										71973-9294										71973-9095										71973-9195										71973-9295										71973-9096										71973-9196										71973-9296										71973-9097										71973-9197										71973-9297										71973-9098										71973-9198										71973-9298										71973-9099										71973-9199										71973-9299										71973-9100										71973-9200										71973-9300										71973-9101										71973-9201										71973-9301										71973-9102										71973-9202										71973-9302										71973-9103										71973-9203										71973-9303										71973-9104										71973-9204										71973-9304										71973-9105										71973-9205										71973-9305										71973-9106										71973-9206										71973-9306										71973-9107										71973-9207										71973-9307										71973-9108										71973-9208										71973-9308										71973-9109										71973-9209										71973-9309										71973-9110										71973-9210										71973-9310										71973-9111										71973-9211										71973-9311										71973-9112										71973-9212										71973-9312										71973-9113										71973-9213										71973-9313										71973-9114										71973-9214										71973-9314										71973-9115										71973-9215										71973-9315										71973-9116										71973-9216										71973-9316										71973-9117										71973-9217										71973-9317										71973-9118										71973-9218										71973-9318										71973-9119										71973-9219										71973-9319										71973-9120										71973-9220										71973-9320										71973-9121										71973-9221										71973-9321										71973-9122										71973-9222										71973-9322										71973-9123										71973-9223										71973-9323										71973-9124										71973-9224										71973-9324										71973-9125										71973-9225										71973-9325										71973-9126										71973-9226										71973-9326										71973-9127										71973-9227										71973-9327										71973-9128										71973-9228										71973-9328										71973-9129										71973-9229										71973-9329										71973-9130										71973-9230										71973-9330										71973-9131										71973-9231										71973-9331										71973-9132										71973-9232										71973-9332										71973-9133										71973-9233										71973-9333										71973-9134										71973-9234										71973-9334										71973-9135										71973-9235										71973-9335										71973-9136										71973-9236										71973-9336										71973-9137										71973-9237										71973-9337										71973-9138										71973-9238										71973-9338										71973-9139										71973-9239										71973-9339										71973-9140										71973-9240										71973-9340										71973-9141										71973-9241										71973-9341										71973-9142										71973-9242										71973-9342										71973-9143										71973-9243										71973-9343										71973-9144										71973-9244										71973-9344										71973-9145										71973-9245										71973-9345										71973-9146										71973-9246										71973-9346										71973-9147										71973-9247										71973-9347										71973-9148										71973-9248										71973-9348										71973-9149										71973-9249										71973-9349										71973-9150										71973-9250										71973-9350										71973-9151										71973-9251										71973-9351										71973-9152										71973-9252										71973-9352										71973-9153										71973-9253										71973-9353										71973-9154										71973-9254										71973-9354										71973-9155										71973-9255										71973-9355										71973-9156										71973-9256										71973-9356										71973-9157										71973-9257										71973-9357										71973-9158										71973-9258										71973-9358										71973-9159										71973-9259										71973-9359										71973-9160										71973-9260										71973-9360										71973-9161										71973-9261										71973-9361										71973-9162										71973-9262										71973-9362										71973-9163										71973-9263										71973-9363										71973-9164										71973-9264										71973-9364										71973-9165										71973-9265										71973-9365										71973-9166										71973-9266										71973-9366										71973-9167										71973-9267										71973-9367										71973-9168										71973-9268										71973-9368										71973-9169										71973-9269										71973-9369										71973-9170										71973-9270										71973-9370										71973-9171										71973-9271										71973-9371										71973-9172										71973-9272										71973-9372										71973-9173										71973-9273										71973-9373										71973-9174										71973-9274										71973-9374										71973-9175										71973-9275										71973-9375										71973-9176										71973-9276										71973-9376										71973-9177										71973-9277										71973-9377										71973-9178										71973-9278										71973-9378										71973-9179										71973-9279										71973-9379										71973-9180										71973-9280										71973-9380										71973-9181										71973-9281										71973-9381										71973-9182										71973-9282										71973-9382										71973-9183										71973-9283										71973-9383										71973-9184										71973-9284										71973-9384										71973-9185										71973-9285										71973-9385										71973-9186										71973-9286									

tb_frame_A3_P_AM_T
Rev. F 2009/06/18

10				9				8				7				6				5				4				3				2				1			
NO. OF CKTS				OPTION I ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)												DIMENSION				NO. OF CKTS				OPTION I ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)												DIMENSION			
PER ROW		TOTAL				I5 GOLD		30 GOLD		50 GOLD		A		B		C		D		PER ROW		TOTAL				I5 GOLD		30 GOLD		50 GOLD		A		B		C		D	
F	4	8					71973-9704	71973-9804	71973-9904	.300 (7.62)	.395 (10.03)	.200 (5.08)	.658 (16.71)	34	68					71973-9734	71973-9834	71973-9934	3.300 (83.82)	3.395 (86.23)	3.200 (81.28)	3.658 (92.91)													
	5	10					71973-9705	71973-9805	71973-9905	.400 (10.16)	.495 (12.57)	.300 (7.62)	.758 (19.25)	35	70					71973-9735	71973-9835	71973-9935	3.400 (86.36)	3.495 (88.77)	3.300 (83.82)	3.758 (95.45)													
	6	12					71973-9706	71973-9806	71973-9906	.500 (12.70)	.595 (15.11)	.400 (10.16)	.858 (21.79)	36	72					71973-9736	71973-9836	71973-9936	3.500 (88.90)	3.595 (91.31)	3.400 (86.36)	3.858 (97.99)													
	7	14					71973-9707	71973-9807	71973-9907	.600 (15.24)	.695 (17.65)	.500 (12.70)	.958 (24.33)																										
	8	16					71973-9708	71973-9808	71973-9908	.700 (17.78)	.795 (20.19)	.600 (15.24)	1.058 (26.87)																										
	9	18					71973-9709	71973-9809	71973-9909	.800 (20.32)	.895 (22.73)	.700 (17.78)	1.158 (29.41)																										
E	10	20					71973-9710	71973-9810	71973-9910	.900 (22.86)	.995 (25.27)	.800 (20.32)	1.258 (31.95)																										
	11	22					71973-9711	71973-9811	71973-9911	1.000 (25.40)	1.095 (27.81)	.900 (22.86)	1.358 (34.49)																										
	12	24					71973-9712	71973-9812	71973-9912	1.100 (27.94)	1.195 (30.35)	1.000 (25.40)	1.458 (37.03)																										
	13	26					71973-9713	71973-9813	71973-9913	1.200 (30.48)	1.295 (32.89)	1.100 (27.94)	1.558 (39.57)																										
	14	28					71973-9714	71973-9814	71973-9914	1.300 (33.02)	1.395 (35.43)	1.200 (30.48)	1.658 (42.11)																										
	15	30					71973-9715	71973-9815	71973-9915	1.400 (35.56)	1.495 (37.97)	1.300 (33.02)	1.758 (44.65)																										
D	16	32					71973-9716	71973-9816	71973-9916	1.500 (38.10)	1.595 (40.51)	1.400 (35.56)	1.858 (47.19)																										
	17	34					71973-9717	71973-9817	71973-9917	1.600 (40.64)	1.695 (43.05)	1.500 (38.10)	1.958 (49.73)																										
	18	36					71973-9718	71973-9818	71973-9918	1.700 (43.18)	1.795 (45.59)	1.600 (40.64)	2.058 (52.27)																										
	19	38					71973-9719	71973-9819	71973-9919	1.800 (45.72)	1.895 (48.13)	1.700 (43.18)	2.158 (54.81)																										
	20	40					71973-9720	71973-9820	71973-9920	1.900 (48.26)	1.995 (50.67)	1.800 (45.72)	2.258 (57.35)																										
	21	42					71973-9721	71973-9821	71973-9921	2.000 (50.80)	2.095 (53.21)	1.900 (48.26)	2.358 (59.89)																										
C	22	44					71973-9722	71973-9822	71973-9922	2.100 (53.34)	2.195 (55.75)	2.000 (50.80)	2.458 (62.43)																										
	23	46					71973-9723	71973-9823	71973-9923	2.200 (55.88)	2.295 (58.29)	2.100 (53.34)	2.558 (64.97)																										
	24	48					71973-9724	71973-9824	71973-9924	2.300 (58.42)	2.395 (60.83)	2.200 (55.88)	2.658 (67.51)																										
	25	50					71973-9725	71973-9825	71973-9925	2.400 (60.96)	2.495 (63.37)	2.300 (58.42)	2.758 (70.05)																										
	26	52					71973-9726	71973-9826	71973-9926	2.500 (63.50)	2.595 (65.91)	2.400 (60.96)	2.858 (72.59)																										
	27	54					71973-9727	71973-9827	71973-9927	2.600 (66.04)	2.695 (68.45)	2.500 (63.50)	2.958 (75.13)																										
B	28	56					71973-9728	71973-9828	71973-9928	2.700 (68.58)	2.795 (70.99)	2.600 (66.04)	3.058 (77.67)																										
	29	58					71973-9729	71973-9829	71973-9929	2.800 (71.12)	2.895 (73.53)	2.700 (68.58)	3.158 (80.21)																										
	30	60					71973-9730	71973-9830	71973-9930	2.900 (73.66)	2.995 (76.07)	2.800 (71.12)	3.258 (82.75)																										
	31	62					71973-9731	71973-9831	71973-9931	3.000 (76.20)	3.095 (78.61)	2.900 (73.66)	3.358 (85.29)																										
	32	64					71973-9732	71973-9832	71973-9932	3.100 (78.74)	3.195 (81.15)	3.000 (76.20)	3.458 (87.83)																										
	33	66					71973-9733	71973-9833	71973-9933	3.200 (81.28)	3.295 (83.69)	3.100 (78.74)	3.558 (90.37)																										
X INDICATES TOOLING IS NOT AVAILABLE												ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG 2009/12/30 CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14				QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- ANGULAR ±1/2°				DIMENSION STYLE IN/MM DRAWN BY DATE DJB 1991/10/21 CHECKED BY DATE DJB 1991/10/21 APPROVED BY DATE MLONG 2010/01/14				SCALE NTS DESIGN UNITS INCH		THIRD ANGLE PROJECTION				EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID MOLEX INCORPORATED SDA-71973-**** SHEET NO. 24 OF 26							
																		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE				MATERIAL NO.				DOCUMENT NO.									
																		SIZE A3																					
tb_frame_A3_P_AM_T Rev. F 2009/06/18																																							
		9		8		7		6		5		4		3		2		1																					

10		9		8		7		6		5		4		3		2		1									
NO. OF CKTS		OPTION K ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION K ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION							
PER ROW	TOTAL			15 GOLD		30 GOLD		50 GOLD		A	B			PER ROW	TOTAL			15 GOLD		30 GOLD		50 GOLD		A	B		
4	8				71973-6204		71973-6304		71973-6404	.300 (7.62)	.395 (10.03)			32	64				71973-6232		71973-6332		71973-6432	3.100 (78.74)	3.195 (81.15)		
5	10				71973-6205		71973-6305		71973-6405	.400 (10.16)	.495 (12.57)			33	66				71973-6233		71973-6333		71973-6433	3.200 (81.28)	3.295 (83.69)		
6	12				71973-6206		71973-6306		71973-6406	.500 (12.70)	.595 (15.11)			34	68				71973-6234		71973-6334		71973-6434	3.300 (83.82)	3.395 (86.23)		
7	14				71973-6207		71973-6307		71973-6407	.600 (15.24)	.695 (17.65)			35	70				71973-6235		71973-6335		71973-6435	3.400 (86.36)	3.495 (88.77)		
8	16				71973-6208		71973-6308		71973-6408	.700 (17.78)	.795 (20.19)			36	72				71973-6236		71973-6336		71973-6436	3.500 (88.90)	3.595 (91.31)		
9	18				71973-6209		71973-6309		71973-6409	.800 (20.32)	.895 (22.73)																
10	20				71973-6210		71973-6310		71973-6410	.900 (22.86)	.995 (25.27)																
11	22				71973-6211		71973-6311		71973-6411	1.000 (25.40)	1.095 (27.81)																
12	24				71973-6212		71973-6312		71973-6412	1.100 (27.94)	1.195 (30.35)																
13	26				71973-6213		71973-6313		71973-6413	1.200 (30.48)	1.295 (32.89)																
14	28				71973-6214		71973-6314		71973-6414	1.300 (33.02)	1.395 (35.43)																
15	30				71973-6215		71973-6315		71973-6415	1.400 (35.56)	1.495 (37.97)																
16	32				71973-6216		71973-6316		71973-6416	1.500 (38.10)	1.595 (40.51)																
17	34				71973-6217		71973-6317		71973-6417	1.600 (40.64)	1.695 (43.05)																
18	36				71973-6218		71973-6318		71973-6418	1.700 (43.18)	1.795 (45.59)																
19	38				71973-6219		71973-6319		71973-6419	1.800 (45.72)	1.895 (48.13)																
20	40				71973-6220		71973-6320		71973-6420	1.900 (48.26)	1.995 (50.67)																
21	42				71973-6221		71973-6321		71973-6421	2.000 (50.80)	2.095 (53.21)																
22	44				71973-6222		71973-6322		71973-6422	2.100 (53.34)	2.195 (55.75)																
23	46				71973-6223		71973-6323		71973-6423	2.200 (55.88)	2.295 (58.29)																
24	48				71973-6224		71973-6324		71973-6424	2.300 (58.42)	2.395 (60.83)																
25	50				71973-6225		71973-6325		71973-6425	2.400 (60.96)	2.495 (63.37)																
26	52				71973-6226		71973-6326		71973-6426	2.500 (63.50)	2.595 (65.91)																
27	54				71973-6227		71973-6327		71973-6427	2.600 (66.04)	2.695 (68.45)																
28	56				71973-6228		71973-6328		71973-6428	2.700 (68.58)	2.795 (70.99)																
29	58				71973-6229		71973-6329		71973-6429	2.800 (71.12)	2.895 (73.53)																
30	60				71973-6230		71973-6330		71973-6430	2.900 (73.66)	2.995 (76.07)																
31	62				71973-6231		71973-6331		71973-6431	3.000 (76.20)	3.095 (78.61)																
X INDICATES TOOLING IS NOT AVAILABLE										ADD OPTION K & L EC NO: S2010-0534 DRWN:SKANG CHKD:ATSEE APPR:MLONG 2009/12/30 2010/01/08 2010/01/14		QUALITY SYMBOLS F=0 F=0 F=0		GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .010 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± --- ANGULAR ± 1/2°		DIMENSION STYLE IN/MM DRAWN BY DATE DJB 1991/10/21 CHECKED BY DATE DJB 1991/10/21 APPROVED BY DATE MLONG 2010/01/14		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION		TITLE EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID MOLEX INCORPORATED			
										K		REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE TABLE		DOCUMENT NO. SDA-71973-****		SHEET NO. 25 OF 26		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
tb_frame_A3_P_AM_T Rev. F 2009/06/18		9		8		7		6		5		4		3		2		1									

10		9		8		7		6		5		4		3		2		1							
NO. OF CKTS		OPTION L ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION				NO. OF CKTS		OPTION L ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)						DIMENSION					
PER ROW	TOTAL			15 GOLD		30 GOLD		50 GOLD		A	B					15 GOLD		30 GOLD		50 GOLD		A	B		
4	8				71973-5404		71973-5504		71973-5604	.300 (7.62)	.395 (10.03)						71973-5431		71973-5531		71973-5631	3.000 (76.20)	3.095 (78.61)		
5	10				71973-5405		71973-5505		71973-5605	.400 (10.16)	.495 (12.57)						71973-5432		71973-5532		71973-5632	3.100 (78.74)	3.195 (81.15)		
6	12				71973-5406		71973-5506		71973-5606	.500 (12.70)	.595 (15.11)						71973-5433		71973-5533		71973-5633	3.200 (81.28)	3.295 (83.69)		
7	14				71973-5407		71973-5507		71973-5607	.600 (15.24)	.695 (17.65)						71973-5434		71973-5534		71973-5634	3.300 (83.82)	3.395 (86.23)		
8	16				71973-5408		71973-5508		71973-5608	.700 (17.78)	.795 (20.19)						71973-5435		71973-5535		71973-5635	3.400 (86.36)	3.495 (88.77)		
9	18				71973-5409		71973-5509		71973-5609	.800 (20.32)	.895 (22.73)						71973-5436		71973-5536		71973-5636	3.500 (88.90)	3.595 (91.31)		
10	20				71973-5410		71973-5510		71973-5610	.900 (22.86)	.995 (25.27)														
11	22				71973-5411		71973-5511		71973-5611	1.000 (25.40)	1.095 (27.81)														
12	24				71973-5412		71973-5512		71973-5612	1.100 (27.94)	1.195 (30.35)														
13	26				71973-5413		71973-5513		71973-5613	1.200 (30.48)	1.295 (32.89)														
14	28				71973-5414		71973-5514		71973-5614	1.300 (33.02)	1.395 (35.43)														
15	30				71973-5415		71973-5515		71973-5615	1.400 (35.56)	1.495 (37.97)														
16	32				71973-5416		71973-5516		71973-5616	1.500 (38.10)	1.595 (40.51)														
17	34				71973-5417		71973-5517		71973-5617	1.600 (40.64)	1.695 (43.05)														
18	36				71973-5418		71973-5518		71973-5618	1.700 (43.18)	1.795 (45.59)														
19	38				71973-5419		71973-5519		71973-5619	1.800 (45.72)	1.895 (48.13)														
20	40				71973-5420		71973-5520		71973-5620	1.900 (48.26)	1.995 (50.67)														
21	42				71973-5421		71973-5521		71973-5621	2.000 (50.80)	2.095 (53.21)														
22	44				71973-5422		71973-5522		71973-5622	2.100 (53.34)	2.195 (55.75)														
23	46				71973-5423		71973-5523		71973-5623	2.200 (55.88)	2.295 (58.29)														
24	48				71973-5424		71973-5524		71973-5624	2.300 (58.42)	2.395 (60.83)														
25	50				71973-5425		71973-5525		71973-5625	2.400 (60.96)	2.495 (63.37)														
26	52				71973-5426		71973-5526		71973-5626	2.500 (63.50)	2.595 (65.91)														
27	54				71973-5427		71973-5527		71973-5627	2.600 (66.04)	2.695 (68.45)														
28	56				71973-5428		71973-5528		71973-5628	2.700 (68.58)	2.795 (70.99)														
29	58				71973-5429		71973-5529		71973-5629	2.800 (71.12)	2.895 (73.53)														
30	60				71973-5430		71973-5530		71973-5630	2.900 (73.66)	2.995 (76.07)														
"X" INDICATES TOOLING IS NOT AVAILABLE										ADD OPTION K & L EC NO: S2010-0534 2009/12/30 DRWN:SKANG CHKD:ATSEE 2010/01/08 APPR:MLONG 2010/01/14		QUALITY SYMBOLS F _A =0 F _B =0 F _P =0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE NTS		DESIGN UNITS INCH		THIRD ANGLE PROJECTION			
														mm		INCH		DRAWN BY DATE		TITLED DATE		EARLY ENTRY R/A RECPT .120"PC TAIL W/O LOWER ROW PINSTOP-.100" GRID			
														3 PLACES ± --- ± ---		± .010		CHECKED BY DATE		MOLEX INCORPORATED					
														2 PLACES ± 0.25 ± ---		± ---		APPROVED BY DATE		SDA-71973-****		SHEET NO. 26 OF 26			
														1 PLACE ± --- ± ---		± ---		MATERIAL NO.		DOCUMENT NO.					
														ANGULAR ± 1/2°				SEE TABLE							
														DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
tb_frame_A3_P_AM_T Rev. F 2009/06/18		9		8		7		6		5		4		3		2		1							

13			12			11			10			9			8			7			6			5			4			3			2			1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
J	NO. OF CKTS		OPTION A ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)									DIMENSION				NO. OF CKTS		OPTION A ASSEMBLY PACKAGED IN TUBES PER PK-70873-0138 (SEE SHEET I FOR FINISH SPECIFICATIONS)									DIMENSION				J																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	PER ROW	TOTAL				I5 GOLD			30 GOLD			50 GOLD			A	B				PER ROW	TOTAL				I5 GOLD			30 GOLD				50 GOLD			A	B																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

"X" INDICATES TOOLING IS NOT AVAILABLE

REMOVE 74-130 CKT EC NO: UCP2007-0113 DRAWN BY: J CHKD: MS BARRA APPR: SMILLER 2006/08/07 2006/08/16 2006/08/18	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		mm	INCH	DRAWN BY DJB	DATE 1991/10/21	RECEPTACLE-RIGHT ANGLE .120 PC TAIL, NO PINSTOP .100/(2.54) GRID MOLEX INCORPORATED				
		4 PLACES ± ---	± ---	CHECKED BY	DATE					
		3 PLACES ± ---	± ---	APPROVED BY	DATE	MATERIAL NO. DOCUMENT NO. SHEET NO.				
1 PLACE ± ---		± ---	ANGULAR ±1/2°		SEE CHART		SDA-71973-****		6 OF 22	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						