


SUBMINIATURE DH Series

Features

- Ultraminiature dimensions, just 0.323" x 0.106" x 0.244" (8.2mm x 2.7mm x 6.2mm)
- Specially designed for low switching currents and voltages
- Available with or without integrated auxiliary actuator
- Can be fitted to circuit boards in upright position or horizontally with formed terminals



Electrical Ratings

Switch Series	Electrical Rating
DH3	50 to 300mA@30VDC
DH4	5 to 50mA@30VDC

Specifications

Electrical	
Temperature Rating:	-25°C to +70°C
Flammability Rating:	UL94V-O


Materials	
Base:	PPS
Button:	PBT
Cover:	PBT
Auxiliary Actuator:	Stainless Steel
Terminals:	Silver-Plated Brass
Contacts:	Silver-Plated Brass (DH3) Gold-Plated Brass (DH4)

PBT = Polybutyleneterephthalate • PPS = Polyphenylene Sulphide






Dimensions inches (mm)



PCB Layout inches (mm)

Tolerance: ±0.002 (±0.05)
(TOP VIEW)



Mounting

Recommended mounting screw: M1.6.
Recommended torque: 9.81 cN•M
(1.0 kgf•cm). Recommended use of
a flat washer and a spring washer
for locking.

Actuator Specifications

Actuator Type	Switch Type	Maximum Operating Force (gms.)	Maximum Pre-Travel inches (mm)	Operating Point inches (mm)	Minimum Over-Travel inches (mm)	Max. Movement Differential inches (mm)
AA		90	0.008 (0.2)	0.220±0.006 (5.6±0.15)	0.004 (0.1)	0.003 (0.07)
LA		50	0.051 (1.3)	0.264±0.020 (6.7±0.5)	0.012 (0.3)	0.024 (0.6)

Ordering Information

Series/Prefix	Code	Contact Configuration
DH	3	C
		C SPDT

Code	Current Rating
3	50 to 300mA@30VDC
4	5 to 50mA@30VDC

Code	Terminal Type inches (mm)	Terminal Configuration
B1	0.051 x 0.122 x 0.020 (1.3 x 3.1 x 0.5) Solder, Straight	
C4	0.025 x 0.122 x 0.020 (0.6 x 3.1 x 0.5) PCB, Straight	
C5	0.025 x 0.122 x 0.020 (0.6 x 3.1 x 0.5) PCB, RH Side	
C6	0.025 x 0.122 x 0.020 (0.6 x 3.1 x 0.5) PCB, LH Side	

Code	Actuator Type
AA	Button
LA	Simulated Roller

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cherry Electrical:

[DH3C-C5AA](#) [DH4C-C5AA](#) [DH3C-C6LA](#) [DH3C-C6AA](#) [DH4C-C6AA](#) [DH4C-C6LA](#) [DH4C-C5LA](#) [DH3C-C5LA](#) [DH3C-B1LA](#) [DH3C-B1AA](#) [DH4C-B1PA](#) [DH4C-B1AA](#) [DH4C-B1LA](#) [DH3C-C4LA](#) [DH4C-C4LA](#)