





PART NUMBER 10106263-6010001LF




spec ref	*	dr	Peng-Bing Fu	2012/03/26	projection	MM	size	A3	scale
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/13			ecn no		3:2
ASME Y14.5		chr	Shao-Qi Kuang	2012/11/15			ELX-DG-013143-1		
surface	✓	appr	Pei-Ming Zheng	2012/11/15	product family	PwrBlade+	rel level	Released	
ASME Y14.5		linear	0.X	±0.5	4P + 16S + 24S + 2HDP		dwg no	10106263-6010001	
ASME Y14.5		0.XX	±0.25	RA PF HEADER		dwg no	B		
ASME Y14.5		0.XXX	±0.10	angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw
ASME Y14.5									sheet 1 of 3

PRODUCT NO.	ROWS	HIGH POWER				SIGNAL		BLANK				SIGNAL		HP			
		E1	P1	P2	P3	P4	1	2	3	4	5	6	7	8	9	10	P5
10106263-6010001LF	D C B A	   	              	             	 												



Copyright FCI.

CODE	DESCRIPTION
HE	STD HIGH POWER CONTACT (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Peng-Bing Fu	2012/03/26	projection 	MM	size	scale
eng	Peng-Bing Fu	2012/11/13			A3	3:2
chr	Shao-Qi Kuang	2012/11/15			ecn no	ELX-DG-013143-1
appr	Pei-Ming Zheng	2012/11/15	product family	PwrBlade+	rel level	Released
	4P + 16S + 24S + 2HDP RA PF HEADER	dwg no	10106263-6010001	rev B		
www.fci.com	cat. no.	Product - Customer Drw	sheet 2 of 3			

A

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762 MM MIN Sn
OVER 0.0254 - 0.0762 MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A $\triangle B$ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS
BEEN MODIFIED WITH THE CURRENT DRAWING REVISION

A

B

B

C

C

FCI

Copyright FCI

D

D

dr	Peng-Bing Fu	2012/03/26	projection 	MM	size A3	scale 3:2
eng	Peng-Bing Fu	2012/11/13				
chr	Shao-Qi Kuang	2012/11/15				
appr	Pei-Ming Zheng	2012/11/15				
			product family PwrBlade+		rel level	Released
	4P + 16S + 24S + 2HDP RA PF HEADER			dwg no 10106263-6010001	rev B	
			cat. no.	Product - Customer Drw		sheet 3 of 3
www.fci.com						