



EXPLORER CASES

by GT LINE



MADE IN ITALY



*dal Leader Europeo nella
produzione di Valigie Tecniche*

www.explorercases.com

100% ABSOLUTE
GUARANTEED
FOREVER
PROTECTION

EN 08 - 2



- Optional shoulder strap available (see pg. 18 for details)

1908.B E ☐ (empty) **1908.B** ☒ (w/foam)
1908.O E ☐ (empty) **1908.O** ☒ (w/foam)
1908.G E ☐ (empty) **1908.G** ☒ (w/foam)

Int. dim.: 190x125x85 (20+65) mm
 7 1/2 x 4 15/16 x 3 3/8 (13/16 + 2 9/16) in.
Ext. dim.: 216x180x102 mm - 8 1/2 x 7 1/16 x 4 in.
Weight: (empty) 0,70 Kg - 1.54 Lbs
 (w/foam) 0,80 Kg - 1.76 Lbs
Volume: (litres) 2,0 - (gallons) 0.52
Buoyancy: (Kg.max*) 1,4 - (Lbs/max*) 3.08



- Optional shoulder strap available (see pg. 18 for details)

1913.B E ☐ (empty) **1913.B** ☒ (w/foam)
1913.O E ☐ (empty) **1913.O** ☒ (w/foam)
1913.G E ☐ (empty) **1913.G** ☒ (w/foam)


Int. dim.: 190x125x135 (20+115) mm
 7 1/2 x 4 15/16 x 5 5/16 (13/16 + 4 1/2) in.
Ext. dim.: 216x180x152 mm - 8 1/2 x 7 1/16 x 6 in.
Weight: (empty) 0,85 Kg - 1.87 Lbs
 (w/foam) 0,92 Kg - 2.02 Lbs
Volume: (litres) 3,2 - (gallons) 0.79
Buoyancy: (Kg.max*) 2,4 - (Lbs/max*) 5.29

BUILT STRONGER TO LAST LONGER



Explorer Cases are the first of their kind to be manufactured in Europe, indeed their clean lines and good looks reflect their Italian heritage. We have produced a range of virtually indestructible durable waterproof cases providing a solution for any equipment requiring a high level of protection. Applications range from Military and Aerospace to Computer and Equipment cases while their **dust and waterproof qualities** offer absolute protection making them ideal for use in the harshest environment.

The **Explorer Cases** have been subjected to a series of controlled laboratory tests to prove their suitability for use in the most extreme and hazardous applications and ensure that they meet the exacting standards of: **IP67 Dustproof - Waterproof; Defence Standard 81-41 Level J; STANAG 4280 (edition 2);** Conformity with the Directive 2002/95/EC.



2209.B E  (empty) 2209.B  (w/foam)

2209.O E  (empty) 2209.O  (w/foam)

2209.G E  (empty) 2209.G  (w/foam)

Int. dim.: 220x160x95 (20+75) mm

8 11/16 x 6 5/16 x 3 3/4 (13/16 + 2 15/16) in.


Ext. dim.: 246x215x112 mm - 9 11/16 x 8 7/16 x 4 7/16 in.

Weight: (empty) 0,88 Kg - 1.94 Lbs

(w/foam) 0,99 Kg - 2.18 Lbs

Volume: (litres) 3,3 - (gallons) 0.79

Buoyancy: (Kg.max*) 2,3 - (Lbs/max*) 5.07



2214.B E  (empty) 2214.B  (w/foam)

2214.O E  (empty) 2214.O  (w/foam)

2214.G E  (empty) 2214.G  (w/foam)

Int. dim.: 220x160x145 (20+125) mm

8 11/16 x 6 5/16 x 5 11/16 (13/16 + 4 15/16) in.


Ext. dim.: 246x215x162 mm - 9 11/16 x 8 7/16 x 6 3/8 in.

Weight: (empty) 1,16 Kg - 2.56 Lbs

(w/foam) 1,29 Kg - 2.84 Lbs

Volume: (litres) 5,1 - (gallons) 1.32

Buoyancy: (Kg.max*) 3,9 - (Lbs/max*) 8.59



Counterbalance supports

2712.B E  (empty) 2712.B  (w/foam)

2712.O E  (empty) 2712.O  (w/foam)

2712.G E  (empty) 2712.G  (w/foam)

Int. dim.: 276x200x120 (35+85) mm

10 7/8 x 7 7/8 x 4 3/4 (1 3/8 + 3 3/8) in.

Ext. dim.: 305x270x144 mm - 12 x 10 5/8 x 5 11/16 in.

Weight: (empty) 1,62 Kg - 3.57 Lbs

(w/foam) 1,83 Kg - 4.03 Lbs

Volume: (litres) 6,6 - (gallons) 1.58

Buoyancy: (Kg.max*) 4,2 - (Lbs/max*) 9.25

OUR SUPERIOR FEATURES:

- Stronger case grants better protection of the interior
- Resistant to chemicals, water, humidity, dust
- Resistant to harsh temperatures
- Jam-free purge valve and latches
- Recommended for professional applications
- 100% made in Italy: Italian design and proven functionality
- First to achieve the new military standard qualifications
- Recognized as the most versatile case to customize
- Widest choice of accessories to customize your experience
- Incorporate a number of patented innovations



More information on www.explorercases.com




- Lid can be set to slide-off (see pg. 15 for details)
- Counterbalance supports keep the case upright when the lid is open



Counterbalance supports



- Lid can be set to slide-off (see pg. 15 for details)
- Counterbalance supports keep the case upright when the lid is open



Counterbalance supports



- Counterbalance supports keep the case upright when the lid is open

2717.B E ☐ (empty) **2717.B** ☒ (w/foam)

2717.O E ☐ (empty) **2717.O** ☒ (w/foam)

2717.G E ☐ (empty) **2717.G** ☒ (w/foam)

Int. dim.: 276x200x170 (35+135) mm
10 7/8 x 7 7/8 x 6 11/16 (1 3/8 + 5 5/16) in.

Ext. dim.: 305x270x194 mm - 12 x 10 5/8 x 7 5/8 in.

Weight: (empty) 1,93 Kg - 4.25 Lbs
(w/foam) 2,12 Kg - 4.67 Lbs

Volume: (litres) 9,3 - (gallons) 2.37

Buoyancy: (Kg.max*) 6,7 - (Lbs/max*) 14.77

3317.B E ☐ (empty) **3317.B** ☒ (w/foam)

3317.O E ☐ (empty) **3317.O** ☒ (w/foam)

3317.G E ☐ (empty) **3317.G** ☒ (w/foam)

Int. dim.: 330x234x170 (68+102) mm
13 x 9 3/16 x 6 11/16 (2 11/16 + 4) in.

Ext. dim.: 360x304x194 mm - 14 3/16 x 11 15/16 x 7 5/8 in.

Weight: (empty) 2,29 Kg - 5.04 Lbs
(w/foam) 2,51 Kg - 5.53 Lbs

Volume: (litres) 13,1 - (gallons) 3.43

Buoyancy: (Kg.max*) 7,0 - (Lbs/max*) 15.43

3818.B E ☐ (empty) **3818.B** ☒ (w/foam)

3818.O E ☐ (empty) **3818.O** ☒ (w/foam)

3818.G E ☐ (empty) **3818.G** ☒ (w/foam)

Int. dim.: 380x270x180 (45+135) mm
14 15/16 x 10 5/8 x 7 1/16 (1 3/4 + 5 5/16) in.

Ext. dim.: 410x340x205 mm - 16 1/8 x 13 3/8 x 8 1/16 in.


Weight: (empty) 3,14 Kg - 6.92 Lbs
(w/foam) 3,58 Kg - 7.89 Lbs

Volume: (litres) 18,4 - (gallons) 4.75

Buoyancy: (Kg.max*) 12,4 - (Lbs/max*) 27.33



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle



Counterbalance supports

4412.B E ☐ (empty)

4412.O E ☐ (empty)

4412.G E ☐ (empty)

4412.B C ☒ (w/computer bag)

4412.B ☒ (w/foam)

4412.O ☒ (w/foam)

4412.G ☒ (w/foam)

4412.G C ☒ (w/computer bag)

Int. dim.: 445x345x125 (47+78) mm

17 1/2 x 13 9/16 x 4 15/16 (1 7/8 + 3 1/16) in.

Ext. dim.: 474x415x149 mm - 18 11/16 x 16 5/16 x 5 7/8 in.

Weight: (empty) 3,40 Kg - 7.49 Lbs

(w/foam) 3,90 Kg - 8.59 Lbs

Volume: (litres) 19,2 - (gallons) 5.01

Buoyancy: (Kg.max*) 10,7 - (Lbs/max*) 23.58

BAG-PC44



4412.B C and **4412.G C** models include:

- computer bag with shoulder strap (mod. BAG-PC44)
- organized lid panel (mod. PANEXPL44)
- shoulder strap attachment metal pins kit to fix the shoulder strap on the case (SHOULDER KIT.U)



Shoulder strap can be attached either to the case or the computer bag.

4412.B C



A true
EXPLORER
*Life*TM
SHARKPROJECT 2004
SOUTH AFRICA

**100% ABSOLUTE
GUARANTEED
FOREVER
PROTECTION**



OUR FULL WARRANTY

"We want you to count on Explorer Cases as the most reliable resource to carry your valuable equipment in the harshest environments.

That's why you can count FOREVER on our cases warranty against breakage of materials and defects on workmanship that could affect the integrity of what you carry inside.

After all, it is not by coincidence that all of our unbreakable cases have met the most rigorous military standard qualifications and are now so popular in extreme environments, no matter what human being, animal or fish you come across in your life journey."

See full details on www.explorercases.com



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle

4419.B E ☐ (empty) **4419.B** ☒ (w/foam)

4419.O E ☐ (empty) **4419.O** ☒ (w/foam)

4419.G E ☐ (empty) **4419.G** ☒ (w/foam)

Int. dim.: 445x345x190 (47+143) mm
17 1/2 x 13 9/16 x 7 1/2 (1 7/8 + 5 5/8) in.

Ext. dim.: 474x415x214 mm - 18 11/16 x 16 5/16 x 8 7/16 in.

Weight: (empty) 4,00 Kg - 8.81 Lbs
(w/foam) 4,70 Kg - 10.36 Lbs

Volume: (litres) 29,2 - (gallons) 7.66

Buoyancy: (Kg.max*) 19,7 - (Lbs/max*) 43.43



4820.B E ☐ (empty) 4820.B ☒ (w/foam)
 4820.O E ☐ (empty) 4820.O ☒ (w/foam)
 4820.G E ☐ (empty) 4820.G ☒ (w/foam)

Int. dim.: 480x370x205 (50+155) mm
 18 7/8 x 14 9/16 x 8 1/16 (1 15/16 + x6 1/8) in.
Ext. dim.: 520x435x230 mm - 20 1/2 x 17 1/8 x 9 1/16 in.
Weight: (empty) 4,64 Kg - 10.22 Lbs
 (w/foam) 5,40 Kg - 11.90 Lbs
Volume: (litres) 35,5 - (gallons) 9.24
Buoyancy: (Kg.max*) 24,7 - (Lbs/max*) 54.45

BAG-PC48

Splittable, padded PC and divider bag. It is the ideal solution for carrying and protecting both computer (17" size) and photographic equipment. Adjustable shoulder belt is included. This optional bag perfectly fits into the 4820 model case.



- Lid can be set to slide-off (see pg. 15 for details)
- Optional shoulder strap available (see pg. 18 for details)
- Soft grip rubber handle

5117.B E ☐ (empty) 5117.B ☒ (w/foam)
 5117.O E ☐ (empty) 5117.O ☒ (w/foam)
 5117.G E ☐ (empty) 5117.G ☒ (w/foam)

Int. dim.: 517x277x173 (50+123) mm
 20 3/8 x 10 7/8 x 6 13/16 (1 15/16 + 4 13/16) in.
Ext. dim.: 546x347x197 mm - 21 1/2 x 13 11/16 x 7 3/4 in.
Weight: (empty) 3,80 Kg - 8.37 Lbs
 (w/foam) 4,50 Kg - 9.92 Lbs
Volume: (litres) 24,7 - (gallons) 6.34
Buoyancy: (Kg.max*) 15,8 - (Lbs/max*) 34.83



- Lid can be set to slide-off (see pg. 15 for details)
- Soft grip rubber handle

5122.B E ☐ (empty) 5122.B ☒ (w/foam)
 5122.O E ☐ (empty) 5122.O ☒ (w/foam)
 5122.G E ☐ (empty) 5122.G ☒ (w/foam)

Int. dim.: 517x277x217 (50+167) mm
 20 3/8 x 10 7/8 x 8 9/16 (1 15/16 + 6 9/16) in.
Ext. dim.: 546x347x247 mm - 21 1/2 x 13 11/16 x 9 3/4 in.
Weight: (empty) 6,00 Kg - 13.22 Lbs
 (w/foam) 7,00 Kg - 15.43 Lbs
Volume: (litres) 31,0 - (gallons) 8.18
Buoyancy: (Kg.max*) 21,5 - (Lbs/max*) 47.39



Easy to open release telescopic handle

Wheels with bearings



- Side handles

5822.B E ☐ (empty) **5822.B** ☒ (w/foam)

5822.O E ☐ (empty) **5822.O** ☒ (w/foam)

5822.G E ☐ (empty) **5822.G** ☒ (w/foam)

Int. dim.: 580x440x220 (60+160) mm

22 13/16 x 17 5/16 x 8 11/16 (2 3/8 + 6 5/16) in.

Ext. dim.: 650x510x242 mm - 25 9/16 x 20 1/16 x 9 1/2 in.

Weight: (empty) 7,16 Kg - 15.78 Lbs

(w/foam) 8,39 Kg - 18.49 Lbs

Volume: (litres) 56,1 - (gallons) 14.79

Buoyancy: (Kg.max*) 36,7 - (Lbs/max*) 80.90



- Side handles
- Wheels and
telescopic handle

5823.B E ☐ (empty) **5823.B** ☒ (w/foam)

5823.O E ☐ (empty) **5823.O** ☒ (w/foam)

5823.G E ☐ (empty) **5823.G** ☒ (w/foam)

Int. dim.: 580x440x220 (60+160) mm

22 13/16 x 17 5/16 x 8 11/16 (2 3/8 + 6 5/16) in.

Ext. dim.: 670x510x262 mm - 26 3/8 x 20 1/16 x 10 5/16 in.

Weight: (empty) 9,17 Kg - 20.21 Lbs

(w/foam) 10,40 Kg - 22.92 Lbs

Volume: (litres) 56,1 - (gallons) 14.79

Buoyancy: (Kg.max*) 36,7 - (Lbs/max*) 80.90



- Side handles
- Wheels and
telescopic handle

5833.B E ☐ (empty) **5833.B** ☒ (w/foam)

5833.O E ☐ (empty) **5833.O** ☒ (w/foam)

5833.G E ☐ (empty) **5833.G** ☒ (w/foam)

Int. dim.: 580x440x330 (60+270) mm

22 13/16 x 17 5/16 x 13 (2 3/8 + 10 5/8) in.

Ext. dim.: 670x510x372 mm - 26 3/8 x 20 1/16 x 14 5/8 in.

Weight: (empty) 10,45 Kg - 23.03 Lbs

(w/foam) 12,56 Kg - 27.69 Lbs

Volume: (litres) 84,2 - (gallons) 22.19

Buoyancy: (Kg.max*) 62,0 - (Lbs/max*) 136.68



Telescopic handle with
quick and safe
lock/unlock system



Self-oiling free
running wheels



- Side handles
- Wheels
- Large front handle
- Retractable handle

7630.B E ☐ (empty) **7630.B** ☒ (w/foam)

7630.O E ☐ (empty) **7630.O** ☒ (w/foam)

7630.G E ☐ (empty) **7630.G** ☒ (w/foam)

Int. dim.: 765x485x305 (60+245) mm
30 1/8 x 19 1/8 x 12 (2 3/8 + 9 5/8) in.

Ext. dim.: 860x560x330 mm - 33 7/8 x 22 1/16 x 13 in.

Weight: (empty) 11,20 Kg - 24.69 Lbs
(w/foam) 14,03 Kg - 30.93 Lbs

Volume: (litres) 113,1 - (gallons) 29.85

Buoyancy: (Kg.max*) 81,8 - (Lbs/max*) 180.33



Spring loaded retractable handle



Self-oiling free running wheels



- Side handles
- Wheels

7641.B E ☐ (empty) 7641.B ☒ (w/foam)
 7641.O E ☐ (empty) 7641.O ☒ (w/foam)
 7641.G E ☐ (empty) 7641.G ☒ (w/foam)

Int. dim.: 765x485x415 (60+355) mm
 30 1/8 x 19 1/8 x 16 5/16 (2 3/8 + 14) in.
Ext. dim.: 860x560x435 mm - 33 7/8 x 22 1/16 x 17 1/8 in.
Weight: (empty) 12,07 Kg - 26.60 Lbs
 (w/foam) 15,92 Kg - 35.09 Lbs
Volume: (litres) 153,9 - (gallons) 40.41
Buoyancy: (Kg.max*) 118,5 - (Lbs/max*) 261.24



Self-oiling free running wheels



Two man lift side handles



- Side handles
- Wheels
- Large front handle
- Optional shoulder strap available (see pg. 18 for details)



Wheels with bearings



Two man lift side handles



Two 3-digits locks (only on 11413.B E DL and 11413.B DL mod.)

THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!

11413.B E □ (empty) 11413.B ■ (w/foam)
11413.G E □ (empty) 11413.G ■ (w/foam)
11413.B E DL □ (empty + two 3-digits locks)
11413.B DL ■ (w/foam + two 3-digits locks)

Int. dim.: 1136x350x135 (42+93) mm
44 3/4 x 13 3/4 x 5 5/16 (1 5/8 + 3 11/16) in.
Ext. dim.: 1189x415x159 mm - 46 13/16 x 16 5/16 x 6 1/4 in.
Weight: (empty) 7,80 Kg - 17.19 Lbs
(w/foam) 8,80 Kg - 19.40 Lbs
Volume: (litres) 53,7 - (gallons) 14.18
Buoyancy: (Kg.max*) 33,3 - (Lbs/max*) 73.41



- Side handles
- Wheels
- Large front handle
- Optional shoulder strap available (see pg. 18 for details)



Two man lift side handles



Wheels with bearings



Two 3-digits locks (only on 13513.B E DL and 13513.B DL models)

THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!

13513.B E □ (empty) 13513.B ■ (w/foam)
13513.G E □ (empty) 13513.G ■ (w/foam)
13513.B E DL □ (empty + two 3-digits locks)
13513.B DL ■ (w/foam + two 3-digits locks)

Int. dim.: 1350x350x135 (42+93) mm
53 1/8 x 13 3/4 x 5 5/16 (1 5/8 + 3 11/16) in.
Ext. dim.: 1410x415x159 mm - 55 1/2 x 16 5/16 x 6 1/4 in.
Weight: (empty) 8,70 Kg - 19.18 Lbs
(w/foam) 9,95 Kg - 21.93 Lbs
Volume: (litres) 63,7 - (gallons) 16.82
Buoyancy: (Kg.max*) 39,5 - (Lbs/max*) 87.08




- Side handles
- Wheels
- Large front handle

Two 3-digits locks (only on 13527.B E DL and 13527.B DL models)



THE ONLY WATERPROOF CASE WITH BUILT-IN DIGIT LOCKS!



6 Wheels with bearings



Two man lift side handles

13527.B E □ (empty) 13527.B ■ (w/foam)
13527.G E □ (empty) 13527.G ■ (w/foam)
13527.B E DL □ (empty + two 3-digits locks)
13527.B DL ■ (w/foam + two 3-digits locks)

Int. dim.: 1350x350x272 (42+230) mm
53 1/8 x 13 3/4 x 10 11/16 (1 5/8 + 9 1/16) in.
Ext. dim.: 1430x415x296 mm - 56 5/16 x 16 5/16 x 11 5/8 in.
Weight: (empty) 11,70 Kg - 25.79 Lbs
(w/foam) 14,90 Kg - 32.84 Lbs
Volume: (litres) 128,5 - (gallons) 33.94
Buoyancy: (Kg.max*) 97,5 - (Lbs/max*) 214.95

The Biggest Waterproof Case on the Market



- Detachable lid for easier access
- Four self-oiling free running heavy duty wheels
- Folding side handles on both shells
- Two man lift large folding side handles

- 10840.B E**  (black empty)
10840.G E  (military green empty)
10840.B  (black w/foam)
10840.G  (military green w/foam)

- 10840.B E DL**  (black empty + four 3-digits locks)
10840.B DL  (black w/foam + four 3-digits locks)

**THE ONLY
WATERPROOF CASE
WITH BUILT-IN
DIGIT LOCKS!**




Four 3-digits locks
(only on **10840.B E DL**,
10840.B DL,
10840.B D1 DL and
10840.B D2 DL models)



Int. dim.: 1080x620x400 (200+200) mm
 42 1/2 x 24 7/16 x 15 3/4 (7 7/8 x 7 7/8) in.
Ext. dim.: 1178x718x427 mm - 46 3/8 x 28 1/4 x 16 13/16 in.
Weight: (empty) 19,80 Kg - 43.65 Lbs
 (w/foam) 26,30 Kg - 57.32 Lbs
Volume: (litres) 260 - (gallons) 68.68
Buoyancy: (Kg.max*) 120,6 - (Lbs/max*) 265.87

Optional - Art. PANDIV.18040.
 To hold the lid foam content steady in place. The kit includes: 1 alveolar polypropylene sheet, 4 velcro straps, 8 metal loops, and fixing hardware.



10840.B

MULTI-WEAPONS RACKING SYSTEM CONFIGURATIONS

- 10840.B D1  (multi weapons case - black w/humidity indicator)
- 10840.G D1  (multi weapons case - mil. green w/humidity indicator)
- 10840.B D1 DL  (multi weapons case - black w/humidity indicator + four 3-digits locks)
- 10840.B D2  (multi weapons case - black)
- 10840.G D2  (multi weapons case - military green)
- 10840.B D2 DL  (multi weapons case - black + four 3-digits locks)

All cases mentioned above are set with internal pre-shaped foam bedding and metal lock bars for the 6+6 most used weapons, such as: G36, MP5, M4, M16, AR 70/90 guns models*.

OTHER WEAPONS RACKING SYSTEM CONFIGURATIONS ARE AVAILABLE




PROTECT YOUR EQUIPMENT FROM DAMAGES CAUSED BY HUMIDITY!

HUMIDITY INDICATOR

(only on 10840.B D1, 10840.G D1 and 10840.B D1 DL models).


Humidity indicators have a color change **replaceable** card which turns from blue to lavender to pink as the humidity increases.
HUMIDITY INDICATOR CARD (Art. 055.211)



New metal bracket (Art. EX.METALPLATE) to secure the whole case or the single shell to the wall in order to create a permanent or mobile armoury. Can also be used in special vehicles configurations or deployed in the field.
The multi weapons case (or both open shells separately) is hanged to the metal bracket by mean of its upper external handle, therefore easy to be applied and removed.



* All mentioned trademarks and brands are the property of their respective owners



THE RANGE

The **Explorer Cases** are available in several different sizes with three standard colours and two standard configurations. Special colours are available on request from reasonable quantity. It is possible to personalize the interiors into various configurations; the clean internal lines provide the ideal case for foam converters and custom foam fitting and the pre cubed foam allows the user to tailor the insert to their own individual requirement. In addition the cases are moulded with location points offering the easy insertion of special supports for panel mounting, panel rings, to easily create your customized solution.



CERTIFICATIONS

- IP67 Waterproof, dustproof
- Defence Standard 81-41 Level J
- STANAG 4280 (edition 2)
- Conformity with the Directive 2002/95/EC

Certificates available for download on www.explorercases.com



WATERTIGHT



INTERSTACKABLE



HIGH THICKNESS BODY MATERIAL



CORROSIONPROOF



TEMP RATING -33°C/+90°C



SAND & DUST PROOF



SHOCKPROOF



CRUSHPROOF




DESIGNED FOR MILITARY USE



AIRTIGHT



STAINLESS TREATED METAL PARTS



PADLOCKABLE



GUARANTEED FOREVER PROTECTION

PADDED BAGS and DIVIDERS

A complete set of removable padded bags with handles, internal adjustable dividers and lid panels with pouches available on demand in most of the models. They protect and transport any kind of sensitive equipment and thanks to their modularity, they can be easily combined according to the table on the left.



BAG-R
Ext. Dim. (AxBxC) 270x195x80 mm.



BAG-S
Ext. Dim. (AxBxC) 270x195x130 mm.



BAG-T
Ext. Dim. (AxBxC) 325x230x95 mm.



BAG-E
Ext. Dim. (AxBxC) 375x265x140 mm.



BAG-PC44
Ext. Dim. (AxBxC) 450x345x55 mm.



BAG-A
Ext. Dim. (AxBxC) 450x350x125 mm.



BAG-F
Ext. Dim. (AxBxC) 475x365x160 mm.



BAG-PC48
Ext. Dim. (AxBxC) 475x365x170 mm.



BAG-B
Ext. Dim. (AxBxC) 530x285x135 mm.



BAG-G
Ext. Dim. (AxBxC) 435x285x165 mm.



DIV-H
Ext. Dim. (AxBxC) 435x285x270 mm.



DIV-I
Ext. Dim. (AxBxC) 435x285x110 mm.



BAG-L
Ext. Dim. (AxBxC) 380x240x240 mm.



BAG-M
Ext. Dim. (AxBxC) 755x240x245 mm.



DIV-N
Ext. Dim. (AxBxC) 485x382x240 mm.




BAG-O
Ext. Dim. (AxBxC) 382x242x355 mm.



BAG-P
Ext. Dim. (AxBxC) 755x240x350 mm.




DIV-Q
Ext. Dim. (AxBxC) 485x382x350 mm.




PANELS



PANEXPL27
Dim. 255x180 mm.



PANEXPL33
Dim. 310x215 mm.



PANEXPL38
Dim. 375x225 mm.



PANEXPL44
Dim. 425x305 mm.




PANEXPL48
Dim. 475x325 mm.



BACKPACK CARRYING SYSTEM

Handy backpack carrying system made from robust tear-resistant fabric and designed with comfortable padded shoulder straps that leave your hands free. Available in two adjustable sizes (M & L) that fit from 3317 to 4820 models.

CASE	PANELS	BAGS AND DIVIDERS			
2712	PANEXPL27	R			
2717	PANEXPL27	S			
3317	PANEXPL33	T			
3818	PANEXPL38	E			
4412	PANEXPL44	PC44			
4419	PANEXPL44	A			
4820	PANEXPL48	F	PC48		
5117	PANEXPL51	B			
5122	PANEXPL51	B			
5822	PANEXPL58	G G			
5823	PANEXPL58	G G			
5833	PANEXPL58	G G I I	H H I I	G H I I	
7630	PANEXPL76	L L L L	M M	N N	L L L L
7641	PANEXPL76	O O O O	P P	Q Q	O O O O



PANEXPL51
Dim. 500x230 mm.



PANEXPL58
Dim. 575x395 mm.



PANEXPL76
Dim. 755x440 mm.

MAIN FIELDS of APPLICATION



OFFSHORE INDUSTRY - MILITARY & POLICE - LAW ENFORCEMENT & SAFETY
OUTDOOR - SUBSEA - NAUTICAL & MARINE - FIRE & RESCUE
EMERGENCY - MEDICAL - PHOTOGRAPHIC - TV
BROADCASTING - MANUFACTURING INDUSTRY

ACCESSORIES

For information on spare parts, visit <http://www.explorercases.com/spares>



PANEL MOUNTING RING
(Art. PANRING27, PANRING33,
PANRING38, PANRING27.USA,
PANRING33.USA, PANRING38.USA)



3-DIGITS LOCK
(Art. KIT.DL can fit only on 11413, 13513,
13527, 10840 DL models - includes 2 pcs.)



PANEL MOUNTING BRACKET
PLASTIC SUPPORT
(Art. KIT SUPP.PLAST. includes 6 pcs.)



PANEL MOUNTING BRACKET
METAL SUPPORT
(Art. KIT SUPP.EXPL. includes 6 pcs.)




SHOULDER STRAP KIT.
Available for 1908, 1913, 2209, 2214,
4412, 4419, 5117 models
(Art. SHOULDERKIT.U)
and for 11413, 13513 models
(Art. SHOULDERKIT.135)



LAYERS OF PRECURED FOAM
FOR THE BOTTOM
(Art. FOAM. + item nr.) and
CONVULATED FOAM FOR THE LID
(Art. LIDFOAM. + item nr.)
includes 2 pcs.



PATENTED COMBINATION PADLOCK
(Art. EXPL COMBILOCK)



PATENTED HEAVY DUTY BRASS PADLOCK
(Art. EXPL PADLOCK)

The two Patented heavy duty brass padlocks are designed to fit snug to the Explorer case mould so as not to swing out and making it invulnerable from impacts and impossible for thieves to cut.

OEM SOLUTIONS

Explorer Cases are a genuine Made in Italy product of GT Line, european leading company in the manufacturing of technical cases for industrial and commercial applications. Our flexible manufacturing process allows us to easily and efficiently make your OEM case in any special colour and to personalize and develop specific interiors to meet your requirements.





- Moulded High Impact Polypropylene
- Moulded integral lifting points on both ends
- Full length steel hinge pin to lid
- Positive grab over latching catches
- Trolley case integral wheels and hinge out pull handle
- Use in high/low temp environments
- Slide out clear ID Nameplate holder
- Large fold flat carry handle
- Padlocking provision
- Stacking location points
- Lightweight



WATER RESISTANT



Optional (Art. KIT TRAY MUB)
Tray with removable divider for tools, instruments or spare parts. MUB78 can fit up to two trays.
Elasticated bands for the tray also available (KIT03).

- MUB78** ☐ (black empty)
MUB78.G E ☐ (military green empty)
MUB78.D E ☐ (desert sand empty)

Int. dim.: 780x410x330 (50+280) mm
30 11/16 x 16 1/8 x 13 (1 15/16 + 11) in.
Ext. dim.: 807x470x345 mm - 31 3/4 x 18 1/2 x 13 9/16 in.
Weight: (empty) 6,30 Kg - 13.88 Lbs
Volume: (litres) 89 - (gallons) 23.51
Buoyancy: (Kg.max*) 80,5 - (Lbs/max*) 177.47



- Easy action quick release "up&over" catches
- Two combination locks

GUNCASE.B ☒ (w/convoluted foam)

Int. dim.: 420x925x120 (60+60) mm
16 9/16 x 36 7/16 x 4 3/4 (2 3/8 + 2 3/8) in.
Ext. dim.: 475x1078x157 mm - 18 11/16 x 42 7/16 x 6 3/16 in.
Weight: (w/foam) 9 Kg - 1.94 Lbs



WATER RESISTANT




Free running wheels



Strong metal handle

EXPLORER CASES TECHNICAL SPECIFICATION TABLE

CODES and COLOURS			INT.	REMOV.	WHEELS	INTERNAL DIMENSIONS (mm.)					EXT. DIMENSIONS (mm.)			WEIGHT	BUOYANCY	VOLUME
BLACK	ORANGE	GREEN	CONFIG.	LID		A	B	C	D	E	A	B	C	Kg.	*Kg.max	Litres
1908.B E	1908.O E	1908.G E	empty	---	---	190	125	85	20	65	216	180	102	0,70	1,4	2,0
1908.B	1908.O	1908.G	w/foam	---	---	190	125	85	20	65	216	180	102	0,80	---	---
1913.B E	1913.O E	1913.G E	empty	---	---	190	125	135	20	115	216	180	152	0,85	2,4	3,2
1913.B	1913.O	1913.G	w/foam	---	---	190	125	135	20	115	216	180	152	0,92	---	---
2209.B E	2209.O E	2209.G E	empty	---	---	220	160	95	20	75	246	215	112	0,88	2,3	3,3
2209.B	2209.O	2209.G	w/foam	---	---	220	160	95	20	75	246	215	112	0,99	---	---
2214.B E	2214.O E	2214.G E	empty	---	---	220	160	145	20	125	246	215	162	1,16	3,9	5,1
2214.B	2214.O	2214.G	w/foam	---	---	220	160	145	20	125	246	215	162	1,29	---	---
2712.B E	2712.O E	2712.G E	empty	YES	---	276	200	120	35	85	305	270	144	1,62	4,2	6,6
2712.B	2712.O	2712.G	w/foam	YES	---	276	200	120	35	85	305	270	144	1,83	---	---
2717.B E	2717.O E	2717.G E	empty	YES	---	276	200	170	35	135	305	270	194	1,93	6,7	9,3
2717.B	2717.O	2717.G	w/foam	YES	---	276	200	170	35	135	305	270	194	2,12	---	---
3317.B E	3317.O E	3317.G E	empty	YES	---	330	234	170	68	102	360	304	194	2,29	7,0	13,1
3317.B	3317.O	3317.G	w/foam	YES	---	330	234	170	68	102	360	304	194	2,51	---	---
3818.B E	3818.O E	3818.G E	empty	---	---	380	270	180	45	135	410	340	205	3,14	12,4	18,4
3818.B	3818.O	3818.G	w/foam	---	---	380	270	180	45	135	410	340	205	3,58	---	---
4412.B E	4412.O E	4412.G E	empty	YES	---	445	345	125	47	78	474	415	149	3,40	10,7	19,2
4412.B	4412.O	4412.G	w/foam	YES	---	445	345	125	47	78	474	415	149	3,90	---	---
4412.B C	-	4412.G C	computer case	YES	---	445	345	125	47	78	474	415	149	4,20	---	---
4419.B E	4419.O E	4419.G E	empty	YES	---	445	345	190	47	143	474	415	214	4,00	19,7	29,2
4419.B	4419.O	4419.G	w/foam	YES	---	445	345	190	47	143	474	415	214	4,70	---	---
4820.B E	4820.O E	4820.G E	empty	---	---	480	370	205	50	155	520	435	230	4,64	24,7	35,5
4820.B	4820.O	4820.G	w/foam	---	---	480	370	205	50	155	520	435	230	5,40	---	---
5117.B E	5117.O E	5117.G E	empty	YES	---	517	277	173	50	123	546	347	197	3,80	15,8	24,7
5117.B	5117.O	5117.G	w/foam	YES	---	517	277	173	50	123	546	347	197	4,50	---	---
5122.B E	5122.O E	5122.G E	empty	YES	YES	517	277	217	50	167**	546	347	247	6,00	21,5	31,0
5122.B	5122.O	5122.G	w/foam	YES	YES	517	277	217	50	167**	546	347	247	7,00	---	---
5822.B E	5822.O E	5822.G E	empty	---	---	580	440	220	60	160	650	510	242	7,16	36,7	56,1
5822.B	5822.O	5822.G	w/foam	---	---	580	440	220	60	160	650	510	242	8,39	---	---
5823.B E	5823.O E	5823.G E	empty	---	YES	580	440	220	60	160	670	510	262	9,17	36,7	56,1
5823.B	5823.O	5823.G	w/foam	---	YES	580	440	220	60	160	670	510	262	10,40	---	---
5833.B E	5833.O E	5833.G E	empty	---	YES	580	440	330	60	270	670	510	372	10,45	62,0	84,2
5833.B	5833.O	5833.G	w/foam	---	YES	580	440	330	60	270	670	510	372	12,56	---	---
7630.B E	7630.O E	7630.G E	empty	YES	---	765	485	305	60	245	860	560	330	11,20	81,8	113,1
7630.B	7630.O	7630.G	w/foam	---	YES	765	485	305	60	245	860	560	330	14,03	---	---
7641.B E	7641.O E	7641.G E	empty	---	YES	765	485	415	60	355	860	560	435	12,07	118,5	153,9
7641.B	7641.O	7641.G	w/foam	---	YES	765	485	415	60	355	860	560	435	15,92	---	---
10840.B E	-	10840.G E	empty	YES	YES	1080	620	400	200	200	1178	718	427	19,80	120,6	260
10840.B E DL	-	-	empty+lock	YES	YES	1080	620	400	200	200	1178	718	427	20,20	---	---
10840.B	-	10840.G	w/foam	YES	YES	1080	620	400	200	200	1178	718	427	26,30	120,6	260
10840.B DL	-	-	w/foam+lock	YES	YES	1080	620	400	200	200	1178	718	427	26,70	---	---
10840.B D1	-	10840.G D1	int #1	YES	YES	1080	620	400	200	200	1178	718	427	---	120,6	260
10840.B D1 DL	-	-	int #1+lock	YES	YES	1080	620	400	200	200	1178	718	427	---	---	---
10840.B D2	-	10840.G D2	int #2	YES	YES	1080	620	400	200	200	1178	718	427	---	120,6	260
10840.B D2 DL	-	-	int #2+lock	YES	YES	1080	620	400	200	200	1178	718	427	---	---	---
11413.BE	-	11413.GE	empty	---	YES	1136	350	135	42	93	1189	415	159	7,80	33,3	53,7
11413.B	-	11413.G	w/foam	---	YES	1136	350	135	42	93	1189	415	159	8,80	---	---
11413.BE DL	-	-	empty+lock	---	YES	1136	350	135	42	93	1189	415	159	8,00	33,3	53,7
11413.B DL	-	-	w/foam+lock	---	YES	1136	350	135	42	93	1189	415	159	9,00	---	---
13513.BE	-	13513.GE	empty	---	YES	1350	350	135	42	93	1410	415	159	8,70	39,5	63,7
13513.B	-	13513.G	w/foam	---	YES	1350	350	135	42	93	1410	415	159	9,95	---	---
13513.BE DL	-	-	empty+lock	---	YES	1350	350	135	42	93	1410	415	159	8,90	39,5	63,7
13513.B DL	-	-	w/foam+lock	---	YES	1350	350	135	42	93	1410	415	159	10,15	---	---
13527.BE	-	13527.GE	empty	---	YES	1350	350	272	42	230	1430	415	296	11,70	97,5	128,5
13527.B	-	13527.G	w/foam	---	YES	1350	350	272	42	230	1430	415	296	14,90	---	---
13527.BE DL	-	-	empty+lock	---	YES	1350	350	272	42	230	1430	415	296	11,90	97,5	128,5
13527.B DL	-	-	w/foam+lock	---	YES	1350	350	272	42	230	1430	415	296	15,10	---	---



* Maximum weight capacity when contents are evenly distributed that maintains buoyancy level just below the lid closure line.

** In models 5122, 5822, 5823 and 5833 the internal dimensions given are calculated on the deepest bottom area. However, the depth is shallower in places where allowance is made for the wheel wells and the telescopic handle well.

EXPLORER CASES by GT LINE s.r.l.

Via del Lavoro, 50/52 - 40056 Crespellano (Bo) - Italy - Tel. +39 051 65041 - Fax +39 051 734925
www.explorercases.com - salesinternational@gtline.com



REG. N. 1594
UNI EN ISO 9001:2000

Pictures are showing just a few examples of the many possible applications. Content is not included. The information contained in this catalogue are indicative only. GT Line reserves the right at all times to incorporate modifications in the models described, in accordance with technical or commercial requirements. Any trademarks or logos are property of the respective owners. Pictures Copyrights: pgs. 17 and 18 (sub) PH Roberto Pachi.

REV. 2 CAT. GEN. EXPL. 06/08 (ed. 1.4) - 15.000 EN