

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	B	REVISED PER ECR-15-014913	12OCT2015	R.Z.	C.W.
	B1	REVISED PER ECR-16-004567	16JUN2016	R.Z.	C.W.
	B2	REVISED PER ECR-17-011288	03AUG2017	R.Z	S.L



NOTES:

1. HOUSING MATERIAL: THERMO PLASTIC RESIN.
2. CONTACT MATERIAL: COPPER ALLOY.
FINISH :
50u" MIN. NICKEL UNDERPLATING ALL OVER,
GOLD PLATING 2u" MIN. ON CONTACT AREA
12u" MIN. PD/Ni ON CONTACT AREA
GOLD PLATING 1u" MIN. ON SOLDER AREA
3. COPLANARITY: 0.08MAX. (BEFORE IR)
4. DATE CODE:
Y W W D S L (YEAR, WEEK, DAY, SHIFT, LINE)
5. ASSISTANT PAD FOR CONTACT



CARD INSERTION DIRECTION

2286237-1	2	CONTACT	2
	1	HOUSING	1
P/N	ITEM	COMPONENT	MATERIAL/FINISH



THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±0.1
	1 PLC ±0.05
	2 PLC ±0.05
	3 PLC ±0.05
	4 PLC ±0.05
	ANGLES ±3°
MATERIAL	FINISH
-	-

DWN	E.F.	11-Mar-15
CHK	S.L.	11-Mar-15
APVD	C.W.	11-Mar-15
PRODUCT SPEC		108-115089
APPLICATION SPEC		-
WEIGHT		0.048g
CUSTOMER DRAWING		




TE Connectivity


NAME ANTI-BUCKLING BLOCK SIM CONNECTOR			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2286237	-
SCALE		SHEET	REV
-		1 OF 4	B2




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



REFERENCE INSERTION SITUATION
MICRO-SIM CARD




REFERENCE INSERTION SITUATION
NANO-SIM CARD

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E.F.	11-Mar-15		TE Connectivity		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK S.L.	11-Mar-15				
		APVD C.W.	11-Mar-15				
	0 PLC ±- 1 PLC ±0.3 2 PLC ±0.1 3 PLC ±- 4 PLC ±- ANGLES ±3°	PRODUCT SPEC		NAME ANTI-BUCKLING BLOCK SIM CONNECTOR -			
		108-115089					
		APPLICATION SPEC					
		-					
MATERIAL -	FINISH -	WEIGHT 0.048g		SIZE A3	CAGE CODE 00779	DRAWING NO C-2286237	RESTRICTED TO -
		CUSTOMER DRAWING					
		SCALE -		SHEET 3 OF 4	REV B2		




REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


SECTION A-A



SECTION B-B



400mm REF
WEEDING THE COVER TAPE.



3000EA/1 REEL
WITH PRODUCT CHARGE

WITHOUT CHARGE
20 HOLES MIN.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ±0.3
	1 PLC ±0.1
	2 PLC ±0.1
	3 PLC ±0.1
	4 PLC ±0.1
	ANGLES ±3°
MATERIAL	FINISH
-	-

DWN	E.F.	11-Mar-15
CHK	S.L.	11-Mar-15
APVD	C.W.	11-Mar-15
PRODUCT SPEC	108-115089	
APPLICATION SPEC	-	
WEIGHT	0.048g	
CUSTOMER DRAWING		



TE Connectivity

NAME
ANTI-BUCKLING BLOCK SIM
CONNECTOR

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2286237	-
SCALE	4:1	SHEET	4 OF 4
REV	B2		