


# High Voltage MLC Chips



## For 600V to 5000V Applications



### NEW 630V RANGE

High value, low leakage and small size are difficult parameters to obtain in capacitors for high voltage systems. AVX special high voltage MLC chip capacitors meet these performance characteristics and are designed for applications such as snubbers in high frequency power converters, resonators in SMPS, and high voltage coupling/dc blocking. These high voltage chip designs exhibit low ESRs at high frequencies.

Larger physical sizes than normally encountered chips are used to make high voltage MLC chip products. Special precautions must be taken in applying these chips in surface mount assemblies. The temperature gradient during heating or cooling cycles should not exceed 4°C per second. The preheat temperature must be within 50°C of the peak temperature reached by the ceramic bodies through the soldering process. Chip sizes 1210 and larger should be reflow soldered only. Capacitors may require protective surface coating to prevent external arcing.

For 1825, 2225 and 3640 sizes, AVX offers leaded version in either thru-hole or SMT configurations (for details see section on high voltage leaded MLC chips).

## HOW TO ORDER


| 1808      | A             | A                       | 271                                                                                                             | K                                                                                                            | A                          | 1                                                                        | 1                                          | A                            |
|-----------|---------------|-------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------|--------------------------------------------------------------------------|--------------------------------------------|------------------------------|
| AVX Style | Voltage       | Temperature Coefficient | Capacitance Code<br>(2 significant digits + no. of zeros)                                                       | Capacitance Tolerance<br>C0G: J = ±5%<br>K = ±10%<br>M = ±20%<br>X7R: K = ±10%<br>M = ±20%<br>Z = +80%, -20% | Test Level<br>A = Standard | Termination*<br>1 = Pd/Ag<br>T = Plated<br>Ni and Sn<br>(RoHS Compliant) | Packaging<br>1 = 7" Reel**<br>3 = 13" Reel | Special Code<br>A = Standard |
| 0805      | 600V/630V = C | NPO (C0G) = A           | Examples:<br>10 pF = 100<br>100 pF = 101<br>1,000 pF = 102<br>22,000 pF = 223<br>220,000 pF = 224<br>1 µF = 105 |                                                                                                              |                            |                                                                          |                                            |                              |
| 1206      | 1000V = A     | X7R = C                 |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 1210      | 1500V = S     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 1808      | 2000V = G     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 1812      | 2500V = W     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 1825      | 3000V = H     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 2220      | 4000V = J     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 2225      | 5000V = K     |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| 3640      |               |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |
| ***       |               |                         |                                                                                                                 |                                                                                                              |                            |                                                                          |                                            |                              |

**\*Note:** Terminations with 5% minimum lead (Pb) is available, see pages 87 and 88 for LD style. Leaded terminations are available, see pages 89 and 90.

Notes: Capacitors with X7R dielectrics are not intended for applications across AC supply mains or AC line filtering with polarity reversal. Contact plant for recommendations. Contact factory for availability of Termination and Tolerance options for Specific Part Numbers.

\*\* The 3640 Style is not available on 7" Reels.

\*\*\* AVX offers nonstandard chip sizes. Contact factory for details.



## DIMENSIONS

|                              | millimeters (inches)           |                                |                                |                                |                                |                                |                                |                                |                                |
|------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| SIZE                         | 0805                           | 1206                           | 1210*                          | 1808*                          | 1812*                          | 1825*                          | 2220*                          | 2225*                          | 3640*                          |
| (L) Length                   | 2.01 ± 0.20<br>(0.079 ± 0.008) | 3.20 ± 0.20<br>(0.126 ± 0.008) | 3.20 ± 0.20<br>(0.126 ± 0.008) | 4.57 ± 0.25<br>(0.180 ± 0.010) | 4.50 ± 0.30<br>(0.177 ± 0.012) | 4.50 ± 0.30<br>(0.177 ± 0.012) | 5.70 ± 0.40<br>(0.224 ± 0.016) | 5.72 ± 0.25<br>(0.225 ± 0.010) | 9.14 ± 0.25<br>(0.360 ± 0.010) |
| (W) Width                    | 1.25 ± 0.20<br>(0.049 ± 0.008) | 1.60 ± 0.20<br>(0.063 ± 0.008) | 2.50 ± 0.20<br>(0.098 ± 0.008) | 2.03 ± 0.25<br>(0.080 ± 0.010) | 3.20 ± 0.20<br>(0.126 ± 0.008) | 6.40 ± 0.30<br>(0.252 ± 0.012) | 5.00 ± 0.40<br>(0.197 ± 0.016) | 6.35 ± 0.25<br>(0.250 ± 0.010) | 10.2 ± 0.25<br>(0.400 ± 0.010) |
| (T) Thickness<br>Max.        | 1.30<br>(0.051)                | 1.52<br>(0.060)                | 1.70<br>(0.067)                | 2.03<br>(0.080)                | 2.54<br>(0.100)                | 2.54<br>(0.100)                | 3.30<br>(0.130)                | 2.54<br>(0.100)                | 2.54<br>(0.100)                |
| (t) terminal<br>min.<br>max. | 0.50 ± 0.25<br>(0.020 ± 0.010) | 0.25 (0.010)<br>0.75 (0.030)   | 0.25 (0.010)<br>0.75 (0.030)   | 0.25 (0.010)<br>1.02 (0.040)   | 0.25 (0.010)<br>1.02 (0.040)   | 0.25 (0.010)<br>1.02 (0.040)   | 0.25 (0.010)<br>1.02 (0.040)   | 0.25 (0.010)<br>1.02 (0.040)   | 0.76 (0.030)<br>1.52 (0.060)   |

\*Reflow Soldering Only



## NP0 (C0G) Dielectric Performance Characteristics

|                                                   |                                                                                         |
|---------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Capacitance Range</b>                          | 10 pF to 0.047 $\mu$ F (25°C, 1.0 $\pm$ 0.2 Vrms at 1kHz, for $\leq$ 1000 pF use 1 MHz) |
| <b>Capacitance Tolerances</b>                     | $\pm$ 5%, $\pm$ 10%, $\pm$ 20%                                                          |
| <b>Dissipation Factor</b>                         | 0.1% max. (+25°C, 1.0 $\pm$ 0.2 Vrms, 1kHz, for $\leq$ 1000 pF use 1 MHz)               |
| <b>Operating Temperature Range</b>                | -55°C to +125°C                                                                         |
| <b>Temperature Characteristic</b>                 | 0 $\pm$ 30 ppm/°C (0 VDC)                                                               |
| <b>Voltage Ratings</b>                            | 600, 630, 1000, 1500, 2000, 2500, 3000, 4000 & 5000 VDC (+125°C)                        |
| <b>Insulation Resistance</b> (+25°C, at 500 VDC)  | 100K M $\Omega$ min. or 1000 M $\Omega$ - $\mu$ F min., whichever is less               |
| <b>Insulation Resistance</b> (+125°C, at 500 VDC) | 10K M $\Omega$ min. or 100 M $\Omega$ - $\mu$ F min., whichever is less                 |
| <b>Dielectric Strength</b>                        | Minimum 120% rated voltage for 5 seconds at 50 mA max. current                          |

| Case Size     |     |       | 0805                           |     |      | 1206                           |     |      |      | 1210                           |     |     |      |      | 1808                           |     |     |      |      |      |      | 1812                           |      |     |     |      |      |      |      |      |      |
|---------------|-----|-------|--------------------------------|-----|------|--------------------------------|-----|------|------|--------------------------------|-----|-----|------|------|--------------------------------|-----|-----|------|------|------|------|--------------------------------|------|-----|-----|------|------|------|------|------|------|
| Soldering     |     |       | Reflow/Wave                    |     |      | Reflow/Wave                    |     |      |      | Reflow Only                    |     |     |      |      | Reflow Only                    |     |     |      |      |      |      | Reflow Only                    |      |     |     |      |      |      |      |      |      |
| (L) Length    | mm  |       | 2.01 ± 0.20<br>(0.079 ± 0.008) |     |      | 3.20 ± 0.20<br>(0.126 ± 0.008) |     |      |      | 3.20 ± 0.20<br>(0.126 ± 0.008) |     |     |      |      | 4.57 ± 0.25<br>(0.180 ± 0.010) |     |     |      |      |      |      | 4.50 ± 0.30<br>(0.177 ± 0.012) |      |     |     |      |      |      |      |      |      |
| (W) Width     | mm  |       | 1.25 ± 0.20<br>(0.049 ± 0.008) |     |      | 1.60 ± 0.20<br>(0.063 ± 0.008) |     |      |      | 2.50 ± 0.20<br>(0.098 ± 0.008) |     |     |      |      | 2.03 ± 0.25<br>(0.080 ± 0.010) |     |     |      |      |      |      | 3.20 ± 0.20<br>(0.126 ± 0.008) |      |     |     |      |      |      |      |      |      |
| (T) Thickness | mm  | (in.) | 1.30<br>(0.051)                |     |      | 1.52<br>(0.060)                |     |      |      | 1.70<br>(0.067)                |     |     |      |      | 2.03<br>(0.080)                |     |     |      |      |      |      | 2.54<br>(0.100)                |      |     |     |      |      |      |      |      |      |
| (t) Terminal  | min |       | 0.50 ± 0.25<br>(0.020 ± 0.010) |     |      | 0.25 (0.010)<br>0.75 (0.030)   |     |      |      | 0.25 (0.010)<br>0.75 (0.030)   |     |     |      |      | 0.25 (0.010)<br>1.02 (0.040)   |     |     |      |      |      |      | 0.25 (0.010)<br>1.02 (0.040)   |      |     |     |      |      |      |      |      |      |
| Voltage (V)   |     |       | 600                            | 630 | 1000 | 600                            | 630 | 1000 | 1500 | 2000                           | 600 | 630 | 1000 | 1500 | 2000                           | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000                           | 4000 | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 |
| Cap (pF)      | 1.5 | 1R5   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                |     |     |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |
|               | 1.8 | 1R8   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                |     |     |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |
|               | 2.2 | 2R2   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                |     |     |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |
|               | 2.7 | 2R7   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 3.3 | 3R3   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 3.9 | 3R9   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 4.7 | 4R7   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 5.6 | 5R6   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 6.8 | 6R8   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 8.2 | 8R2   | A                              | A   |      | X                              | X   | X    | X    | X                              |     |     |      |      |                                | C   | C   | C    | C    | C    | C    |                                |      |     |     |      |      |      |      |      |      |
|               | 10  | 100   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 12  | 120   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 15  | 150   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 18  | 180   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 22  | 220   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 27  | 270   | A                              | A   |      | X                              | X   | X    | X    | X                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 33  | 330   | A                              | A   |      | X                              | X   | X    | D    | D                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 39  | 390   | A                              | A   |      | X                              | X   | X    | D    | D                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 47  | 470   | A                              | A   |      | X                              | X   | M    | D    | D                              | C   | C   | D    | D    | D                              | C   | C   | C    | C    | C    | C    | C                              | C    | C   | C   | C    | C    | C    | C    | C    |      |
|               | 56  | 560   | A                              | A   |      | X                              | X   | M    | C    | C                              | C   | C   |      |      |                                |     |     |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |

# High Voltage MLC Chips

For 600V to 5000V Applications



## NP0 (C0G) CAPACITANCE RANGE PREFERRED SIZES ARE SHADED

| Case Size              | 1825                        |     |      |      |      |      |      |      | 2220                        |     |      |      |      |      |      |      | 2225                        |     |     |      |      |      |      |      | 3640                        |      |     |     |      |      |      |      |      |      |      |
|------------------------|-----------------------------|-----|------|------|------|------|------|------|-----------------------------|-----|------|------|------|------|------|------|-----------------------------|-----|-----|------|------|------|------|------|-----------------------------|------|-----|-----|------|------|------|------|------|------|------|
| Soldering              | Reflow Only                 |     |      |      |      |      |      |      | Reflow Only                 |     |      |      |      |      |      |      | Reflow Only                 |     |     |      |      |      |      |      | Reflow Only                 |      |     |     |      |      |      |      |      |      |      |
| (L) Length mm (in.)    | 4.50 ± 0.30 (0.177 ± 0.012) |     |      |      |      |      |      |      | 5.70 ± 0.40 (0.224 ± 0.016) |     |      |      |      |      |      |      | 5.72 ± 0.25 (0.225 ± 0.010) |     |     |      |      |      |      |      | 9.14 ± 0.25 (0.360 ± 0.010) |      |     |     |      |      |      |      |      |      |      |
| (W) Width mm (in.)     | 6.40 ± 0.30 (0.252 ± 0.012) |     |      |      |      |      |      |      | 5.00 ± 0.40 (0.197 ± 0.016) |     |      |      |      |      |      |      | 6.35 ± 0.25 (0.250 ± 0.010) |     |     |      |      |      |      |      | 10.2 ± 0.25 (0.400 ± 0.010) |      |     |     |      |      |      |      |      |      |      |
| (T) Thickness mm (in.) | 2.54 (0.100)                |     |      |      |      |      |      |      | 3.30 (0.130)                |     |      |      |      |      |      |      | 2.54 (0.100)                |     |     |      |      |      |      |      | 2.54 (0.100)                |      |     |     |      |      |      |      |      |      |      |
| (t) Terminal min max   | 0.25 (0.010) 1.02 (0.040)   |     |      |      |      |      |      |      | 0.25 (0.010) 1.02 (0.040)   |     |      |      |      |      |      |      | 0.25 (0.010) 1.02 (0.040)   |     |     |      |      |      |      |      | 0.76 (0.030) 1.52 (0.060)   |      |     |     |      |      |      |      |      |      |      |
| Voltage (V)            | 600                         | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600                         | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000                        | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000                        | 5000 | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000 |
| Cap (pF)               | 1.5 1R5                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 1.8 1R8                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 2.2 2R2                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 2.7 2R7                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 3.3 3R3                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 3.9 3R9                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 4.7 4R7                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 5.6 5R6                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 6.8 6R8                     |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             |     |     |      |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 8.2 8R2                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 10 100                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 12 120                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 15 150                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 18 180                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 22 220                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 27 270                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 33 330                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 39 390                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 47 470                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 56 560                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 68 680                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 82 820                      | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 100 101                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 120 121                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 150 151                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 180 181                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 220 221                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 270 271                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 330 331                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 390 391                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 470 471                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 560 561                     | E   | E    | E    | E    | E    | E    | E    | E                           | E   | E    | E    | E    | E    | E    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 680 681                     | E   | E    | E    | E    | E    | F    | F    | E                           | E   | E    | E    | E    | F    | F    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 750 751                     | E   | E    | E    | E    | E    | F    | F    | E                           | E   | E    | E    | E    | F    | F    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 820 821                     | E   | E    | E    | E    | E    | F    | F    | E                           | E   | E    | E    | E    | F    | F    | E    |                             | E   | E   | E    | E    | E    | F    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 1000 102                    | E   | E    | E    | E    | E    | F    | F    | E                           | E   | E    | E    | E    | F    | F    | E    |                             | E   | E   | E    | E    | E    | E    | E    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 1200 122                    | E   | E    | E    | E    | E    | G    | G    | E                           | E   | E    | E    | E    | G    | G    | E    |                             | E   | E   | E    | E    | E    | F    | F    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 1500 152                    | E   | E    | E    | F    | F    | G    | G    | E                           | E   | E    | F    | F    | G    | G    | E    |                             | E   | E   | E    | E    | E    | F    | F    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 1800 182                    | E   | E    | E    | F    | F    | G    | G    | E                           | E   | E    | F    | F    | G    | G    | E    |                             | E   | E   | E    | E    | E    | G    | G    |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 2200 222                    | E   | E    | E    | G    | G    |      |      | E                           | E   | E    | G    | G    |      |      | E    |                             | E   | E   | E    | E    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 2700 272                    | E   | E    | E    | G    | G    |      |      | E                           | E   | E    | G    | G    |      |      | E    |                             | E   | E   | F    | F    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 3300 332                    | E   | E    | E    | G    | G    |      |      | E                           | E   | E    | G    | G    |      |      | E    |                             | E   | E   | F    | F    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 3900 392                    | E   | E    | E    | G    | G    |      |      | E                           | E   | E    | G    | G    |      |      | E    |                             | E   | E   | G    | G    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 4700 472                    | E   | E    | E    | G    | G    |      |      | E                           | E   | E    | G    | G    |      |      | F    |                             | F   | F   | G    | G    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 5600 562                    | F   | F    | F    | G    | G    |      |      | F                           | F   | F    | G    | G    |      |      | F    |                             | F   | F   | G    | G    |      |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 6800 682                    | F   | F    | F    |      |      |      |      | F                           | F   | F    |      |      |      |      | F    |                             | F   | F   | F    | G    | G    |      |      |                             |      |     |     |      |      |      |      | G    |      |      |
|                        | 8200 822                    | G   | G    | G    |      |      |      |      | G                           | G   | G    |      |      |      |      | G    |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      | G    |      |
| Cap (µF)               | 0.010 103                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.012 123                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.015 153                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.018 183                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.022 223                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.033 333                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.047 473                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.056 563                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.068 683                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
|                        | 0.100 104                   |     |      |      |      |      |      |      |                             |     |      |      |      |      |      |      |                             | G   | G   | G    |      |      |      |      |                             |      |     |     |      |      |      |      |      |      |      |
| Voltage (V)            | 600                         | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600                         | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000                        | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000                        | 5000 | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000 |
| Case Size              | 1825                        |     |      |      |      |      |      |      | 2220                        |     |      |      |      |      |      |      | 2225                        |     |     |      |      |      |      |      | 3640                        |      |     |     |      |      |      |      |      |      |      |

# High Voltage MLC Chips



For 600V to 5000V Applications

## X7R Dielectric Performance Characteristics

|                                            |                                                                           |
|--------------------------------------------|---------------------------------------------------------------------------|
| Capacitance Range                          | 10 pF to 0.56 $\mu$ F (25°C, 1.0 $\pm$ 0.2 Vrms at 1kHz)                  |
| Capacitance Tolerances                     | $\pm$ 10%; $\pm$ 20%; +80%, -20%                                          |
| Dissipation Factor                         | 2.5% max. (+25°C, 1.0 $\pm$ 0.2 Vrms, 1kHz)                               |
| Operating Temperature Range                | -55°C to +125°C                                                           |
| Temperature Characteristic                 | $\pm$ 15% (0 VDC)                                                         |
| Voltage Ratings                            | 600, 630, 1000, 1500, 2000, 2500, 3000, 4000 & 5000 VDC (+125°C)          |
| Insulation Resistance (+25°C, at 500 VDC)  | 100K M $\Omega$ min. or 1000 M $\Omega$ - $\mu$ F min., whichever is less |
| Insulation Resistance (+125°C, at 500 VDC) | 10K M $\Omega$ min. or 100 M $\Omega$ - $\mu$ F min., whichever is less   |
| Dielectric Strength                        | Minimum 120% rated voltage for 5 seconds at 50 mA max. current            |

## X7R CAPACITANCE RANGE PREFERRED SIZES ARE SHADED

| Case Size     |       |     | 0805            |     |      | 1206            |     |      |      |      | 1210            |     |      |      |      | 1808            |     |      |      |      |      |      |      | 1812            |     |      |      |      |      |      |      |
|---------------|-------|-----|-----------------|-----|------|-----------------|-----|------|------|------|-----------------|-----|------|------|------|-----------------|-----|------|------|------|------|------|------|-----------------|-----|------|------|------|------|------|------|
| Soldering     |       |     | Reflow/Wave     |     |      | Reflow/Wave     |     |      |      |      | Reflow Only     |     |      |      |      | Reflow Only     |     |      |      |      |      |      |      | Reflow Only     |     |      |      |      |      |      |      |
| (L) Length    | mm    |     | 2.01 ± 0.20     |     |      | 3.20 ± 0.20     |     |      |      |      | 3.20 ± 0.20     |     |      |      |      | 4.57 ± 0.25     |     |      |      |      |      |      |      | 4.50 ± 0.30     |     |      |      |      |      |      |      |
|               | (in.) |     | (0.079 ± 0.008) |     |      | (0.126 ± 0.008) |     |      |      |      | (0.126 ± 0.008) |     |      |      |      | (0.180 ± 0.010) |     |      |      |      |      |      |      | (0.177 ± 0.012) |     |      |      |      |      |      |      |
| (W) Width     | mm    |     | 1.25 ± 0.20     |     |      | 1.60 ± 0.20     |     |      |      |      | 2.50 ± 0.20     |     |      |      |      | 2.03 ± 0.25     |     |      |      |      |      |      |      | 3.20 ± 0.20     |     |      |      |      |      |      |      |
|               | (in.) |     | (0.049 ± 0.008) |     |      | (0.063 ± 0.008) |     |      |      |      | (0.098 ± 0.008) |     |      |      |      | (0.080 ± 0.010) |     |      |      |      |      |      |      | (0.126 ± 0.008) |     |      |      |      |      |      |      |
| (T) Thickness | mm    |     | 1.30            |     |      | 1.52            |     |      |      |      | 1.70            |     |      |      |      | 2.03            |     |      |      |      |      |      |      | 2.54            |     |      |      |      |      |      |      |
|               | (in.) |     | (0.051)         |     |      | (0.060)         |     |      |      |      | (0.067)         |     |      |      |      | (0.080)         |     |      |      |      |      |      |      | (0.100)         |     |      |      |      |      |      |      |
| (t) Terminal  | min   |     | 0.50 ± 0.25     |     |      | 0.25 (0.010)    |     |      |      |      | 0.25 (0.010)    |     |      |      |      | 0.25 (0.010)    |     |      |      |      |      |      |      | 0.25 (0.010)    |     |      |      |      |      |      |      |
|               | max   |     | (0.020 ± 0.010) |     |      | 0.75 (0.030)    |     |      |      |      | 0.75 (0.030)    |     |      |      |      | 1.02 (0.040)    |     |      |      |      |      |      |      | 1.02 (0.040)    |     |      |      |      |      |      |      |
| Voltage (V)   |       |     | 600             | 630 | 1000 | 600             | 630 | 1000 | 1500 | 2000 | 600             | 630 | 1000 | 1500 | 2000 | 600             | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600             | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 |
| Cap (pF)      | 100   | 101 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 120   | 121 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 150   | 151 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 180   | 181 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 220   | 221 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 270   | 271 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    |                 |     |      |      |      |      |      |      | E               | E   | E    | E    | E    |      |      |      |
|               | 330   | 331 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | E    | F    |      | E               | E   | E    | E    | E    |      |      |      |
|               | 390   | 391 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | E    | F    |      | E               | E   | E    | E    | E    |      |      |      |
|               | 470   | 471 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | E    | F    |      | E               | E   | E    | E    | E    | E    | E    |      |
|               | 560   | 561 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | E    | E    |      |
|               | 680   | 681 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | F    | F    |      |
|               | 750   | 751 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | F    | F    |      |
|               | 820   | 821 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | F    | F    |      |
|               | 1000  | 102 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | F    | F    |      |
|               | 1200  | 122 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | F    | F    |      |
|               | 1500  | 152 | X               | X   | C    | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | G    | G    |      |
|               | 1800  | 182 | X               | X   |      | C               | C   | E    | E    | E    | E               | E   | E    | E    | E    | E               | E   | E    | E    | E    | F    | F    |      | E               | E   | E    | E    | E    | G    | G    |      |
|               | 2200  | 222 | X               | X   |      | C               | C   | E    | E    | E    | E               | E   | E    | E    | F    | E               | E   | E    | E    | F    | F    | F    |      | E               | E   | E    | E    | E    | G    | G    |      |
|               | 2700  | 272 | X               | X   |      | C               | C   | E    | E    |      | E               | E   | E    | F    | E    | E               | E   | E    | F    | F    |      |      |      | E               | E   | E    | E    | E    | G    | G    |      |
|               | 3300  | 332 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    | F    | E    | E               | E   | E    | F    | F    |      |      |      | E               | E   | E    | F    | F    | G    | G    |      |
|               | 3900  | 392 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    | G    |      | E               | E   | E    | F    |      |      |      |      | E               | E   | E    | F    | F    | G    | G    |      |
|               | 4700  | 472 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    | G    |      | E               | E   | E    | G    |      |      |      |      | E               | E   | E    | F    | F    | G    | G    |      |
|               | 5600  | 562 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    | G    |      | E               | E   | E    | F    |      |      |      |      | E               | E   | E    | G    | G    |      |      |      |
|               | 6800  | 682 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    |      |      | E               | E   | E    | F    |      |      |      |      | E               | E   | E    | G    | G    |      |      |      |
|               | 8200  | 822 | X               | X   |      | C               | C   | E    |      |      | E               | E   | E    |      |      | E               | E   | E    |      |      |      |      |      | E               | E   | E    | G    | G    |      |      |      |
| Cap (µF)      | 0.010 | 103 | C               | C   |      | C               | C   | E    |      |      | E               | E   | E    |      |      | E               | E   | E    |      |      |      |      |      | E               | E   | F    | G    | G    |      |      |      |
|               | 0.015 | 153 | C               | C   |      | E               | E   | E    |      |      | E               | E   | E    |      |      | F               | F   | F    |      |      |      |      |      | E               | E   | F    | G    |      |      |      |      |
|               | 0.018 | 183 | C               | C   |      | E               | E   |      |      |      | E               | E   | E    |      |      | F               | F   | F    |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.022 | 223 | C               | C   |      | E               | E   |      |      |      | E               | E   | E    |      |      | F               | F   |      |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.027 | 273 |                 |     |      | E               | E   |      |      |      | E               | E   |      |      |      | F               | F   |      |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.033 | 333 |                 |     |      | E               | E   |      |      |      | E               | E   |      |      |      | F               | F   |      |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.039 | 393 |                 |     |      |                 |     |      |      |      | E               | E   |      |      |      | F               | F   |      |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.047 | 473 |                 |     |      |                 |     |      |      |      | E               | E   |      |      |      | F               | F   |      |      |      |      |      |      | E               | E   | G    |      |      |      |      |      |
|               | 0.056 | 563 |                 |     |      |                 |     |      |      |      | F               | F   |      |      |      | F               | F   |      |      |      |      |      |      | F               | F   |      |      |      |      |      |      |
|               | 0.068 | 683 |                 |     |      |                 |     |      |      |      | F               | F   |      |      |      | F               | F   |      |      |      |      |      |      | F               | F   |      |      |      |      |      |      |
|               | 0.082 | 823 |                 |     |      |                 |     |      |      |      | F               | F   |      |      |      | F               | F   |      |      |      |      |      |      | F               | F   |      |      |      |      |      |      |
|               | 0.100 | 104 |                 |     |      |                 |     |      |      |      | F               | F   |      |      |      |                 |     |      |      |      |      |      |      | F               | F   |      |      |      |      |      |      |
|               | 0.150 | 154 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      | G               | G   |      |      |      |      |      |      |
|               | 0.220 | 224 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      | G               | G   |      |      |      |      |      |      |
|               | 0.270 | 274 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.330 | 334 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.390 | 394 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.470 | 474 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.560 | 564 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.680 | 684 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 0.820 | 824 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
|               | 1.000 | 105 |                 |     |      |                 |     |      |      |      |                 |     |      |      |      |                 |     |      |      |      |      |      |      |                 |     |      |      |      |      |      |      |
| Voltage (V)   |       |     | 600             | 630 | 1000 | 600             | 630 | 1000 | 1500 | 2000 | 600             | 630 | 1000 | 1500 | 2000 | 600             | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600             | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 |
| Case Size     |       |     | 0805            |     |      | 1206            |     |      |      |      | 1210            |     |      |      |      | 1808            |     |      |      |      |      |      |      | 1812            |     |      |      |      |      |      |      |



# High Voltage MLC Chips

For 600V to 5000V Applications



## X7R CAPACITANCE RANGE PREFERRED SIZES ARE SHADED

| Case Size                    | 1825                           |     |      |      |      |      |      |      | 2220                           |     |      |      |      |      |      |      | 2225                           |     |     |      |      |      |      |      | 3640                           |      |     |     |      |      |      |      |      |      |      |
|------------------------------|--------------------------------|-----|------|------|------|------|------|------|--------------------------------|-----|------|------|------|------|------|------|--------------------------------|-----|-----|------|------|------|------|------|--------------------------------|------|-----|-----|------|------|------|------|------|------|------|
| Soldering                    | Reflow Only                    |     |      |      |      |      |      |      | Reflow Only                    |     |      |      |      |      |      |      | Reflow Only                    |     |     |      |      |      |      |      | Reflow Only                    |      |     |     |      |      |      |      |      |      |      |
| (L) Length<br>mm<br>(in.)    | 4.50 ± 0.30<br>(0.177 ± 0.012) |     |      |      |      |      |      |      | 5.70 ± 0.40<br>(0.224 ± 0.016) |     |      |      |      |      |      |      | 5.72 ± 0.25<br>(0.225 ± 0.010) |     |     |      |      |      |      |      | 9.14 ± 0.25<br>(0.360 ± 0.010) |      |     |     |      |      |      |      |      |      |      |
| (W) Width<br>mm<br>(in.)     | 6.40 ± 0.30<br>(0.252 ± 0.012) |     |      |      |      |      |      |      | 5.00 ± 0.40<br>(0.197 ± 0.016) |     |      |      |      |      |      |      | 6.35 ± 0.25<br>(0.250 ± 0.010) |     |     |      |      |      |      |      | 10.2 ± 0.25<br>(0.400 ± 0.010) |      |     |     |      |      |      |      |      |      |      |
| (T) Thickness<br>mm<br>(in.) | 2.54<br>(0.100)                |     |      |      |      |      |      |      | 3.30<br>(0.130)                |     |      |      |      |      |      |      | 2.54<br>(0.100)                |     |     |      |      |      |      |      | 2.54<br>(0.100)                |      |     |     |      |      |      |      |      |      |      |
| (t) Terminal<br>min<br>max   | 0.25 (0.010)<br>1.02 (0.040)   |     |      |      |      |      |      |      | 0.25 (0.010)<br>1.02 (0.040)   |     |      |      |      |      |      |      | 0.25 (0.010)<br>1.02 (0.040)   |     |     |      |      |      |      |      | 0.76 (0.030)<br>1.52 (0.060)   |      |     |     |      |      |      |      |      |      |      |
| Voltage (V)                  | 600                            | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600                            | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000                           | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000                           | 5000 | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000 |
| Cap (pF)                     | 100                            | 101 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 120                            | 121 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 150                            | 151 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 180                            | 181 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 220                            | 221 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 270                            | 271 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 330                            | 331 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 390                            | 391 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 470                            | 471 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 560                            | 561 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 680                            | 681 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 750                            | 751 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 820                            | 821 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      |                                |     |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 1000                           | 102 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 1200                           | 122 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 1500                           | 152 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 1800                           | 182 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 2200                           | 222 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 2700                           | 272 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 3300                           | 332 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 3900                           | 392 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 4700                           | 472 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 5600                           | 562 | F    | F    | F    | F    | F    | F    | F                              | F   | F    | F    | F    | F    | F    | F    |                                | F   | F   | F    | F    | F    | F    | F    | F                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 6800                           | 682 | F    | F    | F    | G    | G    | G    | G                              | G   | G    | G    | G    | G    | G    | G    |                                | F   | F   | F    | F    | F    | F    | G    | G                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
|                              | 8200                           | 822 | F    | F    | F    | G    | G    | G    | G                              | G   | G    | G    | G    | G    | G    | G    |                                | F   | F   | F    | F    | F    | G    | G    | G                              |      | G   | G   | G    | G    | G    | G    | G    | G    | G    |
| Cap (µF)                     | 0.010                          | 103 | F    | F    | F    | G    | G    | G    | G                              | G   | G    | G    | G    | G    | G    |      | F                              | F   | F   | F    | F    | G    | G    | G    |                                | G    | G   | G   | G    | G    | G    | G    | G    | G    |      |
|                              | 0.015                          | 153 | F    | F    | F    | G    | G    | G    | G                              | G   | G    | G    | G    | G    | G    |      | F                              | F   | F   | F    | G    | G    | G    | G    |                                | G    | G   | G   | G    | G    | G    | G    | G    | G    |      |
|                              | 0.018                          | 183 | F    | F    | F    | G    | G    |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    | G    | G    |      |      |                                | G    | G   | G   | G    | G    | G    | G    | G    | G    |      |
|                              | 0.022                          | 223 | F    | F    | F    | G    | G    |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    | G    |      |      |      |                                | G    | G   | G   | G    | G    |      |      |      |      |      |
|                              | 0.027                          | 273 | F    | F    | F    | G    |      |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    | G    |      |      |      |                                | G    | G   | G   | G    | G    |      |      |      |      |      |
|                              | 0.033                          | 333 | F    | F    | F    | G    |      |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    |      |      |      |      |                                | G    | G   | G   | G    |      |      |      |      |      |      |
|                              | 0.039                          | 393 | F    | F    | F    | G    |      |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    |      |      |      |      |                                | G    | G   | G   | G    |      |      |      |      |      |      |
|                              | 0.047                          | 473 | F    | F    | F    | P    |      |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    |      |      |      |      |                                | G    | G   | G   | G    |      |      |      |      |      |      |
|                              | 0.056                          | 563 | F    | F    | F    | G    |      |      |                                |     |      |      |      |      |      |      | F                              | F   | F   | G    |      |      |      |      |                                | G    | G   | G   | G    |      |      |      |      |      |      |
|                              | 0.068                          | 683 | F    | F    | G    |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   | G   |      |      |      |      |      |                                | G    | G   | G   | G    |      |      |      |      |      |      |
|                              | 0.082                          | 823 | F    | F    | G    |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   | G   |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.100                          | 104 | F    | F    | G    |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   | G   |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.150                          | 154 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   | G   |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.220                          | 224 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   | G   |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.270                          | 274 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   |     |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.330                          | 334 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   |     |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.390                          | 394 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   |     |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.470                          | 474 | F    | F    |      |      |      |      |                                |     |      |      |      |      |      |      | F                              | F   |     |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.560                          | 564 | G    | G    |      |      |      |      |                                |     |      |      |      |      |      |      | G                              | G   |     |      |      |      |      |      |                                | G    | G   |     |      |      |      |      |      |      |      |
|                              | 0.680                          | 684 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      | G                              | G   |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 0.820                          | 824 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      | G                              | G   |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
|                              | 1.000                          | 105 |      |      |      |      |      |      |                                |     |      |      |      |      |      |      | G                              | G   |     |      |      |      |      |      |                                |      |     |     |      |      |      |      |      |      |      |
| Voltage (V)                  | 600                            | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 600                            | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000                           | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000                           | 5000 | 600 | 630 | 1000 | 1500 | 2000 | 2500 | 3000 | 4000 | 5000 |
| Case Size                    | 1825                           |     |      |      |      |      |      |      | 2220                           |     |      |      |      |      |      |      | 2225                           |     |     |      |      |      |      |      | 3640                           |      |     |     |      |      |      |      |      |      |      |

|                |               |               |                |                |               |               |               |
|----------------|---------------|---------------|----------------|----------------|---------------|---------------|---------------|
| Letter         | A             | C             | E              | F              | G             | P             | X             |
| Max. Thickness | 0.813 (0.032) | 1.448 (0.057) | 1.8034 (0.071) | 2.2098 (0.087) | 2.794 (0.110) | 3.048 (0.120) | 0.940 (0.037) |

NOTE: Contact factory for non-specified capacitance values



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

## AVX:

[1206AA101JAT1A](#) [1206AA101KAM1A](#) [1206AA220KAT1A](#) [1206AA221JAT1A](#) [1206AA330JAT1A](#)  
[1206AA470KAT1A](#) [1206AA471JAT1A](#) [1206AC102KAT1A](#) [1206AC222KAT1A](#) [1206AC272KAT1A](#) [1206AC392KAT1A](#)  
[1206AC471KAT1A](#) [1206AC472KA11A](#) [1206AC472KAT1A](#) [1206AC472KAT9A](#) [1206AC472MAT1A](#)  
[1206AC472MAT9A](#) [1206CA101JAT3A](#) [1206CA221KAT1A](#) [1206CA331KAT1A](#) [1206CC102KAT1A](#)  
[1206CC102MAT1A](#) [1206CC103KAT1A](#) [1206CC153KAT1A](#) [1206CC153MAT1A](#) [1206CC271KAT1A](#)  
[1206CC471KAT1A](#) [1206CC472KBT1A](#) [1206CC472KBT9A](#) [1206CC822KAT1A](#) [1206GA220JAT1A](#)  
[1206GA330KAT1A](#) [1206GA680KAT9A](#) [1206GC101KAT1A](#) [1206GC101MAT1A](#) [1206GC102KAT1A](#)  
[1206GC221KAT1A](#) [1206GC471KA11A](#) [1206GC471KAT1A](#) [1206GC471MAT1A](#) [1206SA101JAT1A](#)  
[1206SA390JAT1A](#) [1206SC102KAT1A](#) [1206SC122KA11A](#) [1206SC122KAT1A](#) [1206SC471KAT1A](#) [1210AA331KAT1A](#)  
[1210AC103KAT1A](#) [1210AC222MAT1A](#) [1210AC272KAT1A](#) [1210AC472KAT1A](#) [1210AC822KAT1A](#)  
[1210CC102KAT1A](#) [1210CC103KAT1A](#) [1210CC153KAT1A](#) [1210CC223KAT1A](#) [1210CC273KAT1A](#)  
[1210CC273MAT9A](#) [1210GC101KAT1A](#) [1210GC102KAT1A](#) [1210GC102MAT1A](#) [1210GC471KAT1A](#)  
[1210GC821KAT1A](#) [1210SC222MAT1A](#) [1210SC272KAT1A](#) [1210SC272MAT1A](#) [1808AA101KAT1A](#)  
[1808AA102KAT1A](#) [1808AA330KAT1A](#) [1808AA331KAT1A](#) [1808AA331KAT2A](#) [1808AA560JAT1A](#) [1808AA680KAT1A](#)  
[1808AC102KAT1A](#) [1808AC103KAT1A](#) [1808AC103KAT9A](#) [1808AC103KBT1A](#) [1808AC103MAT1A](#)  
[1808AC152KAT1A](#) [1808AC153KA11A](#) [1808AC153KAT1A](#) [1808AC153KAT3A](#) [1808AC153KAT9A](#)  
[1808AC153MAT1A](#) [1808AC153MAT3A](#) [1808AC153MAT9A](#) [1808AC202MAT1A](#) [1808AC222KAT1A](#)  
[1808AC471KBT1A](#) [1808AC472KAT1A](#) [1808AC682KAT1A](#) [1808CA470MAT1A](#) [1808CC103KA11A](#)  
[1808CC103KAT1A](#) [1808CC273KAT9A](#) [1808CC333KATME](#) [1808CC393KAT1A](#) [1808CC393MA11A](#)  
[1808CC393MA19A](#) [1808CC393MAT1A](#)