


REVISIONS

DDC. NO. SPC-F005 * Effective: 7/8/02 * DCP No: 1398


DCP #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
2063	A	RELEASED	JN	08/04/09	JWM	08/06/09	JWM	08/06/09

Option 1



Lead Size: 24 AWG
Ø0.51mm Diameter

Option 2




Lead Size: 20 AWG
Ø0.81mm Diameter




SPECIFICATION

1. Lead Material: Tin plated copper
2. Soldering characteristic: MIL-STD-202, Method 208E.
3. Insulating coating: Flame retardant epoxy, UL-94V-0
4. Operating Current: 900mA~9.0A
5. Maximum Voltage: 30 V
6. Temperature Range: -40°C to 85°C

Typical Time-to-Trip at 23°C



Thermal Derating Curve



Mfg. P/N	A Maximum	B Maximum	C Typical	D Minimum	E Maximum	F Typical	Hold Current	Trip Current	Max.Time To Trip	Maximum Current	Rated Voltage	Typical Power	Resistance Tolerance		Drawing Option	Time-to-Trip Curve Option
							I _H , A	I _T , A	at 5xI _H	I _{MAX} , A	V _{MAX} , Vdc	P _d , W	R _{MIN} ohms	R _{1MAX} ohms		
MC33157	7.4	12.2	5.1	7.6	3	0.9	0.9	1.8	5.9	40	30	0.6	0.07	0.22	Option 1	Option A
MC33158	7.4	14.2	5.1	7.6	3	0.9	1.1	2.2	6.6	40	30	0.7	0.05	0.17	Option 1	Option B
MC33159	8.9	13.5	5.1	7.6	3	0.9	1.35	2.7	7.3	40	30	0.8	0.04	0.13	Option 1	Option C
MC33160	8.9	15.2	5.1	7.6	3	0.9	1.6	3.2	8	40	30	0.9	0.03	0.11	Option 1	Option D
MC33161	10.2	15.7	5.1	7.6	3	0.9	1.85	3.7	8.7	40	30	1	0.03	0.09	Option 1	Option E
MC33162	11.4	18.3	5.1	7.6	3	0.9	2.5	5	10.3	40	30	1.2	0.02	0.07	Option 1	Option F
MC33163	11.4	17.3	5.1	7.6	3	1.2	3	6	10.8	40	30	2	0.02	0.08	Option 2	Option G
MC33164	14	20.1	5.1	7.6	3	1.2	4	8	12.7	40	30	2.5	0.01	0.05	Option 2	Option H
MC33165	14	24.9	10.2	7.6	3	1.2	5	10	14.5	40	30	3	0.01	0.05	Option 2	Option I
MC33166	16.5	24.9	10.2	7.6	3	1.2	6	12	16	40	30	3.5	0.005	0.04	Option 2	Option J
MC33167	21.6	29.2	10.2	7.6	3	1.2	8	16	18.8	40	30	4	0.005	0.02	Option 2	Option L
MC33168	24.1	29.7	10.2	7.6	3	1.2	9	18	20	40	30	4.2	0.005	0.02	Option 2	Option M

DISCLAIMER:
ALL STATEMENTS AND TECHNICAL INFORMATION CONTAINED HEREIN ARE BASED UPON INFORMATION AND/OR TESTS WE BELIEVE TO BE ACCURATE AND RELIABLE. SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL, THE USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE INTENDED USE AND ASSUME ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:

Jason Nash

CHECKED BY:

JWM

APPROVED BY:

JWM

DATE:

08/06/09

DATE:

08/06/09

DATE:

08/06/09

DRAWING TITLE:

Transducer

SIZE

A

DWG. NO.

Ta-1188

ELECTRONIC FILE

Ta-1188.dwg

REV

A

SCALE:

NTS

U.O.M.:

INCHES [mm]

SHEET:

1 OF 1