


ALL DIMENSIONS REFERENCE ONLY





NOTES


1 FOR ADDITIONAL ROLLER WIDTHS AND/OR DIAMETERS
REFER TO THE CHART ON THE RIGHT

2 ALL SCREWS ARE #8-32 UNC WITH A 9/64
ALLEN HEAD SOCKET EXCEPT LSZ52N WHICH USES BUTTON
HEAD SCREW WITH 3/32 HEX SOCKET

ALL DIMENSIONS REFERENCE ONLY

LSZ54

ALL DIMENSIONS
REFERENCE ONLY



ALL DIMENSIONS
REFERENCE ONLY

ALL DIMENSIONS REFERENCE ONLY

MLSZ SERIES CHART

MASTER REDUCED

MICRO SWITCH
FREEDPORT ILLINOIS U.S.A.
A DIVISION OF HONEYWELL
FED. MFG. CODE 91929

LSZ SERIES
CHART 1

THIRD ANGLE PROJECTION

SCALE FULL

DO NOT SCALE PRINT


TOLERANCES

APPLY TO DECIMAL ONLY. FRACTIONS ARE ONE (1) 32ND

REFERENCE UNLESS NOTED. TOLERANCES ARE:

	SIZE	FINISH	TOLERANCE	FINISH	TOLERANCE
NO. OF PLACES	1	1/16" DIA.	± .005	1/16" DIA.	± .005
2	1/32" DIA.	± .002	1/32" DIA.	± .002	
3	1/64" DIA.	± .001	1/64" DIA.	± .001	
4	1/128" DIA.	± .0005	1/128" DIA.	± .0005	
5	1/256" DIA.	± .0002	1/256" DIA.	± .0002	
6	1/512" DIA.	± .0001	1/512" DIA.	± .0001	
7	1/1024" DIA.	± .00005	1/1024" DIA.	± .00005	
8	1/2048" DIA.	± .00002	1/2048" DIA.	± .00002	
9	1/4096" DIA.	± .00001	1/4096" DIA.	± .00001	
10	1/8192" DIA.	± .000005	1/8192" DIA.	± .000005	
11	1/16384" DIA.	± .000002	1/16384" DIA.	± .000002	
12	1/32768" DIA.	± .000001	1/32768" DIA.	± .000001	
13	1/65536" DIA.	± .0000005	1/65536" DIA.	± .0000005	
14	1/131072" DIA.	± .0000002	1/131072" DIA.	± .0000002	
15	1/262144" DIA.	± .0000001	1/262144" DIA.	± .0000001	
16	1/524288" DIA.	± .00000005	1/524288" DIA.	± .00000005	
17	1/1048576" DIA.	± .00000002	1/1048576" DIA.	± .00000002	
18	1/2097152" DIA.	± .00000001	1/2097152" DIA.	± .00000001	
19	1/4194304" DIA.	± .000000005	1/4194304" DIA.	± .000000005	
20	1/8388608" DIA.	± .000000002	1/8388608" DIA.	± .000000002	
21	1/16777216" DIA.	± .000000001	1/16777216" DIA.	± .000000001	
22	1/33554432" DIA.	± .0000000005	1/33554432" DIA.	± .0000000005	
23	1/67108864" DIA.	± .0000000002	1/67108864" DIA.	± .0000000002	
24	1/134217728" DIA.	± .0000000001	1/134217728" DIA.	± .0000000001	
25	1/268435456" DIA.	± .00000000005	1/268435456" DIA.	± .00000000005	
26	1/536870912" DIA.	± .00000000002	1/536870912" DIA.	± .00000000002	
27	1/1073741824" DIA.	± .00000000001	1/1073741824" DIA.	± .00000000001	
28	1/2147483648" DIA.	± .000000000005	1/2147483648" DIA.	± .000000000005	
29	1/4294967296" DIA.	± .000000000002	1/4294967296" DIA.	± .000000000002	
30	1/8589934592" DIA.	± .000000000001	1/8589934592" DIA.	± .000000000001	
31	1/17179869184" DIA.	± .0000000000005	1/17179869184" DIA.	± .0000000000005	
32	1/34359738368" DIA.	± .0000000000002	1/34359738368" DIA.	± .0000000000002	
33	1/68719476736" DIA.	± .0000000000001	1/68719476736" DIA.	± .0000000000001	
34	1/137438953472" DIA.	± .00000000000005	1/137438953472" DIA.	± .00000000000005	
35	1/274877906944" DIA.	± .00000000000002	1/274877906944" DIA.	± .00000000000002	
36	1/549755813888" DIA.	± .00000000000001	1/549755813888" DIA.	± .00000000000001	
37	1/1099511627776" DIA.	± .000000000000005	1/1099511627776" DIA.	± .000000000000005	
38	1/2199023255552" DIA.	± .000000000000002	1/2199023255552" DIA.	± .000000000000002	
39	1/4398046511104" DIA.	± .000000000000001	1/4398046511104" DIA.	± .000000000000001	
40	1/8796093022208" DIA.	± .0000000000000005	1/8796093022208" DIA.	± .0000000000000005	
41	1/17592186044416" DIA.	± .0000000000000002	1/17592186044416" DIA.	± .0000000000000002	
42	1/35184372088832" DIA.	± .0000000000000001	1/35184372088832" DIA.	± .0000000000000001	
43	1/70368744177664" DIA.	± .00000000000000005	1/70368744177664" DIA.	± .00000000000000005	
44	1/140737488355328" DIA.	± .00000000000000002	1/140737488355328" DIA.	± .00000000000000002	
45	1/2814749767				


LEVERS FOR ROTARY LIMIT SWITCHES




CATALOG LISTING	ROLLER	STYLE	DIA.	WIDTH
LSZ59	NONE	---	----	----
LSZ59A	NYLON	OPEN	.750	.250
LSZ59B	STEEL	OPEN	.750	.250
LSZ59C	NYLON	CLOSED	.750	.250
LSZ59D	STEEL	CLOSED	.750	.250
LSZ59L	BALL BEARING	CLOSED	.750	.250

ALL DIMENSIONS REFERENCE ONLY


CATALOG LISTING	ACTUATOR	DIA.	LENGTH
LSZ54W	DELTRIN ROD- BLACK	.27	7.28
LSZ54NA	STAINLESS STEEL ROD	.125	



ALL DIMENSIONS REFERENCE ONLY



FIXED LEVER TYPE



CATALOG LISTING	ROLLER	W WIDTH	Y DIA	Z LENGTH
Ⓢ	NYLON	.300	.875	1.500
Ⓒ	NYLON	.300	.875	2.000
Ⓐ	NYLON	.300	.875	2.500
Ⓒ	NYLON	.300	.875	3.000
Ⓒ	NYLON	.300	.875	3.500
Ⓒ	NYLON	.300	.875	4.000
LSZ581B	ST. STL	.250	.750	1.500
Ⓒ	ST. STL	.250	.750	2.000

NOTE
1 - SCREW IS 10-32 WITH A 5/32 ALLEN HEAD SOCKET

ALL DIMENSIONS REFERENCE ONLY

MASTER REDUCED

MICRO SWITCH

THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH. A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH.

LSZ SERIES

CHART 1

THIRD ANGLE PROJECTION
SCALE NONE
DO NOT SCALE PRINT
TOLERANCES UNLESS NOTED OTHERWISE ARE .001 INCH
DESIGN UNITS INCHES
WEIGHT POUNDS