


- | NO. OF
CKTS | DIM. A | DIM. B |
|----------------|------------------|---------------------------|
| 2 | (8.79)
.346 | (3.96+.05)
.155+.002 |
| 3 | (12.75)
.502 | (7.92+.08)
.312+.003 |
| 4 | (16.71)
.658 | (11.89+.08)
.468+.003 |
| 5 | (20.67)
.814 | (15.85+.08)
.624+.003 |
| 6 | (24.64)
.970 | (19.81+.10)
.780+.004 |
| 7 | (28.60)
1.126 | (23.77+.10)
.936+.004 |
| 8 | (32.56)
1.282 | (27.74+.10)
1.092+.004 |
| 9 | (36.53)
1.438 | (31.70+.10)
1.248+.004 |
| 10 | (40.49)
1.594 | (35.66+.15)
1.404+.006 |
| 11 | (44.45)
1.750 | (39.62+.15)
1.560+.006 |
| 12 | (48.41)
1.906 | (43.59+.15)
1.716+.006 |
| 13 | (52.37)
2.062 | (47.55+.15)
1.872+.006 |
| 14 | (56.34)
2.218 | (51.51+.18)
2.028+.007 |



WHEN MATING OPTION CODE D HOUSING WITH BREAKAWAY FRICTION LOCK OR POLARIZING HEADER, THE END FRICTION LOCKS OR POLARIZING WALLS MUST BE REMOVED.

MATERIAL CODE
N = MOLDED NATURAL

```

VOID CODE
BLANK=NO VOIDS
NO.=NO. CORRESPONDS TO CKT. NO. VOIDED
MULT. VOIDS=START WITH 51


NO. OF CKTS.

```

OPTION CODE			
CODE	RAMP	POLARIZING RIBS	PACKAGING
A	NO	NO	BULK PER PK-41695-001
B	YES	NO	BULK PER PK-41695-001
D	YES	YES	BULK PER PK-41695-001

CORRECT ENGRAVING	DATE	2014/07/30	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION		
	DRAWN BY	2014/07/30		mm	INCH	MM ONLY	4:1	METRIC				
	CHECKED BY	2014/07/30		▽=0 ▽=0 ▽=0		DRAWN BY MM KIPPER CHECKED BY BANDERSON APPROVED BY FSM1 TH		DATE 2012/10/25 2012/10/26 2013/10/04			KK (3.96)/.156 CRIMP TERMINAL HOUSING	
	APPROVED BY	2014/07/31		1 PLACE ± 0.25 0 PLACE ± ± ± ±								
K2	REV	DESCRIPTION	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE CHART		SD-41695		1 OF 2					
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												


OPTION CODE D



- GROOVE MAY BE PRESENT
(BOTH SIDES)



GROOVE MAY BE PRESENT
(BOTH SIDES)

[illegible]

41695-N-BN-0			
PART NO.	ENG. NO.	VIDIDS	
	NOT AVAILABLE		
09-50-802-I	41695-N-B2		
09-50-803-I	41695-N-B3		
09-50-804-I	41695-N-B4		
09-50-805-I	41695-N-B5		
09-50-806-I	41695-N-B6		
09-50-807-I	41695-N-B7		
09-50-808-I	41695-N-B8		
09-50-809-I	41695-N-B9		
09-50-810-I	41695-N-B10		
09-50-811-I	41695-N-B11		
09-50-812-I	41695-N-B12		
09-50-813-I	41695-N-B13		
09-50-814-I	41695-N-B14		
09-50-9030	41695-N-B3-2	2	
	41695-N-B4-2	2	
	41695-N-B5-2	2	
	41695-N-B9-2	2	
	41695-N-B11-2	2	
09-50-912-I	41695-N-B12-2	2	
	41695-N-B14-2	2	
09-50-9060	41695-N-B6-5	5	
09-50-9070	41695-N-B7-6	6	
09-50-9071	41695-N-B7-2	2	
09-50-9040	41695-N-B4-3	3	
09-50-9090	41695-N-B9-7	7	
	41695-N-B14-13	13	
09-50-9136	41695-N-B13-5	5	
09-50-9137	41695-N-B13-8	8	
09-50-9050	41695-N-B5-5	2,4	
09-50-9061	41695-N-B6-3	3	
09-50-9080	41695-N-B8-2	2	
41695-0005	41695-N-B7-3	3	
41695-0006	41695-N-B14-51	5,9	

[illegible]

NOTES:

1. 2-6 CIRCUIT PARTS MANUFACTURED AFTER 9/21/2013
HAVE GEOMETRY ON THIS SHEET. SEE SHEET 1
FOR 7-14 CIRCUIT PARTS AND 2-6 CIRCUIT PARTS
MANUFACTURED PRIOR TO 9/21/2013.

SEE SHEET 1 EC NO: UCT2015-0430 DRAWING: IFCX CHECKED BY: CHIKHAKI PER APPROVED BY: 2014/07/30 2014/07/31	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	DESCRIPTION 4 PLACES ± 3 PLACES ± 3 PLACES ±0.13 1 PLACE ±0.25 0 PLACE ±	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
					MM ONLY		4:1	METRIC		
			mm INCH		DRAWN BY DATE		TITLE			
					KK1PPER 2012/10/25		KK (3.96)/.156 CRIMP TERMINAL HOUSING			
K2	NEW	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
					SEE CHART		SD-41695		2 OF 2	
			SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

09-50-9137