






LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	OWN	APVD	
C1		REVISED PER ECO-09-025699		12DEC09	KK	AEG	
D		ECO-11-021476		26OCT11	JJ	MQW	




PARTIAL BACK VIEW

GREEN	RIGHT HAND LEDS ONLY	6368116-4 8
YELLOW/GREEN	LEFT HAND LEDS ONLY	6368116-3
GREEN	LEFT HAND LEDS WITH GROUND CLIPS	6368116-2
GREEN	LEFT HAND LEDS ONLY	6368116-1
LED COLOR	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN A. FERNANDEZ 27JUL2005	TE Connectivity	
DIMENSIONS:		CHK J. WESTMAN 27JUL2005	NAME OFFSET STACKED MOD JACK ASSEMBLY	
mm		APVD S. FLICKINGER 27JUL2005	2 X 6, 8 POSITION, RJ45, SHIELDED,	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	PANEL GROUND, WITH LEFT LED, CAT 5	
9 PLC ±.1		108-1854	SIZE CAGE CODE DRAWING NO	
3 PLC ±0.13		APPLICATION SPEC	A100779C-6368116	
5 PLC ±.1		114-2160	RESTRICTED TO	
4 PLC ±.1		WEIGHT	-	
ANGLES ±1°		CUSTOMER DRAWING	SCALE 4:1 SHEET 1 OF 3 REV D	



LOC		DIST		REVISONS			
AA	22	P	LTR	DESCRIPTION	DATE	OWN	APVD
				SEE SHEET 1	-	-	-



6368116-1, -2
LED SCHEMATIC

6368116-3
LED SCHEMATIC

DETAIL B
THESE PLATED PADS REQUIRED FOR 6368116-2
PRODUCT WITH GROUNDING CLIPS
SCALE 10:1
6 PLACES

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN A. FERNANDEZ 27JUL2005	TE Connectivity	
DIMENSIONS:		CHK J. WESTMAN 27JUL2005	NAME OFFSET STACKED MOD JACK ASSEMBLY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. CLICKINGER 27JUL2005	2 X 6, 8 POSITION, RJ45, SHIELDED,	
mm		PRODUCT SPEC	PANEL GROUND, WITH LEFT LED, CAT 5	
9 PLC ±.1		APPLICATION SPEC	SIZE CAGE CODE DRAWING NO	
1 PLC ±.13		114-2160	RESTRICTED TO	
3 PLC ±.1		WEIGHT	A100779C=6368116	
4 PLC ±.1		CUSTOMER DRAWING	SCALE 4:1 SHEET 2 OF 3 REV D	
ANGLES FINISH SEE NOTE 1				



LOC		DIST		REVISIONS					
AA		22		REV	LYR	DESCRIPTION	DATE	OWN	APVD
				-	-	SEE SHEET 1	-	-	-

D

C

B

A



6368116-4 LED SCHEMATIC

D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN A. FERNANDEZ 27JUL2005	TE Connectivity	
DIMENSIONS: mm		CHK J. WESTMAN 27JUL2005		
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±.1 1 PLC ±0.13 5 PLC ±.1 4 PLC ±.1 ANGLES ±1°	APVD S. CLICKINGER 27JUL2005	NAME OFFSET STACKED MOD JACK ASSEMBLY 2 X 6, 8 POSITION, RJ45, SHIELDED, PANEL GROUND, WITH LEFT LED, CAT 5	
		PRODUCT SPEC 108-1854	SIZE A100779	
MATERIAL SEE NOTE 1	FINISH SEE NOTE 1	APPLICATION SPEC 114-2160	CAGE CODE C=6368116	
CUSTOMER DRAWING		WEIGHT -	RESTRICTED TO -	
		SCALE 4:1		SHEET 3 OF 3
				REV D