






FCIconnect.com

Copyright FCI

PRODUCT NUMBER  
SEE SHT. 2



|             |          |     |          |                                                      |              |                                                                                                       |  |                                                                                                               |                                                                   |  |  |  |
|-------------|----------|-----|----------|------------------------------------------------------|--------------|-------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|--|--|--|
| mat'l. code |          |     |          | surface <input checked="" type="checkbox"/> ISO 1302 |              | tolerance <input checked="" type="checkbox"/> ISO 406<br><input checked="" type="checkbox"/> ISO 1101 |  | <br>INCH/MM<br>scale 1:1 | product family<br>LATCH-N-LOK                                     |  |  |  |
| ltr         | ecn no   | dr  | date     | tolerances unless otherwise specified                |              |                                                                                                       |  |                                                                                                               | title<br>2X3 LATCH-N-LOK 360° SHIELDED<br>PLUG CONN. KIT W/O PV'S |  |  |  |
| E           | V91916   | RGD | 10/7/99  | angles                                               | linear       | .XX±.01/.3                                                                                            |  |                          | dwg no                                                            |  |  |  |
| F           | V92065   | RGD | 10/29/99 |                                                      |              | .XXX±.005/.13                                                                                         |  |                                                                                                               | sheet 1 of 3 size                                                 |  |  |  |
| G           | V01017   | TFG | 5/15/00  | 0'±2'                                                |              | .XXXX±.0020/.051                                                                                      |  |                                                                                                               | A3                                                                |  |  |  |
| H           | V01093   | TFG | 7/6/00   | dr                                                   | M. HERNANDEZ | 12/03/04                                                                                              |  |                                                                                                               | type Product Customer Drawing                                     |  |  |  |
| J           | M04-0229 | MHT | 12/03/04 | enr                                                  | M. BARRIOS   | 12/03/04                                                                                              |  |                                                                                                               |                                                                   |  |  |  |
| K           | M06-0285 | AGS | 7/28/06  | chr                                                  | M. BARRIOS   | 12/03/04                                                                                              |  |                                                                                                               |                                                                   |  |  |  |
| L           | M06-0365 | AGS | 9/20/06  | appd                                                 | M. BARRIOS   | 12/03/04                                                                                              |  |                                                                                                               |                                                                   |  |  |  |
| sheet index | revision | L   | L        | L                                                    |              |                                                                                                       |  |                                                                                                               |                                                                   |  |  |  |
|             | sheet    | 1   | 2        | 3                                                    |              |                                                                                                       |  |                                                                                                               |                                                                   |  |  |  |

form: A3



74902-6UVXLF

X EXTENDED LATCH OPTION


| U  | COLOR       |     |
|----|-------------|-----|
| 01 | LT GRAY     | OBS |
| 02 | OFF WHITE   |     |
| 03 | DK GRAY     | OBS |
| 04 | BLACK       |     |
| 05 | SLATE GRAY  | OBS |
| 07 | SILVER GRAY |     |
| 08 | PEARL WHITE | OBS |
| 09 | PEBBLE GRAY |     |

### EXAMPLE


74902-607XLF: IS A 2X3 REAR EXIT PLUG  
IN SILVER GRAY WITH A CABLE EXIT  
HOLE SIZE OF .250[6.35] CABLE RANGE ,  
ALSO WITH THE EXTENDED LATCH OPTION.




|             |                |    |    |                       |                                       |                                                                                       |                               |
|-------------|----------------|----|----|-----------------------|---------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|
| mat'l. code |                |    |    | surface<br>ISO 1302 ✓ | tolerance<br>ISO 406<br>ISO 1101      | projection<br>INCH/MM                                                                 | product family<br>LATCH-N-LOK |
| ltr         | ecn            | no | dr | date                  | tolerances unless otherwise specified |  | title                         |
| L           |                |    |    |                       | angles .XX±.01/.3                     |                                                                                       | 2X3 LATCH-N-LOK 360° SHIELDED |
|             |                |    |    |                       | linear .XXX±.005/.13                  |                                                                                       | PLUG CONN. KIT W/O PV'S       |
|             |                |    |    |                       | 0°±2' .XXXX±.0020/.051                |                                                                                       | scale 1:1                     |
|             |                |    |    | dr                    | M. HERNANDEZ 12/03/04                 |  | dwg no                        |
|             |                |    |    | enr                   | M. BARRIOS 12/03/04                   |                                                                                       | sheet 2 of 3                  |
|             |                |    |    | chr                   | M. BARRIOS 12/03/04                   |                                                                                       | size                          |
|             |                |    |    | app                   | M. BARRIOS 12/03/04                   |                                                                                       | A3                            |
| sheet index | revision sheet |    |    |                       |                                       |                                                                                       | type Product Customer Drawing |



REAR CAP




MINI  
LATCH  
HOUSING



TOP  
SHIELD

BOTTOM  
SHIELD



PLUG FRONT

NOTES:

1. EACH KIT CONTAINS ONE EACH OF THE FOLLOWING COMPONENTS  
LATCH-N-LOK PLUG  
LATCH-N-LOK END CAP  
MINI LATCH HOUSING  
360° SHIELD CANS.
2. COMPONENTS ARE BULK PACKAGED WITH 100 pcs. OF A COMPONENT  
PER BAG. PVC's MUST BE ORDERED SEPARATELY.
3. MATERIALS USED: PLUGS AND CAPS ARE MOLDED IN POLYCARBONATE.  
THE MINI LATCH HOUSING ARE MOLDED IN NYLON. COLOR IS BLACK.  
THE SHIELD CAN IS 3/4 HARD BRASS PLATED WITH 2.5um MIN. BRIGHT TIN.  
1.0um MIN. NICKEL UNDERPLATE.
- ④ DIMENSIONS ARE APPROXIMATE AND REFLECT PLUG IN UNLATCHED STATE.
5. PART NUMBERS WITH LF IN THE END ARE LEAD FREE.
6. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY  
REGULATION AS DESCRIBED IN GS-22-008.



FCIconnect.com

Copyright FCI

|             |          |    |    |          |                                                                     |            |                                                         |                               |                   |
|-------------|----------|----|----|----------|---------------------------------------------------------------------|------------|---------------------------------------------------------|-------------------------------|-------------------|
| mat'l. code |          |    |    | surface  | tolerance                                                           | projection | product family                                          |                               |                   |
|             |          |    |    | ISO 1302 | ISO 406<br>ISO 1101                                                 |            | LATCH-N-LOK                                             |                               |                   |
| ltr         | ecn      | no | dr | date     | tolerances unless otherwise specified                               |            | title                                                   |                               |                   |
| L           |          |    |    |          | angles .XX±.01/.3<br>linear .XXX±.005/.13<br>0°±2' .XXXX±.0020/.051 |            | 2X3 LATCH-N-LOK 360 SHIELDED<br>PLUG CONN. KIT W/O PV'S |                               |                   |
|             |          |    |    | dr       | M. HERNANDEZ                                                        | 12/03/04   |                                                         | dwg no                        | sheet 3 of 3 size |
|             |          |    |    | enr      | M. BARRIOS                                                          | 12/03/04   |                                                         | 74902                         | A3                |
|             |          |    |    | chr      | M. BARRIOS                                                          | 12/03/04   |                                                         |                               |                   |
|             |          |    |    | appd     | M. BARRIOS                                                          | 12/03/04   |                                                         | type Product Customer Drawing |                   |
| sheet       | revision |    |    |          |                                                                     |            |                                                         |                               |                   |
| index       | sheet    |    |    |          |                                                                     |            |                                                         |                               |                   |