

## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid  
(<http://phoenixcontact.com/download>)



Control cabinet feed-through, M12, 4-pos., D-coded on RJ45 socket, socket input 180°, IP65/67



Ethernet

### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	36.000 g
Custom tariff number	85366990
Country of origin	Germany

### Technical data

#### Mechanical characteristics

Thread type	M12
Weight	35.6 g

#### Ambient conditions

Ambient temperature (operation)	-25 °C ... 85 °C
Degree of protection	IP65
	IP67

#### Material data

Contact material	Copper alloy
Housing material	PA
Mounting type	Rear mounting

#### Electrical characteristics

Number of positions	4
Nominal voltage U <sub>N</sub>	48 V

## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494

### Technical data

#### Electrical characteristics


Nominal current $I_N$	1 A
Transmission characteristics (category)	CAT5 (IEC 11801:2002)
GRP transmission properties	CAT5 (IEC 11801:2002)
Rated current	1.75 A
Rated voltage (III/3)	50 V

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

### Drawings


Exploded view



Exploded drawing


## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494

Dimensional drawing



## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494


Dimensional drawing



Mounting cutout

## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494

Circuit diagram



Circuit diagram

### Classifications

#### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27279220
eCl@ss 7.0	27440103
eCl@ss 8.0	27440103
eCl@ss 9.0	27440102

#### ETIM

ETIM 3.0	EC002061
ETIM 4.0	EC002061
ETIM 5.0	EC002061

#### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501

## Control cabinet feed-through - VS-BH-M12FSD-RJ45/180 - 1657494

### Classifications

#### UNSPSC

UNSPSC 13.2	31261501
-------------	----------