


900 MHz RX Diversity Ceramic Antenna

Ground cleared under antenna, clearance area 10.60 x 8.25 mm

Pulse Part Number: W3032



Features

- Omnidirectional radiation
- Low profile
- Compact size W x L x H (10 x 3.2 x 4 mm)
- Low weight (600 mg)
- Lead free materials
- Fully SMD compatible
- Lead free soldering compatible
- Tape and reel packing
- RoHS Compliant Product

Applications

- E-GSM 900 Band
- 925-960 MHz

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on test board (GP) size and antenna positioning on GP and Ground Clearance area size.

RX Diversity 925-960 MHz

Typical performance (test board size 100 x 37 mm, PWB ground clearance area 10.60 x 8.25 mm)

Frequency Range [MHz]	Linear Max Gain [dBi]	Efficiency [%] / [dB]	Return Loss min. [dB]	Impedance [Ω]	Operating Temperature [°C]
925-960	2 (peak) 0 (band edges)	65 / -1.9 (peak) 45 / -3.5 (band edges)	-5	50	-40 to +85

Pulse Antennas

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas

900 MHz RX Diversity Ceramic Antenna

Ground cleared under antenna, clearance area 10.60 x 8.25 mm

Typical Electrical Characteristics (T=25 °C)

Measured on the 100 x 37 mm test board

Typical Return Loss S11/impedance


GSM 900 RX Diversity

15 Sep 2006 10:22:18

CH1 S11 LOG 5 dB/REF 0 dB

CH1Markers

- | | | |
|----|------------|-------------|
| 1. | -5.3044 dB | 925.000 MHz |
| 2. | -16.663 dB | 942.000 MHz |
| 3. | -5.4544 dB | 960.000 MHz |




GSM 900 RX Diversity

15 Sep 2006 10:23:29

CH1Markers


- | | | | |
|----|----------|-----------|-----------------|
| 1. | 18.497 Ω | 31.482 Ω | 925.000 MHz |
| 2. | 45.139 Ω | 5.9180 Ω | 999.87 pH |
| | | | 942.000 000 MHz |
| 3. | 15.538 Ω | -9.7031 Ω | 960.000 MHz |

CH1 S11 1 U FS
PRm
Del
Cor




Free space efficiency and maximum gain

RX Diversity 925-960 MHz



RX Diversity 925-960 MHz



Pulse Antennas

Takatie 6

90440 Kempele, Finland

Tel: +358 207 935 500





Fax: +358 207 935 501

www.pulseeng.com/antennas

900 MHz RX Diversity Ceramic Antenna

Ground cleared under antenna, clearance area 10.60 x 8.25 mm

Typical Free Space Radiation Patterns



Pulse Antennas

Takatie 6

90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501

www.pulseeng.com/antennas