







	1	2	3	4	5	6	7																																																																																																																																																																																																																																																																																																																		
A	      LOGO ABOVE THE SURFACE 0.20mm ELECTRICAL: 1. VOLTAGE RATING : 125 VAC. 2. CURRENT RATING : 1.5 AMP. 3. CONTACT RESISTANCE : 100 MILLIOHMS MAX. 4. INSULATION RESISTANCE : 1000 MEGOHMS MIN. @ 500 VDC. 5. DIELECTRIC STRENGTH : 750 VAC 60Hz, 1MIN. MECHANICAL: 1. HOUSING MATERIAL : PC. UL94V-0. BLACK 2. CONTACT MATERIAL : PHOSPHOR BRONZE T=0.35mm. 3. PLATING : 50U" GOLD PLATING OVER NICKEL. 4. INSERT MATERIAL : GLASS FILLED POLYDSTER UL94V-0. 5. PCB MATERIAL : FR-4 THICKNESS 1.6mm. ③ 6. OPERATING LIFE : 750 CYCLES MIN. ENVIRONMENTAL: 1. STORAGE : -40°C TO +85°C. 2. OPERATION : 0°C TO +70°C. ① Conforming to TIA/EIA 568B.2-1 RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table> <tr><td>B</td><td colspan="7"></td><td>B</td></tr> <tr><td>C</td><td colspan="7"></td><td>C</td></tr> <tr><td>D</td><td colspan="7"></td><td>D</td></tr> <tr><td>E</td><td colspan="7"></td><td>E</td></tr> <tr><td>F</td><td colspan="7"></td><td>F</td></tr> <tr><td>G</td><td colspan="7"> RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table> </td><td>G</td></tr> <tr><td>H</td><td colspan="7"> RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table> </td><td>H</td></tr> <tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>SV3669</td></tr>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	22.09.2014	Joanna	.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy	.XX	±0.15								.XXX	±0.10	②	Add UL	24.03.2017	Amy				DIM	TOL	①	Add information	16.02.2015	Hellwig				Angle	±5°							①	Drawn	22.09.2014	Joanna						Id.	Modification	Date	Name				B								B	C								C	D								D	E								E	F								F	G	RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	22.09.2014	Joanna	.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy	.XX	±0.15								.XXX	±0.10	②	Add UL	24.03.2017	Amy				DIM	TOL	①	Add information	16.02.2015	Hellwig				Angle	±5°							①	Drawn	22.09.2014	Joanna						Id.	Modification	Date	Name				G	H	RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	22.09.2014	Joanna	.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy	.XX	±0.15								.XXX	±0.10	②	Add UL	24.03.2017	Amy				DIM	TOL	①	Add information	16.02.2015	Hellwig				Angle	±5°							①	Drawn	22.09.2014	Joanna						Id.	Modification	Date	Name				H		1	2	3	4	5	6	7	SV3669
Scale								Free					Date	Name	Customer-No.																																																																																																																																																																																																																																																																																																										
TOLERANCE													Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																										
.X								±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy																																																																																																																																																																																																																																																																																																										
.XX								±0.15																																																																																																																																																																																																																																																																																																																	
.XXX								±0.10	②	Add UL	24.03.2017	Amy																																																																																																																																																																																																																																																																																																													
DIM	TOL	①	Add information	16.02.2015	Hellwig																																																																																																																																																																																																																																																																																																																				
Angle	±5°																																																																																																																																																																																																																																																																																																																								
		①	Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																																				
		Id.	Modification	Date	Name																																																																																																																																																																																																																																																																																																																				
B								B																																																																																																																																																																																																																																																																																																																	
C								C																																																																																																																																																																																																																																																																																																																	
D								D																																																																																																																																																																																																																																																																																																																	
E								E																																																																																																																																																																																																																																																																																																																	
F								F																																																																																																																																																																																																																																																																																																																	
G	RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	22.09.2014	Joanna	.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy	.XX	±0.15								.XXX	±0.10	②	Add UL	24.03.2017	Amy				DIM	TOL	①	Add information	16.02.2015	Hellwig				Angle	±5°							①	Drawn	22.09.2014	Joanna						Id.	Modification	Date	Name				G																																																																																																																																																																																																																																			
Scale	Free					Date	Name	Customer-No.																																																																																																																																																																																																																																																																																																																	
TOLERANCE						Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																																	
.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy																																																																																																																																																																																																																																																																																																																	
.XX	±0.15																																																																																																																																																																																																																																																																																																																								
.XXX	±0.10	②	Add UL	24.03.2017	Amy																																																																																																																																																																																																																																																																																																																				
DIM	TOL	①	Add information	16.02.2015	Hellwig																																																																																																																																																																																																																																																																																																																				
Angle	±5°																																																																																																																																																																																																																																																																																																																								
		①	Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																																				
		Id.	Modification	Date	Name																																																																																																																																																																																																																																																																																																																				
H	RoHS compliant Unit: mm ②  File No.: E345352 <table><tr><td>Scale</td><td>Free</td><td></td><td></td><td></td><td></td><td>Date</td><td>Name</td><td>Customer-No.</td></tr><tr><td>TOLERANCE</td><td></td><td></td><td></td><td></td><td></td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td></tr><tr><td>.X</td><td>±0.20</td><td>③</td><td>Add operating life</td><td>12.03.2019</td><td>Amy</td><td>Approved</td><td>12.03.2019</td><td>Amy</td></tr><tr><td>.XX</td><td>±0.15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>.XXX</td><td>±0.10</td><td>②</td><td>Add UL</td><td>24.03.2017</td><td>Amy</td><td></td><td></td><td></td></tr><tr><td>DIM</td><td>TOL</td><td>①</td><td>Add information</td><td>16.02.2015</td><td>Hellwig</td><td colspan="3" rowspan="2"></td></tr><tr><td>Angle</td><td>±5°</td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td>①</td><td>Drawn</td><td>22.09.2014</td><td>Joanna</td><td colspan="3"></td></tr><tr><td></td><td></td><td>Id.</td><td>Modification</td><td>Date</td><td>Name</td><td colspan="3"></td></tr></table>							Scale	Free					Date	Name	Customer-No.	TOLERANCE						Drawn	22.09.2014	Joanna	.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy	.XX	±0.15								.XXX	±0.10	②	Add UL	24.03.2017	Amy				DIM	TOL	①	Add information	16.02.2015	Hellwig				Angle	±5°							①	Drawn	22.09.2014	Joanna						Id.	Modification	Date	Name				H																																																																																																																																																																																																																																			
Scale	Free					Date	Name	Customer-No.																																																																																																																																																																																																																																																																																																																	
TOLERANCE						Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																																	
.X	±0.20	③	Add operating life	12.03.2019	Amy	Approved	12.03.2019	Amy																																																																																																																																																																																																																																																																																																																	
.XX	±0.15																																																																																																																																																																																																																																																																																																																								
.XXX	±0.10	②	Add UL	24.03.2017	Amy																																																																																																																																																																																																																																																																																																																				
DIM	TOL	①	Add information	16.02.2015	Hellwig																																																																																																																																																																																																																																																																																																																				
Angle	±5°																																																																																																																																																																																																																																																																																																																								
		①	Drawn	22.09.2014	Joanna																																																																																																																																																																																																																																																																																																																				
		Id.	Modification	Date	Name																																																																																																																																																																																																																																																																																																																				
	1	2	3	4	5	6	7	SV3669																																																																																																																																																																																																																																																																																																																	