




PART NUMBER	CONTACT PINS		HOUSING FINISH	INSULATOR COLOR		
TAKT NOWBER	QTY	FINISH	11003ING 1 INISH	INSULATOR COLOR		
QT3MZ	3	SILVER	NICKEL	GREEN		
QT3MAUZ	3	GOLD	NICKEL	GREEN		
QT3MBZ	3	SILVER	BLACK CHROME	BLACK		
QT3MBAUZ	3	GOLD	BLACK CHROME	BLACK		
QT4MZ	4	SILVER	NICKEL	GREEN		
QT4MAUZ	4	GOLD	NICKEL	GREEN		
QT4MBZ	4	SILVER	BLACK CHROME	BLACK		
QT4MBAUZ	4	GOLD	BLACK CHROME	BLACK		
QT5MZ	5	SILVER	NICKEL	GREEN		
QT5MAUZ	5	GOLD	NICKEL	GREEN		
QT5MBZ	5	SILVER	BLACK CHROME	BLACK		
QT5MBAUZ	5	GOLD	BLACK CHROME	BLACK		
QT6MZ	6	SILVER	NICKEL	GREEN		
QT6MAUZ	6	GOLD	NICKEL	GREEN		
QT6MBZ	6	SILVER	BLACK CHROME	BLACK		
QT6MBAUZ	6	GOLD	BLACK CHROME	BLACK		
QT7MZ	7	SILVER	NICKEL	GREEN		
QT7MAUZ	7	GOLD	NICKEL	GREEN		
QT7MBZ	7	SILVER	BLACK CHROME	BLACK		
QT7MBAUZ	7	GOLD	BLACK CHROME	BLACK		














CONTACT PINS AS VIEWED FACING MALE CONNECTOR








QT3MZ SHOWN

CUSTOMER DRAWING



NOTES:

- 1. MATERIALS:
 HOUSING ZINC ALLOY
 INSULATOR THERMOPLASTIC
 GROUND TERMINAL SPECIAL COPPER ALLOY
 CONTACT PINS COPPER ALLOY
- 2. THESE PRODUCTS ARE RoHS COMPLIANT.

					$\stackrel{\wedge}{\sim}$			
					ι			
					1. A - T			
D	27081	01/25/13	BL	TJK	- T - A			
С	24940	12-1-04	RS	TJK	- <i>F</i>			
В	24552	10-10-03	JL	BRH	2. FE			
Α	24446	8-11-03	JL	BRH	3. R			
REV	ECO NUMBER	DATE	BY	APVD				
REVISIONS								

	STAR SYMBOL DENOTES CRITICAL DIMENSION	
	UNLESS OTHERWISE SPECIFIED	Ī
	1. ALL DIMENSIONS IN INCHES - TWO PLACE DECIMALS ±0.01	
TJK	- THREE PLACE DECIMALS ±0.005 - ANGLES ±1°	L
TJK	- ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R.	
BRH	2. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002	[
BRH	3. REMOVE ALL BURRS	
		L

		THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.									
UNLESS OTHERWISE SPECIFIED 1. ALL DIMENSIONS IN INCHES	SIZE	W	VIDTH		MULT		LBS/M		TEMF	PER	
- TWO PLACE DECIMALS ±0.01 - THREE PLACE DECIMALS ±0.005 - ANGLES +1°	FINISH SPEC No.				MATERIAL SPEC No.						
- ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R. 2. FEATURES ON THE SAME CENTERLINE	FIRST USED ON AAA3MZ DATE DRAWN BY CH		SCALE 2:1 KD APVD		- -Smilteheral						
MUST BE ALIGNED WITHIN ±0.002 3. REMOVE ALL BURRS	3-10-03	BRH	RD.	H	BRH 8-11-03		SHEET	1	OF	1	
DO NOT SCALE DRAWING	NAME MALE XLR I	INSEF	RT SUE	B-ASSY	, RoHS	PART No.		Z SE	RIES	S	REV D