




CIRCUIT NOS. (3 PL.)




MOUNTING EAR
(WHEN SPECIFIED)
SEE DETAIL A OR B
(PRE-BENT SHOWN)




"A" SEE NOTE Δ



.198
(5.03) TYP.





CIRCUIT I.D. NUMBERS




PLUG

1396-P SHOWN ABOVE (WITH STANDARD MOUNTING EAR)

CIRCUIT NUMBERS (3 PL.)




ALTERNATE END CONFIGURATION
SEE NOTE Δ




MOUNTING EARS
(WHEN SPECIFIED)
SEE DETAIL A OR B
(PRE-BENT SHOWN)



"B" SEE NOTE Δ



OPTIONAL LOCK RAMP



.198
(5.03) TYP.









1396-R2 SHOWN
(NO EAR NO LOCK RAMPS)

RECEPTACLE


1396-R4 SHOWN (WITH PRE-BENT EAR)

ADD NOTES 7 & 8				DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		
							IN/MM		2:1	INCH			
EC NO: UCP2014-5270					$\nabla = 0$	mm	INCH	DRAWN BY	DATE	TITLE			
DRWN: DFOX					$\nabla = 0$	4 PLACES $\pm .005$	$\pm .010$	JJS	1988/04/08	.093/(2.36) HOUSING			
CHKD: MIPPER					$\nabla = 0$	3 PLACES $\pm .005$	$\pm .010$	CHECKED BY	DATE	PLUG AND RECEPTACLE			
APPR: FSMITH					$\nabla = 0$	2 PLACES $\pm .025$	$\pm .014$	RW	1988/04/08	3 CIRCUIT .198 CENTERS			
					$\nabla = 0$	1 PLACE $\pm .035$	$\pm .014$	APPROVED BY	DATE	molex			
					$\nabla = 0$	0 PLACE $\pm .005$	$\pm .010$	FSMITH	2014/06/23				
						ANGULAR $\pm 1/2^\circ$		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	
						DRAFT WHERE APPLICABLE		SEE CHART		SD-1396-*		1 OF 2	
Z2				REV		MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

[illegible]



PLUG
SHOWN ABOVE WITH SIDE PANEL MOUNT



MOUNTING DETAIL

NOTES:

1. ACCEPTS MOLEX .093/(2.36) TERMINALS.
2. MATES WITH I396-R* HOUSINGS.
3. RECOMMENDED DIRECTION OF PUNCH.
4. PART CONFORMS TO PRODUCT SPEC 02-09.
5. MATERIAL:
NYLON TYPE 6/6, 94V-2
NATURAL COLOR
6. CIRCUIT I.D. NUMBERS ON SIDE OF HOUSING
APPEAR ON PARTS FROM TOOLS BUILT AFTER
5/4/93.

DO NOT
WORK AREA
PLOT
OR REUSE

DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°	
3 PLACE	± .010	INCH	METRIC
2 PLACE	± .014	± 0.25	
1 PLACE	---	± 0.35	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DRWG. BY	KBW	CHK'D. BY	RW
APP'D. BY	GW	SCALE	2 : 1
FILE NAME		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
SD I396SP3		DIV. CP	
PART NO.		DRWG. NO.	
03-09-2037		SD-I396-P3	
TITLE		REVISIONS	
.093/(2.36) HOUSING		REV. LTR.	
PLUG, SIDE MOUNT		REV. LTR.	
3 CIRCUIT .198/(5.03) CL		REV. LTR.	
MOLEX INCORPORATED		U.S.A.	
LITTLE ROCK, AR 72616		U.S.A.	
SHEET NO.		DATE	
1 OF 1		09/06/89	

B	I	B	A
MFG.	SH.	REV.	LTR.
REVISIONS			
ADD CKT. I.D. #'S PER ECR U3 0683			
ECR # U90991			
KBW 09-06-89 RW			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

03-09-2037